

SANTA CLARA COUNTY, CALIFORNIA
STEVENS CREEK QUARRY
MINE AND RECLAMATION DESCRIPTION
FOR USE PERMIT AND RECLAMATION PLAN AMENDMENT
CA MINE ID 91-43-0007

SEPTEMBER | 2020

Lead Agency:

Santa Clara County Department of Planning and Development

Prepared for:

Stevens Creek Quarry, Inc.

Preparer:

Benchmark Resources

SANTA CLARA COUNTY, CALIFORNIA
STEVENS CREEK QUARRY
MINE AND RECLAMATION DESCRIPTION
FOR USE PERMIT AND RECLAMATION PLAN AMENDMENT
CA MINE ID 91-43-0007

SEPTEMBER | 2020

Lead Agency:

Santa Clara County Department of Planning and Development
70 West Hedding Street, East Wing, 7th Floor, San Jose, CA 95110

Prepared for:

Stevens Creek Quarry, Inc.
12100 Stevens Canyon Road, Cupertino, CA 95014

Preparer:

Benchmark Resources
2515 East Bidwell Street, Folsom, CA 95630

TABLE OF CONTENTS

1.	OVERVIEW.....	1
2.	BACKGROUND	1
3.	PURPOSE AND OBJECTIVES	2
4.	SITE SETTING	3
4.1	Project Location, Parcels, and Access.....	3
4.2	Existing Entitlements	4
4.3	Existing and Surrounding Land Uses	4
4.3.1	Parcel A	4
4.3.2	Parcel B.....	5
4.3.3	Open Space	5
4.3.4	Surrounding Land Uses.....	5
4.4	General Plan Land Use Designations and Zoning Classifications	6
4.5	Agricultural Use and Agricultural Reserve Contracts	7
5.	MINING AND PROCESSING ACTIVITIES	7
5.1	Expansion of Mining.....	8
5.2	Aggregate Processing	9
5.3	Imported Materials.....	9
5.3.1	Recycling Materials.....	9
5.3.2	Raw Aggregate.....	10
5.3.3	Fill Materials	10
6.	SITE FACILITIES AND OPERATIONS	11
6.1	Equipment.....	11
6.2	Access and Vehicle Trips	12
6.2.1	Public Road Access and Routes of Travel	12
6.2.2	Vehicle Trips and Haul Routes	12
6.3	Water Supply and Use	13
6.4	Utilities	13
6.5	Surface Water Management	13
6.6	Fuel, Equipment Maintenance, and Hazardous Materials.....	14
6.7	Security and Fencing	14
7.	RECLAMATION PLAN AMENDMENT.....	14
7.1	Slope Stability.....	15
7.2	Fill Placement.....	15

TABLES

Table 1	Parcel Acreage and Ownership.....	3
Table 2	Surrounding Land Uses	6
Table 3	Mine and Reclamation Plan Data	7
Table 4	Typical Equipment.....	11

FIGURES

Figure 1	Regional Location
Figure 2	Site Location
Figure 3	Existing Conditions Aerial Photograph
Figure 4	Land Use Designations
Figure 5	Zoning Map
Figure 6	Mine Plan
Figure 7	Mine Plan Cross Sections
Figure 8	Reclamation Plan
Figure 9	Reclamation Plan Cross Sections

APPENDICES

Appendix A	BAGG Technical Report
Appendix B	SWPPP Site Maps

1. OVERVIEW

Stevens Creek Quarry (SCQ) is an existing mining and processing operation located in southwestern Santa Clara County (County) (as shown in Figure 1, “Regional Location,” and Figure 2, “Site Location”). SCQ and its predecessors have continuously mined aggregates at the quarry for more than 80 years. This project description has been prepared to support an expanded use permit for the entirety of the site, and to amend the reclamation plan. The use permit will provide for a term of 30 years, amend SCQ’S existing use permit issued for Parcel A and extend its coverage to Parcel B, allow import of recycle to Parcel B consistent with recycle activities on Parcel A, and allow the import of native greenstone from an adjacent vested and permitted mine site. The reclamation plan amendment includes a revised slope design to correct the potential slope instability identified in the western pit slope, updated plans for stormwater flow, and proposes a combination of backfilling the quarry using on-site materials and importing fill materials to meet the final reclaimed site elevations. The County is the lead agency for the quarry under the California Surface Mining and Reclamation Act (SMARA) and California Environmental Quality Act (CEQA).

2. BACKGROUND

In 1983, SCQ developed an updated mine plan covering an area of approximately 147 acres. To meet the requirements of the reclamation plan, a 1.5:1 (horizontal to vertical) (1.5H:1V) cut slope was developed. The County granted SCQ a use permit for Parcel A (Use Permit) in January 1984 (modified September 10, 1996) and granted SCQ continued use of Parcel A for 20 years from February 18, 1995 (i.e., until February 18, 2015).

In 2009, the reclamation plan was amended to provide for long-term stability of slopes, prevent wind and water erosion by stabilizing the soil surface through proper grading and drainage, and implement a revegetation program to establish self-sustaining vegetation cover. Since 2009, interim phase mining slopes failed, causing the surface disturbance to extend past the property line and become steeper.

In 2014, before expiration of the use permit, SCQ filed an application with the County to extend the Use Permit. The County Planning Commission delayed the public hearing for the Use Permit renewal to an undetermined date.

On September 27, 2017, the County issued a notice of violation (NOV). Between September 2017 and May 2018 the County and SCQ worked to resolve the violations identified in the September 2017 NOV. On May 16, 2018, the parties signed a compliance agreement and stipulated order that outlined the violations and proposed resolution. On January 4, 2019, SCQ submitted a corrective action plan that outlined a submittal schedule to address the corrective actions outlined below:

- **Violation 1:** The Upper Pond is located within Rattlesnake Creek.
Corrective Action: SCQ is coordinating with the San Francisco Bay Regional Water Quality Control Board (RWQCB) regarding an appropriate solution. The RWQCB’s most recent site inspection occurred on December 7, 2018, with no violations noted. The current approach is to reroute the drainage away from the Upper Pond and Rattlesnake Creek. In consultation with the RWQCB, a new settling basin outside of the high-water mark of Rattlesnake Creek will be established.
- **Violation 2:** The Upper Pond and dam are outside the approved reclamation plan boundary.

Corrective Action: The reclamation plan amendment for Parcels A and B will ensure that the Upper Pond and dam are within the proposed reclamation plan boundary.

- **Violations 3 and 4:** The mining-related ground movements are outside the approved reclamation plan boundary.

Corrective Action: The reclamation plan amendment for Parcels A and B will ensure that the mining-related ground movements and associated disturbances are within the proposed reclamation plan boundary.

- **Violations 5, 6, and 7:** There are failed finished cut slopes.

Corrective Action: The reclamation plan amendment for Parcels A and B will incorporate the recommendations provided in 2019 geologic investigation report.

A corrective Action plan was agreed upon and a schedule to file for a conditional use permit and reclamation plan.

An existing roadway located on the adjacent Permanente Quarry property was previously limited to general-purpose and utility company (currently Pacific Gas and Electric Company [PG&E]) access. SCQ began accepting aggregate material in May of 2018 for processing from Permanente Quarry, located north of the facility. The material is a native greenstone mined at Permanente Quarry to expose the limestone layer underneath for excavation and processing. SCQ does not accept limestone that is mined at Permanente Quarry. The greenstone that will be stored and processed will be staged in Parcel B, northwest of the primary crusher. Based on direction from the County, SCQ ceased importing aggregate from Permanente Quarry in December 2018. Permanente Quarry is reclaiming the haul road under agreement with the City of Cupertino, as the road inadvertently crossed the City boundary on Permanente property (Cupertino does not have a mining ordinance). Plans for a new road have been submitted to the County as part of a reclamation plan update for Permanente Quarry. Development of the new route will depend on the County's decision on import to SCQ.

3. PURPOSE AND OBJECTIVES

SCQ's purpose of this application is to continue a 80-year old local business supplying the Santa Clara County region with essential construction materials. Sand, gravel, and crushed stone are referred to as "aggregates." These basic raw materials are the first step in the construction process and are used in a large variety of products. Buildings, homes, schools, hospitals, roads, airports, shopping centers, sewer and stormwater systems depend on aggregates. Between 40 and 60 percent of all aggregates are used in public works projects. Sand, gravel, and stone comprise nearly 90 percent of the materials needed to build federal, state, and local roads.

The proposed project is intended to achieve the following objectives:

- continue mining and processing operations at the same production rate that has been historically met (2 million tons per year);
- extend and amend the use permit that currently applies to Parcel A to apply to the entire site (Parcels A and B) for a term of 30 years;
- reduce regional vehicle miles travelled and greenhouse gas emissions by retaining a local source of aggregate;
- provide for the continued use of the site for the crushing, processing, and distribution of rock, gravel, sand, aggregate, and soil materials; consistent with the approved reclamation plan,

continue to import fill to backfill the quarry and buttress slopes, and to provide for a post-reclamation surface accommodating of future uses allowed in this zone;

- import of approximately 2 million cubic yards of fill for reclamation over the remaining 30-year life of the quarry;
- Extend the existing quarry operational life by accessing mineral resources on adjacent (vested) property owned by Hansen Permanente Cement Company providing about 10 million tons of reserves;
- import up to 1 million tons annually and up to 400 truck trips per day of aggregate for processing and sale using an internal/private haul road from the adjacent Permanente Quarry site, to avoid on-road traffic impacts;
- if required to meet market demands, provide for maximum annual permitted sales of up to 2 million tons of aggregate material to provide a reliable supply of aggregate materials to meet the existing and future regional market demands;
- amend the existing reclamation plan to include an updated mine and reclamation plan that addresses identified slopes stability issues at the site; and
- amend the existing reclamation plan to include a newly located settling basin.;

4. SITE SETTING

4.1 Project Location, Parcels, and Access

SCQ is located approximately 15 miles south of San Jose, California (see Figure 1 and Figure 2), at the southwestern limits of Santa Clara County in the Monte Bello Ridge Canyon. Monte Bello Ridge, which defines the southern flank of Rattlesnake Canyon, rises to elevations over 2,200 feet msl. Parcel B is carved into an unnamed hillside that rises to approximately 1,800 feet msl and defines the northern flank of Rattlesnake Canyon. Elevations on the existing quarry site range from approximately 550 feet msl near the main site entrance at the southeast corner of Parcel A to approximately 1,295 feet msl at the northwest corner of Parcel B.

The existing quarry site occupies an area of approximately 167 acres. Parcel A consists of one irregularly shaped parcel that is approximately 66.27 acres (assessor's parcel numbers [APN] 351-18-048). Parcel B consists of two rectangular parcels and a third narrow wedge-shaped parcel (APNs 351-10-019 [40 acres], 351-10-044 [41.95 acres], and 351-10-040 [4.4 acres] respectively). This reclamation plan amendment also includes portions of adjacent parcels (APNs 351-10-017, 351-10-33, 351-10-039, and 351-11-001) currently owned by Heidelberg Cement, Inc. (Lehigh). SCQ will enter into a lease agreement with Lehigh to use portions of these parcels as described in Section 5.3, below. Table 1, "Parcel Acreage and Ownership," provides use, size, and ownership of each parcel discussed above and throughout this project description.

TABLE 1
PARCEL ACREAGE AND OWNERSHIP

Parcel Number	Jurisdiction	Parcel Acreage	Ownership
351-10-017	City of Cupertino	40	Heidelberg Cement, Inc.
351-10-019	Santa Clara County	40	Stevens Creek Quarry, Inc.
351-10-033	Santa Clara County	159.4	Heidelberg Cement, Inc.
351-10-039	City of Cupertino	35.5	Heidelberg Cement, Inc.
351-10-040	City of Cupertino	4.4	Stevens Creek Quarry, Inc.
351-10-044	Santa Clara County	41.9	Stevens Creek Quarry, Inc.

Parcel Number	Jurisdiction	Parcel Acreage	Ownership
351-11-001	Santa Clara County	503.7	Heidelberg Cement, Inc.
351-18-048	Santa Clara County	66.3	Stevens Creek Quarry, Inc.

Three driveways provide vehicular access to Parcel A from Stevens Canyon Road: the main entrance near the southeast corner of Parcel A, used for ingress only; an exit-only driveway located about 180 feet northeast of the entrance; and a third driveway at roughly the midpoint of the site's frontage on Stevens Canyon Road, used infrequently by trucks that have already been weighed. The recycling operation will continue to operate and utilize these access points.

A gated (locked) entrance at the northeast corner of Parcel A is used by the City of Cupertino for access to compost facilities that are part of a City program.

One private residence occupied by quarry personnel and private stables are in the southern and western portions of Parcel A. The primary access to this residence is via a driveway extending from Montebello Road though they can be accessed from quarry entrances on Parcel A.

4.2 Existing Entitlements

The original reclamation plan for Stevens Creek Quarry was approved by the County on December 6, 1983. It covered two parcels, Parcel A (subject to a use permit) and Parcel B (subject to vested rights). The most recent Parcel A use permit was approved by the County Board of Supervisors on September 10, 1996. A January 2009 reclamation plan amendment corrected minor discrepancies between actual and planned activities (i.e., minor boundary adjustment, updated mine and reclamation maps, and update revegetation planting palette).

4.3 Existing and Surrounding Land Uses

As shown on Figure 3, "Existing Conditions Aerial Photograph," operations at SCQ currently consist of excavation/extraction of aggregate resources (i.e., rock and gravel), processing (crushing and screening) of aggregate resources, materials recycling, material loading and weighing, and material hauling. The property encompasses two parcels: approximately 81 acres on Parcel A, and 86 acres on Parcel B. The quarry's approximately 147 acres also includes the Rich Voss Trucking Company. The following sections provide a description of the existing operations and facilities on each parcel and in areas not subject to existing surface disturbance. In addition, a description of surrounding land uses is provided.

4.3.1 Parcel A

As shown on Figure 3, Parcel A contains the offices, scales, and a concrete recycling facility. The eastern half of Parcel A has a level pad area occupied by stockpiles of soil and finished product, a truck loading area, an area for recycling of concrete and clean fill, the quarry offices, a machine shop, and parking. Truck scales are located adjacent to the quarry offices, near the site exit. Active mining still occurs on the eastern half of Parcel A. A second machine shop and large outdoor equipment and truck storage area are in the center of the parcel, along with a second truck scale nearby. The Middle and Lower Ponds are in the northwest corner of Parcel A. Based on RWQCB requirements, the use of these ponds has been phased out and replaced with an off-channel basin. An undisturbed hillside vegetated with trees and scrub occupies the northern edge of the parcel, to the north of the Lower Pond. The southern and western portions of Parcel A consist of forested hillsides developed with one private residence occupied by quarry personnel.

4.3.2 Parcel B

Parcel B contains the main quarry area, rock crushing, screening, sorting and conveying equipment, overburden stockpiles, haul roads, and ponds. The majority of Parcel B has been completely consumed by mining activities, as shown on Figure 3. Excavated slopes extend along the western, northern, and eastern sides of the parcel, defining the current pit. These cut slopes are approximately 300 feet tall on the west and under 100 feet tall on the east side. The northern portion of the quarry has been mined down to the approved pit floor elevation of 700 feet above mean sea level. The backfilling of the northern portion has begun and fill has been placed up to approximately 785 feet above mean sea level. Parcel B is largely surrounded by undeveloped land owned by Lehigh. Certain Lehigh parcels maintain vested rights recognized by the County Board of Supervisors in 2011.

The aggregate processing plant is located in the center of the Parcel B (see Figure 3), with additional conveyors and screens located about 200 feet south of the main plant. An unpaved access road originating near this equipment climbs the east side of the quarry walls, and then continues northward along the eastern parcel boundary, terminating near the northeast corner of the parcel. The road formerly wrapped around the northern half of Parcel B, ending at a temporary stockpile located on the western parcel boundary, but is now accessible only on foot. Additional stockpiles of soil and processed aggregate are located at various locations in the central pit area.

A second unpaved access road originating near the aggregate plant equipment and exiting the eastern edge of Parcel B connects SCQ with the Permanente Quarry. Using this access road, SCQ began accepting aggregate material in May of 2018 for processing from Permanente Quarry. The greenstone was stored and processed in Parcel B, northwest of the primary crusher. Based on direction from the County, SCQ ceased importing aggregate from Permanente Quarry in December 2018. Additional improvement and use of this route will depend on approvals by the County and City of Cupertino to accept such materials.

4.3.3 Open Space

As shown on Figure 3, open space owned by Lehigh surrounds Parcels A and B in the proposed expansion areas. These areas support two habitat types: sage scrub and oak woodland. Sage scrub habitat is mostly along hillside slopes with small rock outcrops. The most dominant plant species within this habitat type include California sage brush (*Artemisia californica*), coyote brush (*Baccharis pilularis*), toyon (*Heteromeles arbutifolia*), and everlasting cudweed (*Gnaphalium canescens ssp. beneolens*). Associated non- native grass species including rip- gut brome (*Bromus diandrus*) also occur amongst the scrub species. The oak woodland habitat, dominated by coast live oak (*Quercus agrifolia*), is in the north-central and southeastern portions of the site and on the off-site area to the east. Associate species include California buckeye (*Aesculus californica*), California blackberry (*Rubus ursinus*), and toyon. The understory is composed of grass species.

4.3.4 Surrounding Land Uses

The project site is surrounded by undeveloped open space, low-density residential development, mining, and Stevens Creek Reservoir. Table 2, "Surrounding Land Uses," provides a summary of the surrounding land uses closest to the project site. Figure 3 shows the location of the land uses described below.

TABLE 2
SURROUNDING LAND USES

Direction	Land Uses
North	Open space, mining, and cement plant
West	Open space,
South	Stevens Creek Reservoir; low-density residential
East	Open space, Sunnyvale Rod & Gun Club

4.4 General Plan Land Use Designations and Zoning Classifications

As shown in Table 1 above, the majority of the site (approximately 825 of 905 acres) is located with the unincorporated portion of the County. The remaining parcel acreage (approximately 80 acres) is located within the City of Cupertino. Because quarry operations have been under the County's oversight since operations began, and because the City of Cupertino (City) lacks a surface mining ordinance necessary to regulate mining operations, the two jurisdictions have agreed under a Memorandum of Understanding (August 2008) that a limited area along the east wall of Parcel B is subject to County approval and regulation under SMARA.

The *City of Cupertino General Plan* land use map (City of Cupertino 2019) does not assign a land use to the amendment area or to the City lands east of this property (see Figure 4, "Land Use Designations"). The land use map notes that "Land use densities for lands located outside the urban service area shall be consistent with residential densities established by the *Santa Clara County General Plan*." As shown on Figure 5, "Zoning Map," the City zoning district assigned to the amendment area and neighboring property is Residential Hillside (RHS). Although a quarry is not a permitted or conditionally permitted use in the RHS district, the City has waived jurisdiction over the proposed project; thus, this is not considered a zoning conflict. This is reflected in the existing reclamation approved in 2008.

The *Santa Clara County General Plan, 1995-2010* (General Plan) (Santa Clara County 1994), classifies the site as Hillside (see Figure 4). The General Plan describes this designation as follows:

R-LU 17: These lands also contain such important resources as grazing lands, mineral deposits, forests, wildlife habitat, rare or locally unique plant and animal communities, historic and archeological sites, and recreational and scenic areas of regional importance, which serve to define the setting for the urbanized portions of Santa Clara County. Given the importance of these lands to the county's overall quality of life, allowable uses shall be consistent with the conservation and wise use of these resources and levels of development shall be limited to avoid increased demand for public services and facilities.

R-LU 18: All allowable uses must be consistent with the basic intent of the 'Hillside' designation. The range of allowable uses shall be limited to:

- a. agriculture and grazing;*
- b. mineral extraction;*
- c. parks and low-density recreational uses and facilities;*
- d. land in its natural state;*
- e. wildlife refuges;*
- f. very low density residential development; and*
- g. commercial, industrial, or institutional uses, which by their nature*
 - i. require remote, rural settings; or*

- ii. which support the recreational or productive use, study or appreciation of the natural environment.

As shown on Figure 5, those areas of the site within the County have a zoning designation of HS-d1-sr. The Santa Clara County Zoning Ordinance provides, "Permitted uses include agriculture and grazing, very low-density residential use, low density, low intensity recreation, mineral and other resource extraction, and land in its natural state. Low-intensity commercial, industrial, and institutional uses may also be allowed if they require a remote, rural setting and are sized to primarily serve the rural residents or community, or if they support the recreational or productive use, study, appreciation, or enhancement of the natural environment."

4.5 Agricultural Use and Agricultural Reserve Contracts

The California Department of Farmland Mapping and Monitoring Program rates the project site as "Other" land. None of the land within the project site is rated as Prime Farmland, Unique Farmland, or Farmland of Statewide Importance. In addition, the property is not subject to a Williamson Act contract.

5. MINING AND PROCESSING ACTIVITIES

This use permit includes a revised mine plan expanding mining to the west onto an adjacent parcel and import of materials for processing and sale. Figure 6, "Mine Plan," and Figure 7, "Mine Plan Cross Sections," show the mine expansion design. No changes to operational parameters (e.g. production rates) and the processing facilities and equipment used for mining change. The following sections provides a description of existing mining operations and the expansion areas and design. Table 3, "Mine and Reclamation Plan Data," provides a summary of key data related to operations and reclamation of the site.

TABLE 3
MINE AND RECLAMATION PLAN DATA

Design/Operating Characteristics	Description/Parameters/Assumptions ¹
OPERATIONAL ACTIVITIES	
Mining	Hillside excavation using excavators, front end loaders, haul trucks, articulated haul trucks, dozers, and scrapers
Processing	Aggregate plant, topsoil plant, and recycle plant for broken asphalt and concrete
Reclamation	Open space condition with temporary structures and equipment removed, slopes graded, revegetation completed; recycling operation may continue, as determined by site owner
MINE AND RECLAMATION DATA	
Operation Period	30 years from approval
Volume	41 million tons
Maximum annual plant production/sales Aggregate plant (includes sand production) Topsoil plant Recycle plant	2 million tons/year 850 tons/hour 650,000 tons/year
Maximum annual import of aggregate	1 million tons
Waste in processing	30% overburden
Mine excavation area dimensions Approximate limits of surface disturbance Approximate mining acreage	±210 acres ±145acres

Design/Operating Characteristics	Description/Parameters/Assumptions ¹
Maximum depth	700 feet (as measured from highest graded elevation in Parcel B to the maximum depth planned)
Grading Ramp: Width Grade Cut slope: Slope Angle Bench height Bench width Fill Slope: Slope Angle	80 feet 15% maximum Overall slope angle of 2:1 horizontal to vertical 50 feet 25 feet 3H:1V
Setbacks⁴	20-foot setback from the Parcel A property line
Depth of mining Depth to groundwater	700 feet msl Based on multiple drill holes, groundwater depth appears to be below 300 msl
Operating hours Excavation, crushing, processing, hauling Stack, load, haul, etc. on the premises NO excavation, crushing, processing, hauling Saturday work Evening work for special circumstances Special circumstances	6:30 a.m. to 5:00 p.m. Monday–Friday 6:00 a.m. to 5:00 p.m. Monday–Friday New Year’s Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day, and Christmas Day No more than 15 Saturday’s per year; no longer than 7:00 a.m.–3:00 p.m.; no more than 1 Saturday per month from May 15–October 15, inclusive 30 work evenings per year, no longer than 5:00p.m.–8:00p.m. Completion of a project, emergency situations
Workforce	75 employees
Reclamation Plan Boundary	±210 acres

Notes:

1. All values approximate.
2. Amount includes aggregate and overburden. Overburden will be used for reclamation.
3. Total aggregate for the proposed 30-year life of the permit. Mining and reclamation may be completed within a shorter time frame depending on market demand for the product.
4. Parcel B will not have setbacks; rather SCQ will enter into a lease agreement with Lehigh to use a vested portion of their property.

5.1 Expansion of Mining

Expansion of mining operations will occur along the western face of the existing Parcel B highwall. A layback is needed for stability purposes and will be developed in a manner that also provides mineral reserves. The extended highwall will be developed by mining new benches to a bottom elevation of 860 feet mean sea level in the northern portion of the pit, and 700 feet mean sea level in the center and southern portion of the pit. The highwall will be developed by stripping and transporting materials to the processing facilities for crushing and stockpiling. Cut slopes are planned to be 2H:1V. To achieve these angles on the west slope, portions of the west pit boundary must be adjusted farther west to provide area to cut the slopes into native stable material and remove the current, potentially unstable material within the steeper slopes. The quarry floor is planned to have a maximum depth of 700 feet msl, with gently sloping floors that drain southerly and westerly. The bottom of the pit will then be backfilled to 900-feet msl with fill slopes not to exceed 3H:1V overall.

The site is estimated to contain approximately 41 million tons of reserves with approximately 30 percent waste. This mine plan provides for 2.6 million tons of material moved annually with the 30 percent overburden waste factor, for a maximum annual crusher feed of 2 million tons (1.33 million cubic yards) per year for up to 30 years of production at SCQ. Approximately 30 percent of the materials mined are expected to be overburden. Overburden generated from the mining will be hauled to designated areas and stored temporarily. Overburden will remain on-site to be used for reclamation (i.e., for backfilling the pit and creating the 3H:1V fill slopes). The topography of the completed Parcel B will be a broad valley, oriented north-south. The ponds will remain.

As shown on Figure 6, the central portion of Parcel B will be mined down to an elevation of 700 feet msl. This will create an approximately 40-acre flat pad. This elevation is consistent with the currently approved mine plan and no further changes are proposed.

5.2 Aggregate Processing

Raw aggregate from the active quarry area is transported via loader or haul truck to the aggregate plant for primary processing. The material is stockpiled or feed directly into the primary crusher/feeder. The material discharged from the primary crusher is moved along a series of conveyors to the secondary and ancillary processing facilities. The secondary and tertiary processing plant is able to process up to 300 tons per hour. Aggregate material is separated by a large vibrating screen that isolates the larger material for reduction in a secondary cone crusher. Smaller material is screened out as base material or conveyed for additional screening and reduction in tertiary crushers. The material is conveyed to finished product screens. The fines are further processed using a dewatering screen along with coarse and fine sand screws. The ultra-fine material is then processed through a plate press. The material is then conveyed to individual stockpiles for shipment.

5.3 Imported Materials

5.3.1 Recycling Materials

The existing recycle plant is capable of crushing asphalt concrete, broken Portland Cement Concrete, and a combination of asphalt and Portland Cement Concrete. The plant can produce recycled base rock and/or recycled asphalt product. Actual production at the plant depends on the available supply of material for recycling but has averages approximately 650,000 tons annually.

Recycle materials generated from construction demolition sites are trucked in and stockpiled adjacent to the recycle plant area. Material is loaded into the feeder by wheel loader. A grizzly (gravity-fed sorting chute) removes the fines and directs the larger-sized material to the jaw crusher. Once on the main belt, a large magnet downstream of the crusher pulls off any rebar or steel present in the crushed material. The rebar and steel is collected and sent to a metal recycler.

The material is then sent over a screen deck for sizing and separation and oversize material would go to another crusher for further reduction and recirculation to the screen deck. The throughput material is conveyed to a stockpile. Recycled base product is stockpiled for future loading onto trucks.

The recycling operation, including storage of materials, is maintained in a manner that keeps adjacent streams, lakes, and percolation ponds free of siltation, contamination, or pollution. Retention devices will be installed and maintained to control sediments so that they are not deposited in Stevens Creek Reservoir. The recycling operations are currently located in the area shown Figure 3.

5.3.2 Raw Aggregate

A planned new off-highway roadway will be developed connecting the adjacent Permanente Quarry to the SCQ site. Native greenstone mined at Permanente Quarry would be purchased by SCQ and transported to Parcel B for processing. SCQ would not accept limestone that is mined at Permanente Quarry. A screening protocol will ensure only greenstone is imported. The greenstone that will be stored and processed will be staged in Parcel B, northwest of the primary crusher. This material will undergo the same aggregate processing treatment as described in section 5.2 above. Up to 400 roundtrip truck trips will occur daily along this road. Use of this private road will keep these haul trucks off public roads. The hours for these truck trips will be the same as for the operating hours specified in Table 3, above.

5.3.3 Fill Materials

A portion of the quarry floor will be backfilled. Fill will be imported to the site to achieve final reclamation. A total volume of approximately 10 million cubic yards is required to fill the quarry floor to its final design surface of 900 feet msl. Approximately 8 million cubic yards of backfill will be generated on-site from the proposed mining described in section 5.1 above. It is anticipated approximately 2 million cubic yards of backfill material will be imported fill generated from off-site sources. Backfilling the quarry using surplus soil from regional construction projects will be beneficial to long-term water quality. The use of imported fill will be superior because the type and chemical composition of the backfill material can be specified to ensure water quality impacts are minimized during placement and after North Quarry dewatering activities cease and groundwater levels are restored. This practice is common in the Bay Area and statewide. Mining operations that involve lands already disturbed by grading and have capacity to accept such fill provide an ideal solution for disposing of excess clean construction fill. By doing so, compliance with water quality objectives and the WDR mandates can be achieved with greater certainty, with limited interim impacts, and in an expedited time frame.

This soil would be subject to site-specific acceptance criteria developed in coordination with regulatory agencies according to the following guidelines:

1. *California Environmental Protection Agency Department of Toxic Substances Control (DTSC) Information Advisory on Clean Imported Fill Material* guidance document (DTSC 2001);
2. constituents of concern limits established via the RWQCB environmental screening levels and California Human Health Screening Levels (to establish whether the material is considered a “designated waste” under the California Water Code, in which case it would not meet the Quarry’s acceptance criteria);
3. federal and state hazardous and nonhazardous waste criteria; and
4. Background concentration data using DTSC, U.S. Environmental Protection Agency Commercial Regional Screening Levels, and federal Resource Conservation and Recovery Act guidelines.

Acceptance of soil will be determined for each individual source location (e.g., construction project), and all soil imported to the site will be subject to testing and quality controls to ensure it meets the site-specific acceptance criteria. Imported soil is anticipated to be received and unloaded near the processing plant on Parcel B if not directly unloaded in the fill placement area.

Backfill will occur from the bottom upward and placed in a series of lifts. Adequate compaction will be achieved by truck and dozer traffic, as the lifts are advanced. Compaction is not required for the end use but is typically employed in practice by the loading imposed by the heavy hauling equipment and heavy,

tracked vehicles. Backfill will become compacted after two to five passes with a truck or dozer. The final backfilled surface will slope at 3:1 toward the south, which is the lowest area of the surrounding topography.

6. SITE FACILITIES AND OPERATIONS

The following sections provide a description of the facilities that support ongoing mining and processing operations described in Section 5, above. The majority of the equipment and facilities described below will not change under the proposed use permit and reclamation plan amendment. To facilitate expansion of mining areas, equipment and support facilities (e.g. stormwater control and containment) may be changed or relocated to different areas of the site.

6.1 Equipment

Equipment associated with mining, processing, and reclamation activities is listed in Table 4, "Typical Equipment." The types of mobile equipment and/or machines to be employed are typical excavation equipment, such as a dozer, excavator, self-loading scraper, front-end wheel loader, portable water pump, motor grader, conveyers, and haul trucks. A water truck is used for maintenance of surfaces and dust control. The type of vehicles used varies somewhat over time depending on availability and the introduction of new models to suit different conditions.

TABLE 4
TYPICAL EQUIPMENT

Equipment ^{1,2}	Description	Quantity	Year/HP/Tier
PRODUCTION MINING EQUIPMENT			
Caterpillar 345BL	Excavator	1	2002/320/1
Caterpillar 349EL	Excavator	1	2013/425/4i
Caterpillar 735	36-ton haul truck	2	2003/365/2
Caterpillar 740B	40-ton haul truck	1	2013/469/4i
Volvo A40G	40-ton haul truck	3	2015/469/4F
Caterpillar D6NLGP	Mud dozer	1	2005/140/2
Caterpillar D9T	Dozer	1	2015/500/4F
Caterpillar D10N	Dozer	1	1988/520/0
Caterpillar D11T	Dozer	1	2014/924/4i
MATERIAL LOADOUT EQUIPMENT			
Caterpillar 988F	Wheeled loader	1	1999/430/1
Caterpillar 988G	Wheeled loader	1	2004/453/2
Caterpillar 988H	Wheeled loader	2	2007/520/3
Caterpillar 980K	Wheeled loader	1	2013/402/4i
Komatsu WA500-8	Wheeled loader	1	2016/357/4F
ANCILLARY EQUIPMENT			
Caterpillar 14G	Motor grader	1	1984/150/0
Caterpillar 140H	Motor grader	1	1998/185/0
Caterpillar 815F	Compactor	1	2002/220/1
Caterpillar CB224D	Double drum roller	1	2004/33/2
Caterpillar CS56B	Smooth drum roller	1	2012/157/4i
Caterpillar SS250	Soil stabilizer/grinder	1	1990/547/0
Caterpillar 226D	Skid steer	1	2016/67/4F
Caterpillar 322L	Long reach excavator	1	2005/180/2

Equipment ^{1,2}	Description	Quantity	Year/HP/Tier
Caterpillar 328D LCR	Excavator	1	2013/300/4i
Caterpillar 330BL	Excavator	1	1998/222/1
Caterpillar 330CL	Excavator	2	2003/245/2
Caterpillar D5NXL	Dozer	1	2004/115/2
Caterpillar D6RXL	Dozer	1	1998/175/1
Caterpillar D6NLGP	Mud dozer	1	2011/173/3
Caterpillar 963	Track loader	1	1984/150/0
Caterpillar D8R	Dozer	1	2002/305/2
Massey Ferguson 640B	Wheeled loader/drag box	1	1996/78/0
Caterpillar 950G	Wheeled loader	1	2003/183/2
Volvo L120E	Wheeled loader	1	2006/243/3
Caterpillar 972G	Wheeled loader	1	2003/279/2
Grove RT745	Rough-terrain crane	1	1989/196/0
Caterpillar TH83	Telehandler-forklift	1	1997/106/1
Caterpillar TH460	Telehandler-forklift	1	205/100/2
Caterpillar TL1055	Telehandler-forklift	1	2010/125/3
Caterpillar TL943C	Telehandler-forklift	2	2013/111/4i

Notes:

- 1 Equipment will be purchased at the time it is needed and may differ from equipment listed.
- 2 The equipment listed uses diesel fuel.

6.2 Access and Vehicle Trips

The following subsections provide details related to on- and off-site transportation for mine operations and site reclamation.

6.2.1 Public Road Access and Routes of Travel

Three driveways (as shown in Figure 3) currently provide vehicular access to Parcel A from Stevens Canyon Road:

- the main entrance near the southeast corner of Parcel A, used for ingress only;
- an exit-only driveway located about 180 feet northeast of the entrance; and
- a third driveway at roughly the midpoint of the site's frontage on Stevens Canyon Road, used infrequently by trucks that have already been weighed.

A gated (locked) entrance at the northeast corner of Parcel A is used by the City of Cupertino for access to compost facilities that are part of a City program.

6.2.2 Vehicle Trips and Haul Routes

Activities at SCQ are restricted by the number of truck trips that are permitted to exit the quarry each operational day. The existing conditions of approval establish a limit of 1,300 (roundtrip) on-road trips of material loads per day, excluding trucks using the private road to Lehigh's site, the use of which will keep additional haul trucks off public roads. A load is the total material hauled on-road by single motorized vehicle, i.e., the amount a single driver can haul. This condition is not expected to change under the proposed project. Stevens Canyon Road, Foothill Boulevard, Highway 280, and the Foothill Expressway are to be used as haul routes.

6.3 Water Supply and Use

Quarry operations require water for dust control and aggregate processing. This water is supplied from stormwater stored in ponds and settling basins.

6.4 Utilities

Locations of utility features, roads, and other necessary site infrastructure within the vicinity of the site are shown in Figure 3. The following utilities are necessary for operation and are available at the site:

- **Power:** Line power and diesel generators
- **Water:** Supplied from stormwater stored in ponds and settling basins
- **Sewage:** Residences on septic; portable facilities are provided throughout the site, as necessary.

6.5 Surface Water Management

In general, the site is comprised of two stormwater management areas. The first stormwater management area is within the Parcel B mining area. Stormwater flows from the quarry are captured in the pit and stored. Sheet flow from the existing slopes flows down the highwalls and is captured in the bottom of the pit. Culverts and drop inlets are located above the northern and eastern slopes and capture and direct stormwater flows around the quarry highwalls and to the bottom of the pit. The stormwater flows are used for dust control, processing make-up water, or percolates into the surface.

The second stormwater management area captures stormwater flows from the aggregates processing area on Parcel B and all facilities located within Parcel A. Surface drainage at the facility generally flows southeast toward Stevens Creek Reservoir. Stormwater is conveyed through culverts, French drains, concrete swales, and drainage ditches to sediment traps, sediment ponds, and an on-site stormwater storage tank.

Bay Area Geotechnical Group (BAGG Engineering) designed and engineered a new settling basin. The new settling basin will be located northeast of Sediment Pond 4 on Parcel A. See Appendix A, "BAGG Technical Report" (Plate 3, "Site Plan Proposed Topography"), for the location and design of the new settling basin. An overflow structure will be constructed as part of new settling basin development to prevent the water level in the pond from overtopping the development access road, which will function as a dam once raised by 10 feet. The increased height of the development access road will allow for a desirable pond capacity. The capacity of the dam will not reach or exceed the California Division of Safety of Dams' (DSOD's) 15-acre-foot jurisdictional threshold capacity. The new settling basin capacity is estimated to be approximately 4.4 acre-feet provided that the pond's side slopes are cut at an approximate gradient of 2H:1V and the development access road is raised by 10 feet at an approximate 1.5H:1V gradient. The two water tanks at the current location will be relocated. The new settling basin will be designed to comply with design storm standards in the Industrial General Permit.

The National Pollutant Discharge Elimination System (NPDES) General Permit for Storm Water Discharges Associated with Industrial Activities (Industrial General Permit) requires BMPs to be implemented to direct off-site and nonindustrial run-on away from industrial areas and erodible surfaces. Berms, drainage ditches, drop inlets, sediment traps, silt fences, check dams, and straw wattles will be implemented to meet this requirement. These BMPs will be located along the quarry roads and throughout the facility as necessary. Figures showing off-site drainage areas and associated stormwater conveyance facilities or BMPs are provided in Appendix B, "SWPPP Site Maps." As part of the terms of a

discharge permit from the RWQCB, the SCQ operator regularly monitors water quality of the discharge from the quarry and is required to submit quarterly monitoring reports to the RWQCB.

6.6 Fuel, Equipment Maintenance, and Hazardous Materials

Trucks and other mobile equipment run on diesel and gasoline. Diesel fuels are stored on-site in aboveground tanks on an impervious surface with secondary containment, as required by existing regulations.

A mobile fuel and lubrication truck is be used to service vehicles on-site. The fuel/lube truck can carry a limited amount of petroleum products, is equipped with automatic shut-off valves to prevent spills and carries appropriate absorbent materials to contain and recover spillage. An approved spill prevention, control, and countermeasures (SPCC) plan guides reporting, control, and cleanup activities in the event of a spill in the quarry or other operating areas. Existing water quality protection measures at the facility are described in the SWPPP (last updated November 2019), the SPCC plan (last updated April 2016), and the hazardous materials business plan (last updated June 2016). The SWPPP describes stormwater drainage facilities, identifies possible water pollution sources that could affect the quality of stormwater discharged from the facility, and documents BMPs that have been implemented to minimize or prevent discharge of pollutants that may be in stormwater.

Materials present at the facility that may contribute pollutants to stormwater runoff that are identified in the SWPPP include rock, gravel, sand, silt, clay, petroleum products (fuel, oil, grease), antifreeze, batteries, waste oil, and new and/or spent solvents. Detailed information regarding potential pollutants associated with each potential source area and the BMPs implemented for each area are identified in the SWPPP. The SWPPP will be updated to reflect the new settling basin and additional BMPs that are being implemented at the site in response to comments received from the RWQCB.

Any waterbody created during operations will be maintained in such a manner as to provide mosquito control and to prevent the creation of health hazards or public nuisance.

6.7 Security and Fencing

Fencing of the property will be installed and maintained in good condition as described in the following list:

- a) A 5-foot-high chain-link fence will be maintained along the right-of-way of Stevens Canyon Road.
- b) A four-strand barbed-wire fence will be maintained along the property line with Sunnyvale Rod & Gun Club.
- c) The fence opening between Sunnyvale Rod & Gun Club will be closed.

7. RECLAMATION PLAN AMENDMENT

This application request also includes amending the 2009 Reclamation Plan to provide for a revised slope design to correct the slope instability identified in the western pit slope, updated plans for stormwater flow, and a new settling basin. The 2009 Reclamation Plan for the quarry includes a combination of backfilling the quarry using on-site materials and importing fill materials that meet applicable clean fill requirements. SCQ proposes to continue to use a combination of on-site material and surplus soil available from regional construction projects. Based on the revised design and an estimate of potentially

available on-site fill material, SCQ anticipates that 2 million cubic yards of fill material would be imported over the remaining 30 years of operation.

SMARA requires mines to be reclaimed to a usable condition that is readily adaptable for a productive alternative land use that does not endanger public health or safety. Proposed reclamation is shown on Figure 8, "Reclamation Plan" and Figure 9, "Reclamation Plan Cross Sections." The site will be reclaimed to an open space condition suitable for future development as allowed under the County Zoning Ordinance at reclamation. After mining is complete, all temporary structures and mining and processing equipment will be removed, finished slopes will be graded and engineered where necessary, fill will be imported and used to backfill slopes to reclamation specifications, and revegetation of the entire quarry site will be performed.

The reclamation plan for the quarry has been prepared in accordance with the requirements of SMARA, found in California Public Resources Code (PRC) Section 2710 et seq., Title 14 of California Code of Regulations (CCR) Section 3500 et seq., and the County's (the lead agency) implementing ordinance (Santa Clara County Surface Mining Ordinance Sections 2.10.040 and 4.10.370).


7.1 Slope Stability

Section 5 provides an overview of the cut and fill slopes. Figures 7 and 9 provide the slope design. Slopes angles are revised to provide for aggregate production at SCQ and long-term stability. This mine is designed to have 2H:1V slopes. To achieve these slope parameters on the west slope, portions of the west pit boundary are adjusted farther west to provide area to cut the slopes into native stable material and mine out the unstable material within the steeper slopes.

7.2 Fill Placement


As described in Section 5.3, after completion of mining, the bottom of the pit will be backfilled to 900 feet msl to grades not to exceed 3H:1V overall. To achieve these angles on the west slope, portions of the west pit boundary must be adjusted farther west to provide for area to make the cut slopes into native stable material and remove the current, unstable material within the steeper slopes. Figure 8 and Figure 9 show the reclaimed topography. Suitable on-site fill will be used to backfill the pit. To the extent additional fill will be required, Section 5.3 provides additional detail regarding the importation and placement of fill material.


THIS PAGE
INTENTIONALLY
LEFT BLANK



SOURCES: ESRI World Shaded Relief accessed Sept. 2020, ESRI World Topographic Map accessed Sept. 2020; ESRI World Streetmap, 2009; compiled by Benchmark Resources in 2020

NOTES: This figure was prepared for land use planning and informational purposes only. The info shown and its accuracy are refelective of the date the data was accessed or produced.








SOURCES: ESRI World Shaded Relief accessed Sept. 2020, ESRI World Topographic Map accessed Sept. 2020; ESRI World Streetmap, 2009; adapted by Benchmark Resources in 2020

NOTES:

1. Property boundary for illustrative purposes only.
2. This figure was prepared for land use planning and informational purposes only. The information shown and its accuracy are reflective of the date the data was accessed or produced.



D:\BENCHMARK CURRENT PROJECT\317 - Stevens Creek Inc - General Services\317-02 - Stevens Creek Quarry\317 - Figures\317 - Reclamation Plan Amendment 2




SOURCE: Aerial-Muir Consulting Inc, flown 8-13-2020;
compiled by Benchmark Resources in 2020






NOTES:


1. Material reviewed and utilized to prepare reclamation plan boundary was informed by orthophotography and sruey data prepared by Muir Consulting, Inc., flown on 6-18-2020.
2. See Sheet 1 for applicable existing conditions aerial photography footnotes.

	Site Boundary	±250 acres		Dirt Road
	Reclamation Plan/ Surface Disturbance Boundary	±210 acres		Asphalt Road
	Existing Hanson Lease	±10 acres		Water Border
	Planned Hanson Lease	±83 acres		Swiss Creek
	Area to Remain Under Permanente Quarry Reclamation Plan Until Needed by Stevens Creek Quarry	±7 acres		Power Line
	100-foot Power Line Easement			Building







SOURCES: General Plan Designations—County of Santa Clara Planning Office, 1995 Santa Clara County General Plan, updated Oct. 2016; ESRI World Shaded Relief accessed Sept. 2020; compiled by Benchmark Resources in 2020




-  Site Boundary
-  Reclamation Plan/Surface Disturbance Boundary
-  Hillsides
-  Other Public Open Lands
-  Regional Parks, Existing




SOURCES: County Zoning—Santa Clara County Zoning Atlas, pg. 105, updated Aug. 2016; City Zoning—City of Cupertino Zoning Map, prepared by the Community Development Department, updated Sept. 3 2019; Parcels—SCC Assessor's Dept, SCC Info Services Dept, 2017;ESRI World Shaded Relief accessed Sept. 2020; compiled by Benchmark Resources in 2020

-  Site Boundary
-  Reclamation Plan/Surface Disturbance Boundary
-  Cupertino City Limit
-  Parcel Lines


County of Santa Clara Zoning

-  **HS** Hillside
-  **d1** Combining District: -d1 District (Santa Clara Valley Viewshed)
-  **sr** Combining District: -sr District (Scenic Roads)

City of Cupertino Zoning

-  **RHS** Residential Hillside

D:\BENCHMARK CURRENT PROJECT\317 - Stevens Creek Quarry\317 - Figures\317 - Reclamation Plan Amendment 2




SOURCE: Topography—Muir Consulting, Inc., flown 6-18-2020; mine plan compiled by Benchmark Resources in 2020

NOTES:


1. Mining Slope: 2h:1v overall cut slope angle.
2. East Wall Slope: 1h:1v overall cut slope angle.
3. Stormwater Pond Slope: 2h:1v overall cut slope angle.
4. Grading offset from site boundary a minimum of 25'.
5. See Permanente Quarry Amended Reclamation Plan, May 2019 for Off-highway Materials Haul Route.
6. Contour interval = 5'-minor, 25'-major.
7. "msl" = mean sea level.
8. See Figure 9 for cross sections shown.
10. See Sheet 2 for mine plan Professional Engineer and Professional Geologist stamp and signature.
11. Material reviewed and utilized to prepare this conceptual design included orthophotography and topography prepared by Muir Consulting, Inc., flown on 6-18-2020.

	Site Boundary	±250 acres		Access Road
	Reclamation Plan/ Surface Disturbance Boundary	±210 acres		Water Border
	Area to Remain Under Permanent Quarry Reclamation Plan Until Needed by Stevens Creek Quarry	±7 acres		Swiss Creek Cross Section
	100-foot Power Line Easement			Building
	Existing/Ramp Fill Area	±13 acres		
	Backfill Stockpile Area	±10 acres		


D:\BENCHMARK CURRENT PROJECT\317 - Stevens Creek Quarry\317-02 - General Services\317-02 - Figures\317 - Reclamation Plan Amendment 2




CROSS SECTION A-A'



CROSS SECTION B-B'



CROSS SECTION C-C'




CROSS SECTION D-D'

SOURCE: Topography-Muir Consulting, Inc., flown 6-18-2020; mine plan compiled by Benchmark Resources in 2020

NOTES:

1. Mining Slope: 2h:1v overall cut slope angle.
2. East Wall Slope: 1h:1v overall cut slope angle.
3. "msl" = mean sea level.
4. See Figure 8 for cross section locations shown.
5. See Sheet 3 for mine plan cross sections Professional Engineer and Professional Geologist stamp and signature.
6. Material reviewed and utilized to prepare this conceptual design included orthophotography and topography prepared by Muir Consulting, Inc., flown on 6-18-2020.

-----	Site Boundary	±250 acres
-----	Reclamation Plan/ Surface Disturbance Boundary	±210 acres



SOURCE: Topography–Muir Consulting, Inc., flown 6-18-2020; mine plan compiled by Benchmark Resources in 2020


NOTES:

1. Mining Slope: 2h:1v overall cut slope angle.
2. East Wall Slope: 1h:1v overall cut slope angle.
3. Fill Slope: 3h:1v overall fill slope angle.
4. Grading offset from site boundary a minimum of 25'.
5. See Permanente Quarry Amended Reclamation Plan, May 2019 for Off-highway Materials Haul Route.
6. Contour interval = 5'-minor, 25'-major.
7. "msl" = mean sea level.
8. See Figure 11 for cross sections shown.
6. See Sheet 4 for reclamation plan Professional Engineer and Professional Geologist stamp and signature.
7. Material reviewed and utilized to prepare this conceptual design included orthophotography and topography prepared by Muir Consulting, Inc., flown on 6-18-2020.


	Site Boundary	±250 acres
	Reclamation Plan/Surface Disturbance Boundary	±210 acres
	100-foot Power Line Easement	
	Swiss Creek	
	Cross Section	
	Building	

Reclamation	
	Grasses & Herbs (not on Backfill) ±30 acres
	Backfill (no revegetation) ±20 acres
	Backfill w/ Grasses & Herbs ±39 acres
	Grasses, Herbs, & Shrubs ±90 acres
	Development and Buildings to Remain ±9 acres
	Undisturbed ±8 acres
	Stormwater Pond ±7 acres
	Roads to Remain ±7 acres


D:\BENCHMARK CURRENT PROJECT\317 - Stevens Creek Quarry\317-02 - General Services\317-02 - Figures\317 - Reclamation Plan Amendment 2




CROSS SECTION A-A'



CROSS SECTION B-B'



CROSS SECTION C-C'



CROSS SECTION D-D'

SOURCE: Topography-Muir Consulting, Inc., flown 6-18-2020; mine plan compiled by Benchmark Resources in 2020

NOTES:

1. Mining Slope: 2h:1v overall cut slope angle.
2. East Wall Slope: 1h:1v overall cut slope angle.
3. Fill Slope: 3h:1v overall fill slope angle.
4. "msl" = mean sea level.
5. See Figure 10 for cross section locations shown.
5. See Sheet 5 for reclamation plan cross sections Professional Engineer and Professional Geologist stamp and signature.
6. Material reviewed and utilized to prepare this conceptual design included orthophotography and topography prepared by Muir Consulting, Inc., flown on 6-18-2020.

---	Site Boundary	±250acres
---	Reclamation Plan/ Surface Disturbance Boundary	±210 acres

APPENDICES

APPENDIX A
BAGG TECHNICAL REPORT

April 17, 2019

BAGG Job No: STEVE-18-03

Mr. Jason Voss

jvoss@scqinc.com

Stevens Creek Quarry, Inc. (SCQ)

California Mine ID 91-43-007

12100 Stevens Canyon Road

Cupertino, California 95014

REPORT

Engineering Geologic and
Geotechnical Investigation

New Settling Pond

Stevens Creek Quarry

12100 Stevens Canyon Road

Cupertino, California 94117

Dear Mr. Voss:

Bay Area Geotechnical Group (BAGG Engineers) is pleased to present the results of our engineering geologic and geotechnical evaluation performed for the proposed New Settling Pond (NSP) planned within the active Stevens Creek Quarry (SCQ) in Cupertino, Santa Clara County, California. The attached Plate 1, Vicinity Map, delineates the general location of the proposed New Settling Pond within the quarry while Plate 2, Site Plan Existing Topography, shows the area of the pond where we advanced our borings and extended three structural cross section lines. Plate 3, Site Plan Proposed Topography, depicts the proposed cut slopes and New Settling Pond outline in addition to delineating the location of our borings, cross section lines, Upper, Middle and Lower Settling Basins, adjacent Property line, surface disturbance boundary marking the limit of the planned cut, the Pacific Gas and Electric Company (PG&E) adjacent easement, and the Development Access Road (DAR).

This engineering geologic/geotechnical investigation and slope stability analysis was performed in general accordance with the scope of work described in our proposal No. 18-406, dated October 25, 2018.

SITE LOCATION AND PROJECT DESCRIPTION

The proposed NSP is planned along the east side of the DAR generally opposite the existing Lower Settling Basin (LSB) within the active SCQ at a location that is nearly 2,300 feet to the southeast of the active mining pit at the quarry. The area of the NSP is currently occupied by a topographic knob that extends about 120 feet in height above the adjacent DAR. The topographic knob is comprised of a southwest-

facing slope that will be cut to accommodate the NSP and the cut will be extended upslope to near the property line. Nearly immediately beyond the property line, the southwest-facing slope breaks and descends facing to the northeast. The western side of the noted existing topographic knob abutting the DAR along its northeastern side has been cut previously to a relatively steep slope (1H:1V [Horizontal to Vertical] or steeper) exposing sandy/gravelly sediments belonging to the late Pliocene/early Pleistocene terrestrial sedimentary Santa Clara Formation, to permit the extension and construction of the DAR and access to the mining pit. A 100-foot wide PG&E overhead high voltage transmission easement is present just beyond the quarry's property line to the north. Two steel lattice towers supporting the high voltage power lines are present to the northwest and northeast of the site area just beyond the property line. An overflow structure will be constructed as part of NSP development to prevent the water level in the pond from overtopping the DAR, which will function as a dam once raised by 10 feet opposite the NSP.

The topographic knob will be cut starting at near the prominent bend in the property line and carried downslope towards the southwest to create south- and southwest-facing slopes to permit the construction of the NSP as depicted on Plate 3. The NSP slope cuts were initially proposed at an approximate gradient of 1.5H:1V. However, our stability analyses results indicated that the noted 1.5H:1V NSP cut slope gradient was not considered stable under seismic loading. We understand that the portion of the DAR to abut the planned NSP along its western side will be raised about 10 feet in height to help achieve a desirable pond capacity, which will not reach or exceed the 15-acre-foot jurisdictional threshold capacity. It is important to note that the level area traversed by the DAR used to be occupied by a tributary creek channel to the main Stevens Creek channel, which has been infilled and dammed in few places to create the Upper, Middle and Lower Settling Basins and extend the DAR shown on Plates 2 and 3.

PURPOSE AND SCOPE OF SERVICES

The purpose of our services was to investigate and characterize the subsurface conditions at the location of the NSP and evaluate the stability of the proposed cut slopes. Furthermore, once we established a stable cut slope configuration under static and seismic loading, we estimated the Acre-foot capacity with the DAR raised by 10 feet as noted above. Specifically, our scope of work included the following elements:

- Review pertinent published geologic and seismic reports and maps prepared by the California Geological Survey (CGS) and the U.S. Geological Survey (USGS) in addition to site-specific geotechnical/geologic reports and studies prepared by consultants such as Norfleet Consultants (Norfleet) in 2008 and BAGG Engineers in 2019;
- Perform slope reconnaissance of the site area by our Certified Engineering Geologist (CEG);
- Explore and investigate the subsurface conditions by advancing six (6) borings to depths ranging between 29 and 84 feet. Borings B-1 through B-3 drilled along the DAR varied in depth between 29 and 30.5 feet below ground surface (bgs) while Borings B-4 through B-6 drilled atop the topographic knob ranged between about 74.5 and 84 feet in depth bgs;

- Perform geotechnical laboratory testing on some selected samples;
- Generate three geologic structural cross sections: A-A' through C-C';
- Evaluate the collected data and perform slope stability analyses under static and pseudo-static (seismic) loading conditions depicting several slope gradient scenarios;
- Meeting attendance and consultation with the quarry manager;
- Calculate the NSP capacity once a stable cut slope configuration was established; and
- Prepare this letter report summarizing our findings, conclusions, and recommendations to attain satisfactory factors of safety based on our analysis of the three geologic cross sections (A-A' through C-C') that were extended in a roughly perpendicular fashion to the planned cut slope along the east and north sides of the proposed NSP. This report includes a vicinity map, two site plans, an area geologic map, laboratory testing results, geologic cross sections, and stability analysis plots.

PROJECT BACKGROUND

Initially, the cut slopes along the east and north sides of the proposed NSP were to be cut at a slope gradient of 1.5H:1V. However, our stability analysis indicated that such gradients were not considered stable under seismic loading although acceptable Factors of Safety (FOS) exceeding 1.5 were obtained under static conditions. No intermediate drainage terraces/benches were planned as part of the original design.

Based on the obtained stability analysis results discussed above for the initially-planned 1.5H:1V gradient, we also analyzed 1.75H:1V and 2H:1V slope configurations with a mid-slope height drainage terrace/bench. In addition, we analyzed the cut slope stability under the assumption that they would be over-excavated 20-30 feet (measured perpendicular from the slope face) and then rebuilt as engineered fill reinforced with geogrid and even utilizing aggregate base for the keyway excavation at an approximate 1.5H:1V gradient. Acceptable FOS were only attained utilizing the 2H:1V cut gradient under seismic loading, however. The 2H:1V configuration would result in shifting the toe of the proposed cut slopes to the west and southward, which would alter the layout of the NSP and decrease the pond's capacity. To address the pond's capacity reduction, we understand that the DAR will be raised by 10 feet where it abuts the planned NSP.

GEOLOGY AND SEISMICITY

Area and Site Geology

The site area has been mapped by several mappers including Dibblee (1966), Rogers (1972), Rogers and Armstrong (1973), Rogers and Williams (1974), Sorg and McLaughlin (1975), Brabb et al. (1998), Brabb et al. (2000), Norfleet Consultants (2008), Dibblee and Minch (2007), and BAGG Engineers (2019). The topographic knob which will be cut to create a location for the NSP is underlain by lower Quaternary (Pleistocene) and upper Tertiary (Pliocene), non-marine sedimentary bedrock belonging to the Santa Clara

Formation, which is described by Sorg and McClaughlin (1975) as: *semi-consolidated, poorly to moderately lithified, pebble to boulder conglomerate, fine- to coarse-grained poorly sorted sandstone, siltstone, and clayey mudstone of fluvial and lacustrine origin. Upper half of formation predominantly conglomerate and interbedded medium- to coarse-grained sandstone. Lower half of formation composed of about equal percentages of pebble conglomerate and interbedded medium- to fine-grained sandstone, siltstone, and clayey mudstone and locally contains peat-rich layers with well-preserved plant remains and carbonized wood fragments up to 6 feet long.*

Brabb et al. (1998) noted that the formation consists of irregular and lenticular beds and that its thickness is variable but reaches a maximum of about 500 meters (about 1,650 feet). The Santa Clara Formation in this area is separated from the Cretaceous and Jurassic age Franciscan Complex greenstone bedrock to the west by the Berrocal fault, which is a high-angle reverse fault dipping between 50 to 70 degrees to the west. The Franciscan Complex greenstone bedrock to the west of the fault appears to have been thrust over the terrestrial and younger Santa Clara Formation sedimentary units along the faulted contact rendering the older marine Franciscan units atop the younger Santa Clara Formation sediments. Beyond the fault zone and the NSP site area to the northwest, the SCQ main active mining pit and surrounding slopes expose Franciscan greenstone bedrock exclusively that is closely and highly fractured, sheared, and foliated. Norfleet (2008) indicated that it is unlikely that a specific fault plane is present along the contact separating the two rock types and that the fault is represented by a shear zone measuring between 50 to 100 feet in width and which extends along the east side of the quarry's main mining pit. The fault zone extends northeastward between the NSP site and the quarry's active mining pit before making a prominent bend to the northwest. The upper approximately 40 to 60 feet of the greenstone bedrock appeared weathered and colored yellowish brown due to oxidation while the greenstone bedrock exposed on the lower mined slopes generally appeared greenish gray due to reduction below the upper oxidized zone.

Sorg and McClaughlin (1975), Brabb et al. (1998), Norfleet (2008) and BAGG Engineers (2019) mapped a prominent fault-related shear zone that bifurcates off the main fault trace immediately to the northwest of the NSP site and extends in a northwest trend extending diagonally across Parcel B of the quarry where the active mining pit is located. Our CEG observed the diagonal shear zone along the north end of the Western Rim Slope (near the northwestern corner of the quarry mining pit) where it consisted of several steep shear planes some of which were lined with plastic greenish clayey gouge. The noted shears extended the entire height of the approximately 400-foot high mined slope and several of the shear planes appeared to strike east/west and dip steeply to the south with one prominent shear plane trending northwestward and dipping steeply to the southwest. Norfleet (2008) shows the shear zone as a band of serpentine that extended through the greenstone bedrock and although our CEG observed the shear zone on the initial cut near the northwestern corner of the active mining pit, our CEG did not observe the serpentine rock band delineated by Norfleet in 2008 as the area was underlain by greenstone entirely. As noted above, the main trace of the Berrocal fault is shown by most of the mappers to extend along the east side of the active mining pit after making a prominent northeast bend immediately to the northwest

of the subject site. The portion of Brabb et al. (1998) geologic map that covers the site area is included as Plate 4, Area Geologic Map.

Landslides

None of the referenced mappers delineated landslide deposits in the area of the topographic knob where the NSP is planned. However, most mappers show large-scale landslide deposits, which have occurred in Franciscan Complex greenstone and sheared Franciscan mélange rocks across and beyond the infilled creek channel and LSB to the west. However, these mapped landslides do not extend across the DAR and do not appear to impact the NSP site.

The western portion of the topographic knob where the slope has been cut steeply to accommodate the extension of the DAR is shown by the CGS on their regulatory Seismic Hazard Zone maps (2002a) to be within a Seismic Hazard Zone associated with earthquake-induced landslides. Plate 2.1 (Landslide Inventory Map) of the Seismic Hazard Zone Report 068 (SHZR 068) prepared by the CGS (2002b) for the 7.5-Minute Cupertino quadrangle shows the area of the site to have been graded significantly but no landslides are shown at or in the vicinity of the site. In agreement with previous mappers, the CGS (2002b) also shows the same large-scale landslides across the infilled creek channel/DAR and LSB to the west. The site area was not shown to be within a Seismic Hazard Zone associated with soil liquefaction, however.

Faulting and Seismicity

The main trace of the Berrocal fault has been mapped by Sorg and McLaughlin (1975), Brabb et al. (1998), and Dibblee and Minch (2007) to extend roughly in a northwest trend along the west side of the now infilled creek channel and the LSB and it does not encroach onto the site limits. The referenced mappers show the main fault trace to extend beneath the landslide deposits mapped to the west of the former and now infilled creek channel and the LSB.

The Berrocal fault has not been zoned as active by the Division of Mines and Geology (DMG, 1974 and 2000) because it does not meet their zonation criteria. However, while the fault is within a County of Santa Clara Fault Rupture Hazard Zone (SCC, 2012), the fault trace and the associated hazard zone delineated by the County of Santa Clara do not encroach onto the site of the NSP.

The San Andreas fault is mapped about 2 miles to the southwest and the Monte Vista-Shannon fault is mapped about 1.3 miles to the northeast of the site area. Norfleet (2008) indicated that while the quarry was active during the Loma Prieta Earthquake of October 17, 1989, the quarry personnel reported that the quake did not cause rockfalls or slope failures and only a single water glass fell off a counter in a nearby house. Furthermore, Norfleet (2008) indicated that a study of aftershocks from the 1989 earthquake in the Santa Cruz Mountains performed by Lindley and Archuleta (1994) found that Franciscan ridgetops had little ridgetop amplification and shatter and that the average amplification at Franciscan Complex sites was 3 times less than amplification at sites underlain by Tertiary (Miocene and Pliocene) bedrock.

FIELD EXPLORATION AND LABORATORY TESTING

Subsurface conditions at the site were explored between December 17 and 20, 2018 by drilling six borings designated as Borings B-1 through B-6 to depths varying between about 29 and 84 feet bgs at the approximate locations shown on the attached Plates 2 and 3. The borings were advanced utilizing a truck-mounted drill rig equipped with 8-inch diameter hollow stem augers. An access route was pioneered by the quarry operator immediately to the northwest of the site generally opposite the existing Middle Settling Basin so that the drill rig is able to access the top of the knob. Furthermore, the quarry operator also provided a bulldozer to pull the drill rig up the cut access road and across dips and soft spots. Borings B-1 (29 feet deep) and B-2 (30.5 feet deep) were drilled along the DAR to assess the feasibility of placing fill to raise the DAR in the vicinity of the proposed NSP. Boring B-3 (30.5 feet deep) was advanced in the level area just beyond the topographic knob to the southeast. Borings B-4 (74.5 feet deep), B-5 (79 feet deep) and B-6 (84 feet deep) were drilled atop the topographic knob where equipment access was feasible. The intent of drilling atop the knob to the noted depths was to assess the condition of the formation where the planned cut slope face is projected to be encountered/exposed and to evaluate the bedrock rippability down to near the maximum planned cut planned.

A professional geologist with our firm technically directed the exploration, maintained a continuous log of the borings, and obtained disturbed bulk and Standard Penetration Test samples in addition to relatively undisturbed ring samples utilizing Modified California Sampler for laboratory testing and subsequent visual examination.

The obtained subsurface materials were visually classified in the field and the classifications were then checked against the results of the laboratory testing program. In addition to sample classification, the boring logs contain interpretation of where stratum changes or gradational changes occur between samples and also the obtained laboratory test results. The boring logs depict BAGG's interpretations of subsurface conditions only at the locations indicated on Plates 2 and 3 and are intended for use by SCQ only in conjunction with this report, and only for the purposes outlined by this report.

Selected undisturbed samples were tested in direct shear to evaluate the strength characteristics of the subsurface materials. Direct shear tests were performed under natural moisture and artificially increased moisture contents, while under various surcharge pressures. Atterberg Limits tests were performed on clayey site samples to help define the plasticity characteristics and aid in the soil classification. Washes over a #200 sieve were also conducted to assist in the classification of fine-grained soil samples and moisture content and dry density measurements were also performed on undisturbed samples to aid in correlating their engineering properties. The results of our laboratory strength tests, Atterberg Limits tests, classification tests, and moisture/density measurements are summarized on the boring logs and/or plates identified below.

SITE CONDITIONS

Surface Conditions

The topographic knob, which will be cut to accommodate the construction of the proposed NSP, exceeds 100 feet in height and, as noted above, its southwestern sloping side abutting the DAR has been cut to an approximate 1H:1V steep gradient exposing sandy/gravelly sediments belonging to the Santa Clara Formation. Farther upslope beyond the noted side cut, the topographic knob's surface and side slopes are irregular and covered with heavy brush and tree growth.

Subsurface Conditions

The Santa Clara Formation is relatively young geologically and its various comprising interbedded sedimentary units are lenticular in shape and somewhat discontinuous laterally. And although it is considered by geologists to be formational bedrock, it is generally unconsolidated, weakly lithified and poorly cemented. The formation's composition varies significantly laterally and with depth and its physical characteristics and engineering properties resemble soil-like materials rather than coherent bedrock. Depending on the geographical locality around the San Francisco Bay, the formation's sand/gravel content varies significantly with the upper sections of the formation containing more sand and gravel while its lower section is comprised mostly of silt and clay.

Borings B-1 through B-3 drilled along the DAR and the base of the topographic knob generally encountered up to about 7.5 feet of old fill that was most likely placed there as part of the DAR extension and construction. Borings B-4 through B-6 were drilled along the top of the knob and they revealed between 2 and 3 feet of residual soils that have developed in-place into lean clays through the chemical decomposition of the minerals comprising the formation. Beneath the fill in Borings B-1 through B-3 and below the residual soil section encountered in Borings B-4 through B-6, the borings generally revealed dense to very dense silty and clayey sand layers with varying mixtures of gravel that are interbedded with hard layers of lean and minor fat clays. Nearly all the borings met practical refusal where 50 blows were recorded for 6 inches or less of sampler penetration.

Our interpretations of the subsurface conditions as extrapolated from the information obtained during our site reconnaissance, subsurface exploration and published geologic literature, are presented on Cross Sections A-A', B-B' and C-C' presented as Plate 5, Geologic Cross Sections. More detail pertaining to the subsurface conditions is presented of the boring logs

Groundwater

Groundwater was not encountered in any of our borings although perched free water was detected in Boring B-3 between about 8 and 9 feet bgs. Based on input from the quarry operator, groundwater has not been encountered at the quarry area for as long as it has been functional. In addition, the quarry operator reported that a well drilled at a residence within the immediate area of the quarry did not encounter a groundwater phreatic level. Isolated seepages were observed along the mined slope faces surrounding the active quarry pit to the north and free water seems to always be present within the main mining pit and also within the Upper, Middle, and Lower Settling Basins. However, this noted free water

is detained storm water runoff and not groundwater. It is important to note that groundwater levels can vary seasonally due to inclement weather and irrigation activities. As the DAR is raised by approximately 10 feet higher in the immediate area of the NSP, we understand that water detained within the NSP will be about 2-3 feet lower than the road crest after it has been raised.

The graphical representation of the materials encountered in the borings and the results of our laboratory tests, as well as explanatory/illustrative data, are attached to this report as follows:

- Plate 6, Unified Soil Classification System, illustrates the general features of the soil classification system used on the boring logs.
- Plate 6A, Soil Terminology, lists and describes the soil engineering terms used on the boring logs.
- Plate 7, Rock Terminology, lists and describes the engineering terms with respect to bedrock classification used on the boring logs.
- Plate 8, Boring Log Notes, describes general and specific conditions that apply to the boring logs.
- Plates 9 and 9B, Key to Symbols, describes and defines various symbols used on the boring logs.
- Plates 10-A through 15E, Boring Logs, provide detailed descriptions of the subsurface materials encountered, show sample depths and blow counts and summarize the results of the laboratory testing.
- Plates 16 and 17 present plotted laboratory test results for gradation and Atterberg Limits testing performed as part of our study.
- Plate 18 includes direct shear test plots and how we derived the selected strength parameters for the Santa Clara Formation.
- Plots 19 through 24 present results of the slope stability analyses.

SLOPE STABILITY ANALYSIS

Geologic Model

The initially-planned grading scheme indicated that 1.5H:1V cuts that originate near the property line and extend downslope generally facing southward along Cross Section A-A' and southwestward along Cross Sections B-B' and C-C' would be made. Our stability Cross Sections (A-A', B-B' and C-C'), which were extended upslope to near the top of slope where the subject slope crests before it breaks and descends facing northeastward, were extended nearly perpendicular to the proposed cut slope contour lines. The base of the proposed pond was set at about 10 feet below the existing DAR elevation. However, our slope stability analyses indicated that the 1.5H:1V and the 1.75H:1V slope gradient cut in Santa Clara Formation sediments would not be stable under seismic loading although satisfactory FOS were obtained for the noted gradients under static conditions. The capacity of the NSP at such gradients was not checked since the 1.5H:1V and 1.75H:1V gradients were not deemed stable under seismic loading.

As part of our analyses, we also assumed that a 30-foot wide band, measured perpendicular from the slope face, is cut and the generated earth materials is then placed back as geogrid-reinforced engineered fill (GF) buttress that is supported on a 30-foot wide and 15-foot deep base keyway. However, our analyses indicated that such a remedial grading scheme would also be unstable under seismic loading. To further assess the feasibility of the original 1.5H:1V slope gradient, we also assumed the lower keyway excavation would be filled with aggregate base (AB) instead of soil and even replaced the entire buttress with AB but the obtained results indicate that the 1.5H:1V configuration would only be stable under seismic loading if the keyway depth and width are increased to 30 feet and 100 feet, respectively.

Based on input from the quarry manager, we analyzed a flatter 2H:1V gradient for the cut slopes along all three cross sections with an 8-foot wide drainage terrace/bench at near mid-slope height. The results of our stability analyses indicated that the 2H:1V slope gradient for the planned cut slopes is stable under both static and seismic loading conditions for all three cross sections. We calculated the planned NSP capacity with the stable 2H:1V configuration to be around 2 acre-feet (AF), if the DAR remains at its current elevation. With additional input from the quarry manager and to increase the NSP capacity, we modeled placing engineered fill and raising the DAR about 10 feet higher than existing and extended the base of the 2H:1V excavation until the toes of the planned cut slopes along all sections converged with the opposing northeast-facing DAR slope noting that the DAR side slope would be deepened at a 1.5H:1V gradient. Under this grading scheme, we estimated the NSP capacity to be about 4.4 AF. A discussion pertaining to the selection of earth material strength parameters utilized in our analyses and the obtained stability analyses results are presented below in the following paragraphs.

Slope Modeling and Analysis Method

The stability of the cut slopes was evaluated with the conventional method of limit equilibrium stability analysis on two dimensional slope cross section with the aid of the computer program GeoStudio 2019 (Slope/W). Our analysis used the Morgenstern-Price Method, which considers both interslice shear and normal forces of the individual slices, into which the soil mass above the failure surface is divided, and

includes both moment and force equilibrium. Various trial failure surfaces are analyzed in this manner until a minimum factor of safety is obtained.

Soil Strength Parameters

For stability analysis purposes, three (3) earth material types were established, which include Santa Clara Formation (QTsc), geogrid-reinforced fill (GF) and aggregate base (AB). As noted above, remedial grading schemes that included GF and AB were not deemed stable under seismic loading and although we discuss strength parameters we utilized for the GF and AB, we have selected not to include any stability analysis plots in this report where the GF and AB were utilized. We have only included stability analysis results and plots for 2H:1V cut slope gradients where acceptable FOS were achieved.

Strength tests on selected QTsc soil samples consisted of direct shear tests performed at both natural (field) and artificially-increased moisture contents, while under various surcharge pressures. The results of the direct shear tests are reflected on the boring logs and are presented on Plate 18, Direct Shear Test Plots. The strength parameters of the Santa Clara Formation, including the internal frictional angle and the cohesion, were derived from the obtained test results as is indicated on Plate 18. Conservative strength parameters for the GF and AB were selected based on experience and engineering judgement. The strength parameters for the various earth materials mentioned above are presented in the following table:

Soil Strength Parameters

Material Type	Cohesion: C (psf)	Friction Angle: Phi-ϕ (degrees)	Unit Weight: (pcf)
Santa Clara Formation (QTsc)	1,000	25	130
Geogrid-Reinforced Fill (GF)	1,000	35	130
Aggregate Base (AB)	0	45	135

Static Slope Stability Analysis

Based on the noted strength parameters and the geometry of Cross Sections A-A' through C-C', the results of our slope stability analyses yielded static FOS ranging from about 1.66 to 1.74 for global conditions. We note that these analyses were based on slope configurations with 2H:1V gradients for the cut slopes coupled with an 8-foot wide drainage terrace/bench to be installed at near mid-slope height, and 1.5H:1V for the raised DAR northeast-facing eastern side slope.

Seismic Slope Stability Analysis

The seismic stability of the slopes was analyzed using a pseudo-static approach per the general guidelines included in CGS Special Publication 117A (2008) and the Southern California Earthquake Center (2002). Earthquake Engineering Research Institute has published a screening analysis procedure for seismic slope stability (Stewart et al., 2003), which takes into account local variations in the seismicity as presented by the earthquake magnitude, as well as the distance from the fault that most significantly contributes to the ground motion hazard at the site. The screening procedure is based on a statistical relationship previously developed by Bray et al. (1998) between seismic slope displacement (u), peak amplitude of shaking in the underlying bedrock (k_{max}), significant duration of shaking (D_{5-95}), and the ratio of slope resistance to peak demand (k_y/k_{max}), where k_y is the yield acceleration, or the horizontal acceleration required to reduce the safety factor to unity. A tolerable seismic slope displacement (u) for residential range from 5 cm to 15 cm. A safety factor of 1 is the minimum required for passing the screening procedure.

Using the slope screening procedure, a pseudo-static coefficient of 0.29g was estimated for the analysis based on respective deformation of 15 cm. The minimum seismic FOS are approximately 1 for all the three cross sections studied.

The results of our static and seismic slope stability analysis are summarized in the table below. Individual plots of slope stability analyses for various scenarios are presented on the attached Plates 19 through 24.

Summary of Slope Stability Analyses Results

Section	Static FOS*	Seismic FOS (0.29g)
A-A'	1.74	0.97
B-B'	1.71	0.95
C-C'	1.66	0.94

*Utilizing 2H:1V slope gradients

It is important to note that we also analyzed the stability of the DAR 1.5H:1V eastern side slope, which is currently underlain by about 7 feet of fill (see log for Boring B-2) and where the DAR will be raised by about 10 feet utilizing engineered fill. We utilized a ϕ angles of 28 to 30 degrees and respective cohesion of zero and 500 psf and obtained satisfactory FOS exceeding 1.5 and 1 for static and pseudo-static conditions, respectively, although we selected not to include the noted stability results plots.

CONCLUSIONS AND RECOMMENDATIONS

General

1. The Santa Clara Formation has significant compositional variation laterally and with depth. The formation's comprising beds are reportedly lenticular in shape pinching and terminating laterally and their projection in the subsurface is unreliable. With this lithological variation, it is hard to predict what type of earth materials will be exposed along the final cut slope face and the potential for localized slope instabilities and/or significant erosion may prove to be high depending on what is exposed.
2. The Berrocal fault is a reverse fault that dips westward between 50 and 70 degrees separating the older Franciscan Complex greenstone bedrock to the west from the younger Santa Clara Formation sediments, which it has been thrust over, to the east. Norfleet (2008) indicated that it is unlikely that a specific fault plane exists and that the fault appears to be represented by a zone of shearing that measures between 50 and 100 feet in width instead. Furthermore, Sorg and McClaughlin (1975) mapped several bedrock fault traces immediately to the east of the NSP site and our Boring B-4 encountered a shear plane between 45 and 47 feet bgs.
3. The noted lithological variation of the formation underlying the site area coupled with the potential presence of fault-related shearing and polished slip surfaces could lead to exposing unfavorable conditions along the final cut slope face. Although Dibblee and Minch (2007) show the formation to have favorable bedding that trends northwest and dips northeastward into the hillside between 27 and 50 degrees in the vicinity of the site, concentrations of silty/clayey sands and poorly cemented gravelly zones could also be encountered along the cut slope face, which could result in high potential for erosion and surficial sloughing.
4. Our slope stability analysis did not account for localized granular sandy/gravelly zones, shear planes and seams, bedding attitudes, degree of weathering and spacing of discontinuities. Based on the above discussion, we recommend that our CEG is presented the opportunity to observe and map the cut slope during and immediately after the completion of the planned cuts so that adverse conditions are detected and mitigated in a timely manner.
5. If unfavorable conditions become apparent during grading, consideration should be given to overexcavating an approximately 20-foot wide band measured perpendicular to the slope face and then be placed back as engineered fill with 2H:1V gradient that is keyed, subdrained, compacted properly and reinforced with geogrid fabric, if deemed needed.
6. Based on our assessment and analysis, 2H:1V slope gradients are considered feasible and stable under both static and seismic loading.

7. An 8-foot wide drainage terrace/bench should be constructed at about mid-slope height to conform to the current California Building Code pertaining to manufactured slopes that are steeper than 3H:1V (33 percent slopes).
8. We estimated the NSP capacity to be about 4.4 acre-feet if the pond's side slopes are cut at an approximate gradient of 2H:1V and the DAR is raised by 10 feet at an approximate 1.5H:1V gradient.
9. Fill soils should be moisture conditioned, deposited in 8-inch thick loose lifts, and compacted to a minimum of 90 percent of the maximum dry density at near the optimum moisture content in accordance with ASTM method D1557.
10. The fill should be benched and keyed into the backcut slope as the fill placement progresses upslope. The fill slope face should be overbuilt and then trimmed back so that a uniform and compacted slope face is exposed. This recommendation is made because it is difficult to compact soil along the outer edge of the fill prism, which is needed to help prevent the occurrence of subsequent shallow slope failures and localized slumps.
11. Any fill placement and compaction should be performed under the direct observation of the project Geotechnical Engineer and/or his field representatives. Field observation and compaction testing should be performed periodically so that the process of fill placement, moisture conditioning, and compaction effort (if any) is consistent.

Plan Review

We recommend that BAGG Engineers is retained to review the final grading plans. This review will assess general suitability of earthwork and drainage design elements and to verify the appropriate implementation of such elements into the project plans and specifications.

Grading Observation

We recommend that our CEG is presented the opportunity to observe the planned grading to assess the potential presence of adverse geologic conditions that could impact the stability of the final slope faces to be cut. This is intended to verify that adverse geologic conditions are detected and mitigated during and not after its completion. Timely grading observations are important to verify that subsurface conditions encountered during construction are similar to those anticipated during the design phase. Unanticipated soil conditions may warrant revised recommendations. Therefore, BAGG cannot accept responsibility for the recommendations contained in this report if we are not retained to provide observation services during construction.

CLOSURE

This report has been prepared in accordance with generally accepted engineering geology and geotechnical engineering practices for the strict use of Stevens Creek Quarry in Cupertino, and other professionals associated with the specific project described in this report. The recommendations

presented in this report are based on our understanding of the proposed project as described herein and as shown on the provided site plans that show pre- and post-grading at the site of the New Settling Pond.


The conclusions and recommendations contained in this report are based on our review of available published geologic literature prepared by the USGS and CGS and site-specific studies prepared by other consultants, the observations of our CEG, subsurface exploration findings, limited laboratory testing, and stability analyses results. It is not uncommon for unanticipated conditions to be encountered during site grading and it is not possible for all such variations to be detected by our limited program for this type of project. The recommendations contained in this report are therefore contingent upon the review of the final grading and drainage plans by this office, and upon engineering geologic observation by our CEG of all pertinent aspects of site grading, including excavating and any slope rebuild.

Subsurface conditions and standards of practice change with time. Therefore, we should be consulted to update this report, if grading and construction does not commence within five years from the date this report provided that the site conditions, the building code and/or standard of practice in this area do not change significantly. Additionally, the recommendations of this report are only valid for the proposed project as described herein. If the proposed project is modified, our recommendations should be reviewed and approved or adjusted by this office in writing.

We trust this letter report provides you with the information required at this time. If you have any questions, please feel free to contact us.

Very truly yours,
BAGG Engineers

Sadek M. Derrega
Sadek M. Derrega, PG, CEG #2175
Principal Engineering Geologist



Jason Van Zwol
Jason Van Zwol, PE, CEG #854
Chief Geotechnical Engineer



SMD/JL/JVZ

Attachments:

Plates

Plate 1	Vicinity Map
Plate 2	Site Plan Existing Topography
Plate 3	Site Plan Proposed Topography
Plate 4	Area Geologic Map
Plate 5	Geologic Cross Sections
Plate 6	Unified Soil Classification System
Plate 6A	Soil Terminology

Plate 7	Rock Terminology
Plate 8	Boring Log Notes
Plates 9A & 9B	Key To Symbols
Plates 10A-15E	Boring Logs
Plate 16	Gradation Test Data
Plate 17	Atterberg Limits
Plate 18	Direct Shear Test Plots
Plates 19-24	Slope Stability Analyses Plots

ASFE document titled "Important Information About Your Geotechnical Engineering Report"

REFERENCES

- Bay Area Geotechnical Group (BAGG), January 4, 2019, In-Depth Engineering Geologic Investigation and Slope Stability Analysis, Western Rim Slope, Stevens Creek Quarry, 12100 Stevens Canyon Road, Cupertino, California, Project No. STEVE-01-00.
- Brabb, E.E., Graymer, R.W., and Jones, D.L., 1998, Geology of the Palo Alto 30 X 60 Minute Quadrangle, California: U.S. Geological Survey, Open-File Report OF-98-348, a digital database.
- Brabb, E.E., Graymer, R.W., and Jones, D.L., 2000, Geologic Map and Map database of the Palo Alto 30 X 60 Minute Quadrangle, California: U.S. Geological Survey, Miscellaneous Field Studies Map MF-2332.
- Bray, J.D., Rathje, E., Augello, A.J., and Merry, S.M., January 1998, Simplified Seismic Design Procedure for Geosynthetic-Lined, Solid-Waste Landfills; Article in: Geosynthetic International 5, pp 203-235.
- California Division of Mines and Geology, Earthquake Fault Zones, 1974, Official Map, Cupertino Quadrangle, July 1.
- California Geological Survey (CGS), 2002a, Seismic Hazard Zones, Cupertino Quadrangle, Official Map, September 23.
- California Geological Survey (CGS), 2002b, Seismic Hazard Zone Report 068 for the Cupertino 7.5-Minute Quadrangle, Santa Clara County, California.
- California Geological Survey (CGS), 2008, Special Publication 117A, Guidelines for Evaluating and Mitigating Seismic Hazards in California.
- Dibblee, T.W., 1966, Geology of the Palo Alto Quadrangle, Santa Clara and San Mateo Counties, California: California Division of Mines and Geology, Map Sheet 8, 2 Plates.
- Dibblee, T.W. and Minch, J.A., 2007, Geologic Map of the Cupertino and San Jose West Quadrangles, Santa Clara and Santa Cruz Counties, California: Dibblee Geological Foundation, Dibblee Foundation Map DF-351.
- Division of Mines and Geology (DMG), 2000, Digital Images of Official Maps of Alquist-Priolo Earthquake Fault Zones of California, Central Coast Region: CD 2000-004.

- Lindley, G. and Archuleta, R., 1994, Variation of Seismic Site Effects in the Santa Cruz Mountains, California; in: The Loma Prieta, California, Earthquake of October 17, 1989 – Strong Ground Motion and Ground Failure: U.S. Geological Survey Professional Paper 1551-A.
- Norfleet Consultants, 2008, Geologic and Slope Stability Analysis, Reclamation Plan Amendment, Stevens Creek Quarry, California Mine ID 91-43-007, San Jose, California, January 22.
- Resource Design Technology, Inc., Stevens Creek Quarry, Inc., May 2007 and Revised January 2008, Stevens Creek Quarry Reclamation Plan Amendment.
- Rogers, T.H., 1972, Environmental Geologic Analysis of the Santa Cruz Mountain Study Area, Santa Clara County, California: California Division of Mines and Geology, Open File Report 72-21.
- Rogers, T.H. and Armstrong, C.F., 1973, Environmental Geologic Analysis of the Monte Bello Ridge Mountain Study Area, Santa Clara County, California: California Division of Mines and Geology, Preliminary Report 17.
- Rogers, R.H. and Williams, J.W., 1974, Potential Seismic Hazards in Santa Clara County, California: California Division of Mines and Geology, Special Report 107.
- Santa Clara County (SCC), 2012, Geologic Hazard and Fault Rupture Zones, a digital database.
- Sorg, D.H. and McLaughlin, R.J., 1975, Geologic Map of the Sargent-Berrocal Fault Zone Between Los Gatos and Los Altos Hills, Santa Clara County, California: U.S. Geological Survey, Miscellaneous Field Studies Map MF-643.
- Stewart, J.P., Blake, T.F., and Hollingsworth, R.A., August 2003, A Screen Analysis Procedure for Seismic Slope Stability, Earthquake Spectra: Volume 19, No. 3, pp. 697-712.
- Southern California Earthquake Center (SCEC), June 2002, Recommended Procedures for Implementation of DMG Special Publication 117 Guidelines for Analyzing and Mitigating Landslide Hazards in California.
- U.S. Geological Survey (USGS), 1953, Topographic Map, SE/4 Palo Alto 15-Minute Quadrangle, N3715-W12200/7.5.



Base Map: Google Earth


ENGINEERING GEOLOGIC AND GEOTECHNICAL EVALUATION
NEW SETTLING POND
STEVENS CREEK QUARRY
12100 STEVENS CANYON ROAD
CUPERTINO, CALIFORNIA

VICINITY MAP

DATE:
April 2019

JOB NUMBER:
STEVE-18-03

PLATE
1



Base: "Sheet 1, Existing Conditions Aerial Photograph, Stevens Creek Quarry", prepared by Resource Design Technology, Inc., dated January, 2008.

ENGINEERING GEOLOGIC AND GEOTECHNICAL EVALUATION
NEW SETTLING POND
STEVENS CREEK QUARRY
12100 STEVENS CANYON ROAD
CUPERTINO, CALIFORNIA




SITE PLAN EXISTING TOPOGRAPHY

JOB NUMBER:
STEVE-18-03

SCALE:
1" ≈ 200'

DATE:
April 2019

PLATE:
2



LEGEND

af Artificial Fill (Historic) -- Loose to very well consolidated gravel, silt, sand, clay, rock fragments, organic matter, and man-made debris in various combinations. Thickness is variable and may exceed 30 meters in places. Some is compacted and quite firm, but fill made before 1965 is nearly everywhere not compacted and consists simply of dumped materials.

Qls Landslide Deposits (Pleistocene and/or Holocene) -- Poorly sorted clay, silt, sand and gravel. Only a few very large landslides have been mapped. For a more complete map of landslide deposits, see Nilsen and other (1979).

QTsc Santa Clara Formation (lower Pleistocene and upper Pliocene) -- Gray to red brown poorly indurated conglomerate, sandstone, and mudstone in irregular and lenticular beds. Conglomerate consists mainly of subangular to subrounded cobbles in a sandy matrix but locally includes pebbles and boulders. On Coal Mine Ridge, south of Portola Valley, conglomerate contains boulders of an older conglomerate as long as one meter. Gray to buff claystone and siltstone beds on Coal Mine Ridge, contain carbonized wood fragments as large as 60 cm in diameter. Included in Santa Clara Formation are similar coarse-grained clastic deposits near Burlingame. Sarna-Wojcicki (1976) found a tuff bed in Santa Clara Formation near Woodside, and correlated it with a similar tuff in the Merced Formation. Later work indicated that the tuff correlates with the 435 ka Rockland ash (Sarna-Wojcicki, oral comm., 1997). Thickness is variable but reaches a maximum of about 500 meters along Coal Mine Ridge.

fg Greenstone of Franciscan Complex (Cretaceous and Jurassic) -- Dark green to red altered basaltic rocks, including flows, pillow lavas, breccias, tuff breccias, tuffs, and minor related intrusive rocks, in unknown proportions. Unit includes some Franciscan chert and limestone bodies that are too small to show on map. Greenstone crops out in lenticular bodies varying in thickness from a few meters to many hundreds of meters.

fs Greenstone of Franciscan Complex (Cretaceous and Jurassic) -- Dark green to red altered basaltic rocks, including flows, pillow lavas, breccias, tuff breccias, tuffs, and minor related intrusive rocks, in unknown proportions. Unit includes some Franciscan chert and limestone bodies that are too small to show on map. Greenstone crops out in lenticular bodies varying in thickness from a few meters to many hundreds of meters.

fl Limestone of Franciscan Complex (Cretaceous and Jurassic) -- Light gray, finely to coarsely crystalline limestone. In places limestone is unbedded, in other places it is distinctly bedded between beds of black chert. Limestone crops out in lenticular bodies up to 120 meters thick, in most places surrounded by Franciscan greenstone.

fsr Shearerd Rock (melange) of Franciscan Complex (Cretaceous and Jurassic) -- Predominantly graywacke, siltstone, and shale, substantial portions of which have been sheared, but includes hard blocks of all other Franciscan rock types. Total thickness of unit is unknown, but is probably at least several tens of meters.

Reference: Geology of Palot Alto 30x60 Minute Quadrangle, California: A Digital Database by E.E. Brabb, R.W. Graymer, and D.L. Jones, Pamphlet Dervied From Digital Open-File Report 98-348




ENGINEERING GEOLOGIC AND GEOTECHNICAL EVALUATION
NEW SETTLING POND
STEVENS CREEK QUARRY
12100 STEVENS CANYON ROAD
CUPERTINO, CALIFORNIA

AREA GEOLOGIC MAP

DATE:
April 2019


JOB NUMBER:
STEVE-18-03

PLATE
4



LEGEND

- EXISTING GROUND SURFACE, APPROXIMATE.
- - - PROPOSED GROUND SURFACE AT 2:1 SLOPE W/ 8 FEET BENCH, APPROXIMATE.
- · - · - INFERRED GROUND SURFACE
- - - GEOLOGIC CONTACT, APPROXIMATE
- B-6 ↓ APPROX. BORING LOCATION, TYP.
- QTsc SANTA CLARA FORMATION
- Qf EXISTING FILL



ENGINEERING GEOLOGIC AND GEOTECHNICAL EVALUATION
NEW SETTLING POND
STEVENS CREEK QUARRY
12100 STEVENS CANYON ROAD
CUPERTINO, CALIFORNIA



GEOLOGIC CROSS SECTIONS 2H:1V SLOPE WITH 8' BENCH AND RAISED ROAD

DATE:
April 2019

JOB NUMBER:
STEVE-18-03

PLATE
5

COARSE-GRAINED SOILS

LESS THAN 50% FINES*

GROUP SYMBOLS	ILLUSTRATIVE GROUP NAMES	MAJOR DIVISIONS
GW	Well graded gravel Well graded gravel with sand	GRAVELS More than half of coarse fraction is larger than No. 4 sieve size
GP	Poorly graded gravel Poorly graded gravel with sand	
GM	Silty gravel Silty gravel with sand	
GC	Clayey gravel Clayey gravel with sand	
SW	Well graded sand Well graded sand with gravel	SANDS More than half of coarse fraction is smaller than No. 4 sieve size
SP	Poorly graded sand Poorly graded sand with gravel	
SM	Silty sand Silty sand with gravel	
SC	Clayey sand Clayey sand with gravel	

NOTE: Coarse-grained soils receive dual symbols if:

- (1) their fines are CL-ML (e.g. SC-SM or GC-GM) or
- (2) they contain 5-12% fines (e.g. SW-SM, GP-GC, etc.)

FINE-GRAINED SOILS

MORE THAN 50% FINES*


GROUP SYMBOLS	ILLUSTRATIVE GROUP NAMES	MAJOR DIVISIONS
CL	Lean clay Sandy lean clay with gravel	SILTS AND CLAYS liquid limit less than 50
ML	Silt Sandy silt with gravel	
OL	Organic clay Sandy organic clay with gravel	
CH	Fat clay Sandy fat clay with gravel	SILTS AND CLAYS liquid limit more than 50
MH	Elastic silt Sandy elastic silt with gravel	
OH	Organic clay Sandy organic clay with gravel	
PT	Peat Highly organic silt	HIGHLY ORGANIC SOIL

NOTE: Fine-grained soils receive dual symbols if their limits in the hatched zone on the Plasticity Chart (L-M)

SOIL SIZES

COMPONENT	SIZE RANGE
BOULDERS	ABOVE 12 in.
COBBLES	3 in. to 12 in.
GRAVEL	No. 4 to 3 in.
Coarse	¾ in. to 3 in.
Fine	No. 4 to ¾ in.
SAND	No. 200 to No. 4
Coarse	No. 10 to No. 4
Medium	No. 40 to No. 10
Fine	No. 200 to No. 40
*FINES:	BELOW No. 200

NOTE: Classification is based on the portion of a sample that passes the 3-inch sieve.

PLASTICITY CHART

Reference: ASTM D 2487-06, Standard Classification of Soils for Engineering Purposes (Unified Soil Classification System).

GENERAL NOTES: The tables list 30 out of a possible 110 Group Names, all of which are assigned to unique proportions of constituent soils. Flow charts in ASTM D 2487-06 aid assignment of the Group Names. Some general rules for fine grained soils are: less than 15% sand or gravel is not mentioned; 15% to 25% sand or gravel is termed "with sand" or "with gravel", and 30% to 49% sand or gravel is termed "sandy" or "gravelly". Some general rules for coarse-grained soils are: uniformly-graded or gap-graded soils are "Poorly" graded (SP or GP); 15% or more sand or gravel is termed "with sand" or "with gravel", 15% to 25% clay and silt is termed clayey and silty and any cobbles or boulders are termed "with cobbles" or "with boulders".

UNIFIED SOIL CLASSIFICATION SYSTEM

Boulders:	particles of rock that will not pass a 12-inch screen.
Cobbles:	particles of rock that will pass a 12-inch screen, but not a 3-inch sieve.
Gravel:	particles of rock that will pass a 3-inch sieve, but not a #4 sieve.
Sand:	particles of rock that will pass a #4 sieve, but not a #200 sieve.
Silt:	soil that will pass a #200 sieve, that is non-plastic or very slightly plastic, and that exhibits little or no strength when dry.
Clay:	soil that will pass a #200 sieve, that can be made to exhibit plasticity (putty-like properties) within a range of water contents, and that exhibits considerable strength when dry.

Moisture Condition:	an observational term; dry, moist, wet, or saturated.
Moisture Content:	the weight of water in a sample divided by the weight of dry soil in the soil sample, expressed as a percentage.
Dry Density:	the pounds of dry soil in a cubic foot of soil.

Liquid Limit:	the water content at which a soil that will pass a #40 sieve is on the boundary between exhibiting liquid and plastic characteristics. The consistency feels like soft butter.
Plastic Limit:	the water content at which a soil that will pass a #40 sieve is on the boundary between exhibiting plastic and semi-solid characteristics. The consistency feels like stiff putty.
Plasticity Index:	the difference between the liquid limit and the plastic limit, i.e. the range in water contents over which the soil is in a plastic state.

Very Soft	N=0-1*	C=0-250 psf	Squeezes between fingers
Soft	N=2-4	C=250-500 psf	Easily molded by finger pressure
Medium Stiff	N=5-8	C=500-1000 psf	Molded by strong finger pressure
Stiff	N=9-15	C=1000-2000 psf	Dented by strong finger pressure
Very stiff	N=16-30	C=2000-4000 psf	Dented slightly by finger pressure
Hard	N>30	C>4000 psf	Dented slightly by a pencil point

Very Loose	N=0-4**	RD=0-30	Easily push a ½-inch reinforcing rod by hand
Loose	N=5-10	RD=30-50	Push a ½-inch reinforcing rod by hand
Medium Dense	N=11-30	RD=50-70	Easily drive a ½-inch reinforcing rod
Dense	N=31-50	RD=70-90	Drive a ½-inch reinforcing rod 1 foot
Very Dense	N>50	RD=90-100	Drive a ½-inch reinforcing rod a few inches

[illegible]

- | | |
|--------|--|
| Ref 1: | ASTM Designation: D 2487-06, Standard Classification of Soils for Engineering Purposes (Unified Soil Classification System). |
| Ref 2: | Terzaghi, Karl, and Peck, Ralph B., Soil Mechanics in Engineering Practice , John Wiley & Sons, New York, 2nd Ed., 1967, pp. 30, 341, and 347. |
| Ref 3: | Sowers, George F., Introductory Soil Mechanics and Foundations: Geotechnical Engineering , Macmillan Publishing Company, New York, 4th Ed., 1979, pp. 80, 81, and 312. |
| Ref 4: | Lowe, John III, and Zaccheo, Phillip F., Subsurface Explorations and Sampling , Chapter 1 in "Foundation Engineering Handbook," Hsai-Yang Fang, Editor, Van Nostrand Reinhold Company, New York, 2 nd Ed, 1991, p. 39. |

BvGG
ENGINEERS

WEATHERING DESCRIPTORS

<u>Fresh</u>	No discoloration, not oxidized, no separation, hammer rings when crystalline rocks are struck.
<u>Slight</u>	Discoloration or oxidation is limited to surface of, or short distance from, fractures; some feldspar crystals are dull, no visible separation, hammer rings when crystalline rocks are struck, body of rock not weakened.
<u>Moderate</u>	Discoloration extends from fractures, usually throughout ;Fe-Mg materials are "rusty", feldspar crystals are "cloudy", all fractures are discolored or oxidized, partial separation of boundaries visible, texture generally preserved, hammer dose not ring when rock is struck, body of rock is slightly weakened.
<u>Intense</u>	Discoloration or oxidation throughout; all feldspars and Fe-Mg minerals are altered to clay to some extent; or chemical alteration produces in situ disaggregation, all fracture surfaces are discolored or oxidized, surfaces friable, partial separation, texture altered by chemical disintegration, dull sound when struck with hammer, rock is significantly weakened.
<u>Decomposed</u>	Discolored or oxidized throughout, but resistant mineral such as quartz may be unaltered, all feldspars and Fe-Mg minerals are completely altered to clay, complete separation of grain boundaries, resembles a soil, partial or complete remnant of rock structure may be preserved, can be granulated by hand, resistant minerals such as quartz may be present as "stringers" or "dykes".

BEDDING FOLIATION AND FRACTURE SPACING DESCRIPTORS

<u>Millimeters</u>	<u>Feet</u>	<u>Bedding</u>	<u>Fracture Spacing</u>
>10	<0.03	Laminated	Very Close
10-30	0.03-0.1	Very Thin	Very Close
30-100	0.1-0.3	Thin	Close
100-300	0.3-1	Moderate	Moderate
300-1000	1-3	Thick	Wide
1000-3000	3-10	Very Thick	Very Wide
>3000	>10	Massive	Extremely Wide

ROCK HARDNESS/STRENGTH DESCRIPTORS*

<u>Extremely Hard</u>	Core, fragment, or exposure cannot be scratched with knife or sharp pick; can only be chipped with repeated heavy hammer blows.
<u>Very Hard</u>	Cannot be scratched with knife or sharp pick. Core or fragment breaks with repeated heavy hammer blows.
<u>Hard</u>	Can be scratched with knife or sharp pick with difficulty (heavy pressure). Heavy hammer blow required to break specimen.
<u>Moderately Hard</u>	Can be scratched with knife or sharp pick with light or moderate pressure. Core or fragment breaks with moderate hammer blow.
<u>Moderately Soft</u>	Can be grooved $\frac{1}{16}$ inch (2mm) deep by knife or sharp pick with moderate or heavy pressure. Core fragment breaks with light hammer blow or heavy manual pressure.
<u>Soft</u>	Can be grooved or gouged easily by knife or sharp pick with light pressure, can be scratched with fingernail. Breaks wit light to moderate manual pressure.
<u>Very Soft</u>	Can be readily indented, grooved, or gouged with fingernail, or carved with a knife. Breaks with light manual pressure.
<u>*Note:</u>	Although "sharp pick" is included in those definitions, descriptions of ability to be scratched, grooved, or gouged by a knife is the preferred criteria.

XX

"Engineering Geology Field Manual, Second Edition, Volume 1, by U.S. Department of Interior, Bureau of Reclamation, 1998

ROCK TERMINOLOGY

GENERAL NOTES FOR BORING LOGS:

The boring logs are intended for use only in conjunction with the text, and for only the purposes the text outlines for our services. The Plate "Soil Terminology" defines common terms used on the boring logs.

The plate "Unified Soil Classification System," illustrates the method used to classify the soils. The soils were visually classified in the field; the classifications were modified by visual examination of samples in the laboratory, supported, where indicated on the logs, by tests of liquid limit, plasticity index, and/or gradation. In addition to the interpretations for sample classification, there are interpretations of where stratum changes occur between samples, where gradational changes substantively occur, and where minor changes within a stratum are significant enough to log.

There may be variations in subsurface conditions between borings. Soil characteristics change with variations in moisture content, with exchange of ions, with loosening and densifying, and for other reasons. Groundwater levels change with seasons, with pumping, from leaks, and for other reasons. Thus boring logs depict interpretations of subsurface conditions only at the locations indicated, and only on the date(s) noted.

SPECIAL FIELD NOTES FOR THIS REPORT:

1. The borings were drilled December 17 through December 20, 2018 with a truck mounted drilling rig using 8-inch diameter hollow stem augers. The borings were sealed with neat cement grout after the last soil sample was collected.
2. The boring locations were approximately located by pacing from known points on the site, as shown on Plate 2, Site Plan – Existing Topography and Plate 3, Site Plan – Proposed Topography.
3. The soils' Group Names [e.g. SANDY LEAN CLAY] and Group Symbols [e.g. (CL)] were determined or estimated per ASTM D 2487-06, Standard Classification of Soils for Engineering Purposes (Unified Soil Classification System, see Plate 6). Other soil engineering terms used on the boring log are defined on Plate 6A, Soil Terminology and Plate 7, Rock Terminology.
4. The "Blow Count" Column on the boring logs indicates the number of blows required to drive the sampler below the bottom of the boring, with the blow counts given for each 6 inches of sampler penetration.
5. Perched free water was encountered in Boring B-3 at approximately 9 feet bgs and was measured at 8 feet bgs upon completion of boring.
6. The tabulated strength values on the boring logs are peak strength values.

BORING LOG NOTES



KEY TO SYMBOLS

Symbol Description

Strata symbols



Aggregate Base



Clayey sand



Silty sand



Silty sand with gravel



Clayey sand with gravel



Sandy lean clay



Well graded sand with clay



Sandy lean clay with gravel



Silty & clayey sand



Lean clay with sand



Lean clay with sand and gravel



Lean clay with silt



Lean Clay

Symbol Description



High plasticity (fat) clay



Silty & clayey sand with gravel



Sandstone

Misc. Symbols



Boring continues



Water first encountered during drilling



Water level at completion of boring



Drilling refusal

Soil Samplers



Modified California Sampler:
24" long, 2.375" ID by 3" OD,
split-barrel sampler driven w/
140-pound hammer falling 30 inches
(ASTM D3550)



Standard Penetration Test:
24" long, 1.375" ID by 2" OD,
split-spoon sampler driven w/
140-pound hammer falling 30 inches
(ASTM D 1586-11)

Line Types



Denotes a sudden, or well identified strata change



Denotes a gradual, or poorly identified strata change



KEY TO SYMBOLS

Symbol Description

Laboratory Data

DS	Direct shear test performed on a sample at natural or field moisture content (ASTM D3080)
DSX	Direct shear test performed after the sample was submerged in water until volume changes ceased (ASTM D3080).
PI	Plasticity Index established per ASTM D4318 Test Method.
LL	Liquid Limit established per ASTM D4318 Test Method.
%Gravel	Percent of soil particales coarser than a No. 4 sieve and finer than a 3" sieve (ASTM C117)
%Sand	Percent of soil particles coarser than a No. 200 sieve and finer than a No. 4 sieve (ASTM C117)
%Fines	Percent of soil particles finer than a No. 200 sieve (ASTM C117)
% Swell	Percent expansion of a submerged sample under a given surcharge pressure.
bgs	Below the ground surface
NAT	Natural or field water content
AB	Aggregate Base



BORING LOG

Boring No. B-1
Page 1 of 2

JOB NAME: New Settling Pond at the SCQ

CLIENT: Stevens Creek Quarry, Inc.

LOCATION: 12100 Stevens Canyon Road, Cupertino, CA

DRILLER: Exploration Geoservices, Inc.

DRILL METHOD: Truck-Mounted Drilling Rig - 8" Diameter Hollow Stem Augers

JOB NO.: STEVE-18-03

DATE DRILLED: 12/17/2018

ELEVATION:

LOGGED BY: EW

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
				9.4	119	0		AB		
						14		SC	CLAYEY SAND: red brown, medium dense to dense, moist, well-graded sand, few angular fine gravels, trace coarse gravel	Fill
						24		SM	SILTY SAND: olive gray, dense, moist, well-graded sand, few fine gravel, trace clay	Fill
						24			... decrease in gravel content	
						3				
						6				
						9		SM	SILTY SAND with GRAVEL: olive gray to olive brown, very dense, slightly moist, well-graded sand, little to some subangular to subrounded fine gravel, trace coarse gravel	Native: Highly Weathered Santa Clara Formation into soil-like material
						12		SM	SILTY SAND: olive gray, slightly moist, fine to medium sand, trace coarse sand, trace clay	
						15		SM	SILTY SAND with GRAVEL: olive brown, very dense, slightly moist, well-graded sand, little angular to subrounded fine gravel, trace coarse gravel	%Gravel=27 %Sand=58 %Fines=15
						18		SM	SILTY SAND: blue gray, very	



BORING LOG

Boring No. B-1
Page 2 of 2

JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
				5.1		21			dense, slightly moist, well-graded sand, trace subrounded fine gravel	
						24	50/5"		... fine to medium sand, trace coarse sand, trace fine gravel	
						27			... well-graded sand, trace fine gravel, trace coarse gravel, very dense	
							50/5"		... fine to medium sand, trace coarse sand, trace fine gravel	
						30			The boring was terminated at approximately 29 feet bgs.	
									Groundwater was not encountered.	
						33			Immediately after the last sample was retrieved, the borehole was backfilled with neat cement grout.	
						36				
						39				



BORING LOG

Boring No. B-2
Page 1 of 2

JOB NAME: New Settling Pond at the SCQ

CLIENT: Stevens Creek Quarry, Inc.

LOCATION: 12100 Stevens Canyon Road, Cupertino, CA

DRILLER: Exploration Geoservices, Inc.

DRILL METHOD: Truck-Mounted Drilling Rig - 8" Diameter Hollow Stem Augers

JOB NO.: STEVE-18-03

DATE DRILLED: 12/17/2018

ELEVATION:

LOGGED BY: EW

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
						0		SM	Approx. 9" AB, olive gray to gray SILTY SAND with GRAVEL: brown, very dense, slightly moist, well-graded sand, little fine gravel, trace coarse gravel ... gray brown and olive brown, moist, trace glass fragment	Fill
DSX DSX	1500 1100	14.1 14.5	3200 1520	8.2 10.9	113 116	9	20 50/6"	SM	SILTY SAND: intensely weathered sandstone, brown to yellowish brown, very dense, moist, fine to medium sand, trace coarse sand, trace to few gravel, trace rootlets	Native: Highly Weathered Santa Clara Formation into soil-like material
DSX	1600	12.7	2570	9.2	122	12	50/6"	SC	CLAYEY SAND with GRAVEL: brown to yellowish brown, very dense, moist, well-graded sand, few fine gravels, trace coarse gravel	
						15				
						18	40			



BORING LOG

Boring No. B-2
Page 2 of 2

JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
				7.8	117	21	50/4 1/2		... brown to yellow brown with trace olive brown and orange brown, contains blue gray cobble-size rock fragment (sandstone) ... trace cobbles	
						24	50/5"		... silty and clayey sand, olive gray and orangish brown, trace to few fine gravel, very dense	
						27				
DSX	1000	11.6	1600	8.9	125			SM	SILTY SAND: blue gray, very dense, moist, fine sand, trace gravel-size sandstone fragment	
DSX	3000	11.0	4090	9.6	129					
DSX	6000	13.7	4120	8.9	115	30	50/6" 25 40 50/5"			
						33			The boring was terminated at approximately 30.5 feet bgs. Groundwater was not encountered. Immediately after the last sample was retrieved, the borehole was backfilled with neat cement grout.	
						36				
						39				



BORING LOG

Boring No. B-3
Page 1 of 2

JOB NAME: New Settling Pond at the SCQ

CLIENT: Stevens Creek Quarry, Inc.

LOCATION: 12100 Stevens Canyon Road, Cupertino, CA

DRILLER: Exploration Geoservices, Inc.

DRILL METHOD: Truck-Mounted Drilling Rig - 8" Diameter Hollow Stem Augers

JOB NO.: STEVE-18-03

DATE DRILLED: 12/17/2018

ELEVATION:

LOGGED BY: EW

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
						0			AB	
						3	50/5"	SC	CLAYEY SAND with GRAVEL: gray brown and brown, very dense, moist, well-graded sand, few to little fine gravel, trace coarse gravel	Fill
						6	50/6"		... brown, slightly moist, trace cobbles, contains light blue-gray sandstone fragment	
						9	12	CL	SANDY LEAN CLAY: brown and olive gray, stiff, moist, fine sand, trace organics	Native: Highly Weathered Santa Clara Formation into soil-like material
DSX	1200	32.9	830	33.4	91	12	9	SW-SC	WELL-GRADED SAND with CLAY: blue gray, loose to medium dense, wet, well-graded sand, trace gravel	LL=39, PI=20
						12	5	CL	SANDY LEAN CLAY with GRAVEL: brown to olive brown, very stiff, moist to very moist, fine sand, trace coarse gravels	
DSX	1750	14.9	1580	14.3	116	15	10	SC-SM	SILTY and CLAYEY SAND: brown and gray brown, medium dense, moist, fine to medium sand, trace coarse sand, trace fine gravel	
						15	14			
						18	14	SC	CLAYEY SAND: brown and yellow brown, very dense, very moist, fine to medium sand,	



BORING LOG

Boring No. B-3
Page 2 of 2

JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
DSX	2500	14.1	2280	13.2	116	21		SM	trace coarse sand, trace to few subangular gravel SILTY SAND: brown and yellow brown, very dense, very moist, fine to medium sand, trace coarse sand, trace to few subangular gravel	%Gravel=11 %Sand=49 %Fines=40 LL=28, PI=14
DS DSX	2800 3000	NAT 22.3	3250 2200	12.8 22.3	125 104	24		CL	... brown with yellow brown mottling, dense, moist to very moist, trace subrounded to rounded gravel, minor clay LEAN CLAY with SAND: brown to orange brown with gray mottling, hard, moist, fine sand, trace medium sand	
						27		SC	CLAYEY SAND: yellow brown, dark gray, and gray brown, very dense, moist, well-graded sand, trace fine gravel	
						30			The boring was terminated at approximately 30.5 feet bgs. Perched free water was encountered at approximately 9 feet bgs and measured at approximately 8 feet bgs upon completion of the boring. Immediately after the last sample was retrieved, the borehole was backfilled with neat cement grout.	
						33				
						36				
						39				



BORING LOG

Boring No. B-4
Page 1 of 4

JOB NAME: New Settling Pond at the SCQ

CLIENT: Stevens Creek Quarry, Inc.

LOCATION: 12100 Stevens Canyon Road, Cupertino, CA

DRILLER: Exploration Geoservices, Inc.

DRILL METHOD: Truck-Mounted Drilling Rig - 8" Diameter Hollow Stem Augers

JOB NO.: STEVE-18-03

DATE DRILLED: 12/19/2018

ELEVATION:

LOGGED BY: EW

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
						0		CL	SANDY LEAN CLAY: brown to dark brown, fine sand, trace medium to coarse sand	Native Residual Soil
						3		SC	CLAYEY SAND: yellow brown and brown, dense, dry to slightly moist, well-graded sand	Highly Weathered Santa Clara Formation into soil-like material
						10				
						18				
						36				
						6			... very dense	
						9		50/5 1/2		LL=26, PI=12
						12				
				5.4		15		50/6"	... yellow brown, trace fine gravel, slight increase in clay content, decrease in sand content, very dense	
						18				



BORING LOG

Boring No. B-4
Page 2 of 4

JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
DS	3000	NAT	6000	9.0	127	21	50/6"		... yellow brown clayey sand mottling	
						24	28 50/5"		... brown and yellow brown with trace red brown and gray brown, very dense, slightly moist, trace fine gravel (predominantly weathered sandstone)	
DSX	4000	12.5	3250	8.6	122	27	50/6"	CL	SANDY LEAN CLAY: brown, hard, slightly moist, fine to medium sand, trace rounded to subrounded fine gravel	
						30		SM CL	SILTY SAND: yellow brown, very dense, slightly moist, well-graded sand, trace coarse gravel LEAN CLAY with SAND: orange brown with yellow brown and gray brown mottling, very stiff to hard, moist, fine sand	
DS	4200	NAT	6530	9.5	126	33	16 31 41	CL	SANDY LEAN CLAY: yellow brown and brown, hard, moist, fine to medium sand, trace coarse sand	LL=33, PI=18
						36		SC	CLAYEY SAND: brown and yellow brown, dense, moist, well-graded sand, trace fine gravel, scattered coarse gravel	
						39	22 26			



BORING LOG

Boring No. B-4
Page 3 of 4

JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
DS	5000	NAT	5700	9.3	123	33			... fine sand with trace subrounded fine gravel	
DSX	5500	10.7	4660	8.5 10.7	126	42		CL	LEAN CLAY with SAND: brown to yellow brown, hard, moist, fine sand, trace medium to coarse sand, trace subrounded fine gravel	
						45		CL	SANDY LEAN CLAY with GRAVEL: brown to yellow brown, hard, moist, fine sand, trace medium to coarse sand, trace subangular to subrounded fine gravel, trace subrounded coarse gravel	
				5.5		48		SC	... at approx. 45': dark gray sheared clay ... at approx. 47': gray to olive gray clay mottling	
						51		SM	CLAYEY SAND with GRAVEL: olive gray with medium gray, very dense, moist, well-graded sand, trace fine gravel, trace coarse gravel ... at approx. 49': coarse gravel-size blue gray sandstone fragment encountered	
						54			SILTY SAND: olive gray and gray, very dense, slightly moist to moist, well-graded sand	
						57		CL	LEAN CLAY with SAND and GRAVEL: dark blue gray to dark olive gray, very stiff, moist, fine to medium sand, trace coarse sand, trace to few fine gravel	
DS DSX	7500 7500	NAT 11.7	1940 3340	13.2 12.6	122 122	60		SC	CLAYEY SAND with GRAVEL: olive gray with	



BORING LOG

 Boring No. B-4
 Page 4 of 4

JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
DSX	1000	12.8	890	6.8	138	63		SC	medium gray, dense, moist, well-graded sand, trace fine gravel, trace coarse gravel ... at approx. 61': trace blue lean clay/clayey sand CLAYEY SAND: olive gray, very dense, moist, well-graded sand, few fine gravel, trace coarse gravel	
DSX	6000	10.8	3700	6.6 6.2	118 114	69				
				7.5	135	75			The boring was terminated at approximately 74.5 feet bgs. Goundwater was not encountered. Immediately after the last sample was retrieved, the borehole was backfilled with neat cement grout.	
						78				
						81				



BORING LOG

Boring No. B-5
Page 1 of 4

JOB NAME: New Settling Pond at the SCQ

CLIENT: Stevens Creek Quarry, Inc.

LOCATION: 12100 Stevens Canyon Road, Cupertino, CA

DRILLER: Exploration Geoservices, Inc.

DRILL METHOD: Truck-Mounted Drilling Rig - 8" Diameter Hollow Stem Augers

JOB NO.: STEVE-18-03

DATE DRILLED: 12/18/2018

ELEVATION:

LOGGED BY: EW

Type of Strength Test	Test Surchage Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
				8.1	124	0		CL	LEAN CLAY with SAND: dark brown, medium stiff, very moist, well-graded sand, few gravels ... brown, slightly increase in sand content, trace gravel	Native Residual Soil
						3		CL	SANDY CLAY: yellow brown, hard, dry to slightly moist, fine sand, trace medium to coarse sand, trace fine gravel	Highly Weathered Santa Clara Formation into soil-like material
						6		SM	SILTY SAND: dark yellow brown, very dense, dry to slightly moist, fine to medium sand, few coarse sand, trace gravel	
						9				
						12		CL	LEAN CLAY with SAND: yellow brown with brown to gray brown and trace orange brown, hard, fine sand, trace medium to coarse sand	LL=37, PI=22
						15				
						18				



BORING LOG

Boring No. B-5
Page 2 of 4

JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
				11.4	117	21		SC	... yellow brown with trace brown to gray brown, hard	
				10.0	119	24		SC-SM	CLAYEY SAND: yellow brown with trace brown to gray brown and orange brown, very dense, dry to slightly moist, fine to medium sand, few coarse sand, trace fine gravel	
						27		SM	SILTY and CLAYEY SAND with GRAVEL: yellow brown with trace brown to gray brown and orange brown, very dense, dry to slightly moist, well-graded sand, trace fine gravel, trace angular to subangular coarse gravel	
				6.8	110	30			SILTY SAND: yellow brown, very dense, dry to slightly moist, well-graded sand, few subangular to subrounded fine gravel, trace to few angular to subangular coarse gravel, trace clay	
						33			... yellow brown to brown, slightly moist	
						36			... orange brown with trace yellow brown and gray brown, slightly moist, fine to medium	
						39			... orange brown with trace yellow brown and gray brown, slightly moist, fine to medium	



BORING LOG

Boring No. B-5
Page 3 of 4

JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
DS	5500	NAT	2740	23.2	104	42		CL	sand	
						45		CL CH	LEAN CLAY with SILT: dark yellow brown, very stiff, moist, trace fine sand LEAN CLAY: yellow brown with brown to dark brown mottling, hard, moist, trace fine sand, moderate plasticity fines FAT CLAY: dark gray with light to medium gray, hard, slightly moist to moist, trace blue gray silty sand at approx. 44.5'	LL=46, PI=24
				6.1	121	48		SM	SILTY SAND with GRAVEL: blue gray to olive gray with trace red and yellow brown weathered rock fragment, very dense, slightly moist to moist, well-graded sand, few subangular to subrounded gravel	
DS	7000	NAT	4990	6.8	122	54		SC-SM	SILTY and CLAYEY SAND with GRAVEL: blue gray and olive gray, dense, moist, well-graded sand, trace fine gravel	
				8.5		57		SC	CLAYEY SAND: blue gray to olive gray, medium dense, moist, fine to medium sand, trace coarse sand, trace gravel	LL=23, PI=11 %Fines=29
						60				



BORING LOG

 Boring No. B-5
 Page 4 of 4

JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
						63		SC	CLAYEY SAND with GRAVEL: blue gray, dense, moist, well-graded sand, few subangular to angular fine gravel, trace subangular to angular coarse gravel, trace subangular cobbles	
						66		SM	SILTY SAND with GRAVEL: blue gray to dark gray and olive gray, dense, slightly moist to moist, well-graded sand, few gravel	
						69		SM	SILTY SAND: olive gray with few dark gray mottles, very dense, moist, well-graded sand, trace to few gravel	
						72		SM	SILTY SAND with GRAVEL: blue gray and olive gray, dense to very dense, few fine gravel, trace coarse gravel, trace cobbles	
DSX 1000	1000	11.3	1290	8.8	122	75		SC-SM	SILTY and CLAYEY SAND with GRAVEL: blue gray and olive gray, dense to very dense, few fine gravel, trace coarse gravel, trace cobbles, with noticeable clay content	
DSX 4000	4000	10.6	2980	7.5	126	78		SM	SILTY SAND: blue gray, very dense, slightly moist to moist, well-graded sand, trace fine gravel	
DSX 8000	8000	10.1	5240	6.6	121					Drilling Refusal
				7.3	128	81			The boring was terminated at approximately 79 feet bgs. Groundwater was not encountered.	The borehole was backfilled with neat cement grout.



BORING LOG

Boring No. B-6
Page 1 of 5

JOB NAME: New Settling Pond at the SCQ

CLIENT: Stevens Creek Quarry, Inc.

LOCATION: 12100 Stevens Canyon Road, Cupertino, CA

DRILLER: Exploration Geoservices, Inc.

DRILL METHOD: Truck-Mounted Drilling Rig - 8" Diameter Hollow Stem Augers

JOB NO.: STEVE-18-03

DATE DRILLED: 12/20/2018

ELEVATION:

LOGGED BY: EW

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
				7.5	126	0		CL	LEAN CLAY with SAND: brown, medium stiff to stiff, moist to very moist	Native Residual Soil
						3		SC	CLAYEY SAND with GRAVEL: orangish brown and yellow brown with trace gray, gray brown, and olive gray, very dense, slightly moist, well- graded sand, few to little subangular to subrounded fine gravel, trace coarse gravel	Highly Weathered Santa Clara Formation into soil- like material
						6				
						9			... cobbles encountered	
						12			... very dense	
						15			... mottled orange brown, yellow brown, and olive with trace gray to gray brown, appreciable silt content	
						18		SC	CLAYEY SAND: olive gray with yellow brown mottling, very dense, well-graded sand,	



BORING LOG

Boring No. B-6
Page 2 of 5

JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
DSX	4000	10.5	3200	6.0	112	21		SM	few subangular fine gravel	
						24			SILTY SAND: olive gray to slightly bluish gray with trace to few light gray to dark gray, very desne, slightly moist, well-graded sand, trace to few subangular to subrounded fine gravel (predominantly sandstone and greenstone)	
				6.1	116	30			... olive gray with few light to dark gray mottling, few subangular to subrounded gravels, increased gravel content, decreased silt content	
				4.3	116	33				
				4.5		39			... olive gray and dark gray to dark blue gray, trace to few fine gravel	



BORING LOG

Boring No. B-6
Page 3 of 5

JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
				4.7		42			... contains blue silty sand, decrease in gravel content	
						45				
						48			... olive gray to bluish gray with dark gray	
						51				
						54		SM	SILTY SAND with GRAVEL: gray to dark blue gray and olive gray, very dense, slightly moist, well-graded sand, few fine gravel, trace coarse gravel	
				4.8		57				
						60				%Gravel=38 %Sand=47 %Fines=15




BORING LOG

Boring No. B-6
Page 4 of 5

JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
				9.0	114	63		ROCK	SANDSTONE: blue gray, fresh to slightly weathered, moderately hard, poorly-graded sand with silt, slightly moist	
				5.6	123	75		SM	SILTY SAND: olive gray, very dense, slightly moist, fine to medium sand, trace coarse sand, trace fine gravel	
						81			... contains blue gray clayey	




BORING LOG


Boring No. B-6

Page 5 of 5




JOB NAME: New Settling Pond at the SCQ

JOB NO.: STEVE-18-03

Type of Strength Test	Test Surcharge Pressure, psf	Test Water Content, %	Shear Strength, psf	In-Situ Water Content, %	In-Situ Dry Unit Weight, pcf	Depth, ft.	Soil Symbols, Samplers and Blow Counts	USCS	Description	Remarks
						84			sand	Drilling Refusal
						87			The boring was terminated at approximately 84 feet bgs. Groundwater was not encountered. Immediately after the last sample was retrieved, the borehole was backfilled with neat cement grout.	
						90				
						93				
						96				
						99				
						102				



COBBLES	GRAVEL		SAND			SILT OR CLAY
	COARSE	FINE	COARSE	MEDIUM	FINE	

LEGEND				
BORING NUMBER	B-1	B-3	B-6	
DEPTH (FEET)	13.5	28.5	58.5	
SOIL DESCRIPTION	Silty Sand with Gravel (SM)	Clayey Sand (SC)	Silty Sand with Gravel (SM)	

ENGINEERING GEOLOGIC AND GEOTECHNICAL EVALUATION
NEW SETTLING POND
STEVENS CREEK QUARRY
12100 STEVENS CANYON ROAD
CUPERTINO, CALIFORNIA


GRADATION TEST DATA

DATE:
April 2019

JOB NUMBER:
STEVE-18-03

PLATE:
16

PLASTICITY CHART



SYMBOL	SAMPLE SOURCE	DEPTH (FEET)	NATURAL WATER CONTENT (%)	LIQUID LIMIT	PLASTIC LIMIT	PLASTICITY INDEX	SOIL DESCRIPTION
▲	Boring B-3	9½	33.4	39	19	20	Sandy lean clay (CL)
■	Boring B-3	29	—	28	14	14	Yellow brown clayey sand (SC)
●	Boring B-4	8½	—	26	14	12	Yellow brown clayey sand (SC)
✕	Boring B-4	34¼	9.5	33	15	18	Orange brown lean clay with sand (CL)
◆	Boring B-5	13¾	—	37	15	22	Yellow brown lean clay with sand (CL)
◻	Boring B-5	44	23.2	46	22	24	Yellow brown lean clay (CL)
○	Boring B-5	58½	8.5	23	12	11	Blue gray clayey sand (SC)


ENGINEERING GEOLOGIC AND GEOTECHNICAL EVALUATION
NEW SETTLING POND
STEVENS CREEK QUARRY
12100 STEVENS CANYON ROAD
CUPERTINO, CALIFORNIA

ATTERBERG LIMITS

DATE:
April 2019

JOB NUMBER:
STEVE-18-03

PLATE
17



ENGINEERING GEOLOGIC AND GEOTECHNICAL EVALUATION
NEW SETTLING POND
STEVENS CREEK QUARRY
12100 STEVENS CANYON ROAD
CUPERTINO, CALIFORNIA




DIRECT SHEAR TEST PLOTS

DATE:
April 2019

JOB NUMBER:
STEVE-18-03

PLATE
18



Name: Santa Clara Formation (QTsc)
 Unit Weight: 130 pcf
 Cohesion': 1,000 psf
 Phi': 25 °

ENGINEERING GEOLOGIC AND GEOTECHNICAL EVALUATION
 NEW SETTLING POND
 STEVENS CREEK QUARRY
 12100 STEVENS CANYON ROAD
 CUPERTINO, CALIFORNIA




**SLOPE STABILITY ANALYSIS
 CROSS SECTION A-A', STATIC**

DATE:
 April 2019

JOB NUMBER:
 STEVE-18-03

PLATE
 19



Horz Seismic Coef.: 0.29g

Name: Santa Clara Formation (QTsc)
 Unit Weight: 130 pcf
 Cohesion': 1,000 psf
 Phi': 25 °

ENGINEERING GEOLOGIC AND GEOTECHNICAL EVALUATION
 NEW SETTLING POND
 STEVENS CREEK QUARRY
 12100 STEVENS CANYON ROAD
 CUPERTINO, CALIFORNIA



**SLOPE STABILITY ANALYSIS
 CROSS SECTION A-A', PSEUDO-STATIC**

DATE:
 April 2019

JOB NUMBER:
 STEVE-18-03

PLATE
 20




PLATE
21





PLATE
22



ENGINEERING GEOLOGIC AND GEOTECHNICAL EVALUATION
 NEW SETTLING POND
 STEVENS CREEK QUARRY
 12100 STEVENS CANYON ROAD
 CUPERTINO, CALIFORNIA



**SLOPE STABILITY ANALYSIS
 CROSS SECTION C-C', STATIC**

DATE:
 April 2019

JOB NUMBER:
 STEVE-18-03

PLATE
 23




PLATE
24

Important Information about This Geotechnical-Engineering Report

Subsurface problems are a principal cause of construction delays, cost overruns, claims, and disputes.

While you cannot eliminate all such risks, you can manage them. The following information is provided to help.

The Geoprofessional Business Association (GBA) has prepared this advisory to help you – assumedly a client representative – interpret and apply this geotechnical-engineering report as effectively as possible. In that way, clients can benefit from a lowered exposure to the subsurface problems that, for decades, have been a principal cause of construction delays, cost overruns, claims, and disputes. If you have questions or want more information about any of the issues discussed below, contact your GBA-member geotechnical engineer. Active involvement in the Geoprofessional Business Association exposes geotechnical engineers to a wide array of risk-confrontation techniques that can be of genuine benefit for everyone involved with a construction project.

Geotechnical-Engineering Services Are Performed for Specific Purposes, Persons, and Projects

Geotechnical engineers structure their services to meet the specific needs of their clients. A geotechnical-engineering study conducted for a given civil engineer will not likely meet the needs of a civil-works constructor or even a different civil engineer. Because each geotechnical-engineering study is unique, each geotechnical-engineering report is unique, prepared *solely* for the client. *Those who rely on a geotechnical-engineering report prepared for a different client can be seriously misled.* No one except authorized client representatives should rely on this geotechnical-engineering report without first conferring with the geotechnical engineer who prepared it. *And no one – not even you – should apply this report for any purpose or project except the one originally contemplated.*

Read this Report in Full

Costly problems have occurred because those relying on a geotechnical-engineering report did not read it *in its entirety*. Do not rely on an executive summary. Do not read selected elements only. *Read this report in full.*

You Need to Inform Your Geotechnical Engineer about Change

Your geotechnical engineer considered unique, project-specific factors when designing the study behind this report and developing the confirmation-dependent recommendations the report conveys. A few typical factors include:

- the client's goals, objectives, budget, schedule, and risk-management preferences;
- the general nature of the structure involved, its size, configuration, and performance criteria;
- the structure's location and orientation on the site; and
- other planned or existing site improvements, such as retaining walls, access roads, parking lots, and underground utilities.

Typical changes that could erode the reliability of this report include those that affect:

- the site's size or shape;
- the function of the proposed structure, as when it's changed from a parking garage to an office building, or from a light-industrial plant to a refrigerated warehouse;
- the elevation, configuration, location, orientation, or weight of the proposed structure;
- the composition of the design team; or
- project ownership.

As a general rule, *always* inform your geotechnical engineer of project changes – even minor ones – and request an assessment of their impact. *The geotechnical engineer who prepared this report cannot accept responsibility or liability for problems that arise because the geotechnical engineer was not informed about developments the engineer otherwise would have considered.*

This Report May Not Be Reliable

Do not rely on this report if your geotechnical engineer prepared it:

- for a different client;
- for a different project;
- for a different site (that may or may not include all or a portion of the original site); or
- before important events occurred at the site or adjacent to it; e.g., man-made events like construction or environmental remediation, or natural events like floods, droughts, earthquakes, or groundwater fluctuations.

Note, too, that it could be unwise to rely on a geotechnical-engineering report whose reliability may have been affected by the passage of time, because of factors like changed subsurface conditions; new or modified codes, standards, or regulations; or new techniques or tools. *If your geotechnical engineer has not indicated an "apply-by" date on the report, ask what it should be, and, in general, if you are the least bit uncertain about the continued reliability of this report, contact your geotechnical engineer before applying it.* A minor amount of additional testing or analysis – if any is required at all – could prevent major problems.

Most of the "Findings" Related in This Report Are Professional Opinions

Before construction begins, geotechnical engineers explore a site's subsurface through various sampling and testing procedures. *Geotechnical engineers can observe actual subsurface conditions only at those specific locations where sampling and testing were performed.* The data derived from that sampling and testing were reviewed by your geotechnical engineer, who then applied professional judgment to form opinions about subsurface conditions throughout the site. Actual sitewide-subsurface conditions may differ – maybe significantly – from those indicated in this report. Confront that risk by retaining your geotechnical engineer to serve on the design team from project start to project finish, so the individual can provide informed guidance quickly, whenever needed.

This Report's Recommendations Are Confirmation-Dependent

The recommendations included in this report – including any options or alternatives – are confirmation-dependent. In other words, *they are not final*, because the geotechnical engineer who developed them relied heavily on judgment and opinion to do so. Your geotechnical engineer can finalize the recommendations *only after observing actual subsurface conditions* revealed during construction. If through observation your geotechnical engineer confirms that the conditions assumed to exist actually do exist, the recommendations can be relied upon, assuming no other changes have occurred. *The geotechnical engineer who prepared this report cannot assume responsibility or liability for confirmation-dependent recommendations if you fail to retain that engineer to perform construction observation.*

This Report Could Be Misinterpreted

Other design professionals' misinterpretation of geotechnical-engineering reports has resulted in costly problems. Confront that risk by having your geotechnical engineer serve as a full-time member of the design team, to:

- confer with other design-team members,
- help develop specifications,
- review pertinent elements of other design professionals' plans and specifications, and
- be on hand quickly whenever geotechnical-engineering guidance is needed.

You should also confront the risk of constructors misinterpreting this report. Do so by retaining your geotechnical engineer to participate in prebid and preconstruction conferences and to perform construction observation.

Give Constructors a Complete Report and Guidance

Some owners and design professionals mistakenly believe they can shift unanticipated-subsurface-conditions liability to constructors by limiting the information they provide for bid preparation. To help prevent the costly, contentious problems this practice has caused, include the complete geotechnical-engineering report, along with any attachments or appendices, with your contract documents, *but be certain to note conspicuously that you've included the material for informational purposes only*. To avoid misunderstanding, you may also want to note that "informational purposes" means constructors have no right to rely on the interpretations, opinions, conclusions, or recommendations in the report, but they may rely on the factual data relative to the specific times, locations, and depths/elevations referenced. Be certain that constructors know they may learn about specific project requirements, including options selected from the report, *only* from the design drawings and specifications. Remind constructors that they may

perform their own studies if they want to, and *be sure to allow enough time* to permit them to do so. Only then might you be in a position to give constructors the information available to you, while requiring them to at least share some of the financial responsibilities stemming from unanticipated conditions. Conducting prebid and preconstruction conferences can also be valuable in this respect.

Read Responsibility Provisions Closely

Some client representatives, design professionals, and constructors do not realize that geotechnical engineering is far less exact than other engineering disciplines. That lack of understanding has nurtured unrealistic expectations that have resulted in disappointments, delays, cost overruns, claims, and disputes. To confront that risk, geotechnical engineers commonly include explanatory provisions in their reports. Sometimes labeled "limitations," many of these provisions indicate where geotechnical engineers' responsibilities begin and end, to help others recognize their own responsibilities and risks. *Read these provisions closely*. Ask questions. Your geotechnical engineer should respond fully and frankly.

Geoenvironmental Concerns Are Not Covered

The personnel, equipment, and techniques used to perform an environmental study – e.g., a "phase-one" or "phase-two" environmental site assessment – differ significantly from those used to perform a geotechnical-engineering study. For that reason, a geotechnical-engineering report does not usually relate any environmental findings, conclusions, or recommendations; e.g., about the likelihood of encountering underground storage tanks or regulated contaminants. *Unanticipated subsurface environmental problems have led to project failures*. If you have not yet obtained your own environmental information, ask your geotechnical consultant for risk-management guidance. As a general rule, *do not rely on an environmental report prepared for a different client, site, or project, or that is more than six months old*.

Obtain Professional Assistance to Deal with Moisture Infiltration and Mold

While your geotechnical engineer may have addressed groundwater, water infiltration, or similar issues in this report, none of the engineer's services were designed, conducted, or intended to prevent uncontrolled migration of moisture – including water vapor – from the soil through building slabs and walls and into the building interior, where it can cause mold growth and material-performance deficiencies. Accordingly, *proper implementation of the geotechnical engineer's recommendations will not of itself be sufficient to prevent moisture infiltration*. Confront the risk of moisture infiltration by including building-envelope or mold specialists on the design team. *Geotechnical engineers are not building-envelope or mold specialists*.



Telephone: 301/565-2733

e-mail: info@geoprofessional.org www.geoprofessional.org

Copyright 2016 by Geoprofessional Business Association (GBA). Duplication, reproduction, or copying of this document, in whole or in part, by any means whatsoever, is strictly prohibited, except with GBA's specific written permission. Excerpting, quoting, or otherwise extracting wording from this document is permitted only with the express written permission of GBA, and only for purposes of scholarly research or book review. Only members of GBA may use this document or its wording as a complement to or as an element of a report of any kind. Any other firm, individual, or other entity that so uses this document without being a GBA member could be committing negligent

APPENDIX B SWPPP SITE MAPS




FIGURE 3a
 Stevens Creek Quarry
 Storm Water Pollution
 Prevention Site Plan
 November 2019





FIGURE 3b

0 150 300
FEET

LEGEND <div style="display: flex; align-items: center;"> <div style="font-size: 20px; margin-right: 5px;">H</div> <div>Sand Plant</div> </div> <div style="display: flex; align-items: center;"> <div style="font-size: 20px; margin-right: 5px;">I</div> <div>Rock Plant</div> </div> <div style="display: flex; align-items: center;"> <div style="font-size: 20px; margin-right: 5px;">J</div> <div>Radio Tower</div> </div> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; width: 20px; height: 10px; margin-right: 5px;"></div> <div>Property Line</div> </div> <div style="display: flex; align-items: center;"> <div style="border-top: 1px dashed black; width: 20px; margin-right: 5px;"></div> <div>Mining Limit Line</div> </div>	<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: black; margin-right: 5px;"></div> <div>Building</div> </div> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; width: 20px; height: 10px; margin-right: 5px;"></div> <div>Structure</div> </div> <div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: tan; margin-right: 5px;"></div> <div>Unpaved Road</div> </div> <div style="display: flex; align-items: center;"> <div style="width: 20px; height: 10px; background-color: grey; margin-right: 5px;"></div> <div>Non-Industrial Areas</div> </div> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; width: 20px; height: 10px; margin-right: 5px;"></div> <div>Stockpile</div> </div> <div style="display: flex; align-items: center;"> <div style="border-top: 2px solid red; width: 20px; margin-right: 5px;"></div> <div>Earth Berm</div> </div>	<div style="display: flex; align-items: center;"> <div style="border-bottom: 2px dotted blue; width: 20px; margin-right: 5px;"></div> <div>Drainage Ditch</div> </div> <div style="display: flex; align-items: center;"> <div style="border-bottom: 2px solid blue; width: 20px; margin-right: 5px;"></div> <div>Concrete Swale</div> </div> <div style="display: flex; align-items: center;"> <div style="font-size: 20px; margin-right: 5px;">←</div> <div>Direction of Flow</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: lightblue; width: 20px; height: 10px; margin-right: 5px;"></div> <div>Sediment Pond and ID Number</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: blue; width: 20px; height: 10px; margin-right: 5px;"></div> <div>Pit/Pond</div> </div>	<div style="display: flex; align-items: center;"> <div style="color: red; font-size: 20px; margin-right: 5px;">•</div> <div>Drop Inlet</div> </div> <div style="display: flex; align-items: center;"> <div style="color: black; font-size: 20px; margin-right: 5px;">+</div> <div>High Point</div> </div> <div style="display: flex; align-items: center;"> <div style="border-bottom: 2px dotted purple; width: 20px; margin-right: 5px;"></div> <div>Culvert</div> </div> <div style="display: flex; align-items: center;"> <div style="border-bottom: 2px dashed orange; width: 20px; margin-right: 5px;"></div> <div>Future Culvert</div> </div> <div style="display: flex; align-items: center;"> <div style="border: 1px solid black; border-radius: 50%; width: 15px; height: 15px; margin-right: 5px; text-align: center; line-height: 15px;">S</div> <div>Spring</div> </div> <div style="display: flex; align-items: center;"> <div style="border-bottom: 2px solid pink; width: 20px; margin-right: 5px;"></div> <div>Check Dam</div> </div>	<div style="display: flex; align-items: center;"> <div style="border-bottom: 2px dotted green; width: 20px; margin-right: 5px;"></div> <div>Rock Berm</div> </div> <div style="display: flex; align-items: center;"> <div style="border-bottom: 2px solid orange; width: 20px; margin-right: 5px;"></div> <div>Coir Wattles</div> </div> <div style="display: flex; align-items: center;"> <div style="border-bottom: 2px solid black; width: 20px; margin-right: 5px;"></div> <div>Silt Fence</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: black; width: 20px; height: 10px; margin-right: 5px;"></div> <div>Rock Dissipator</div> </div> <div style="display: flex; align-items: center;"> <div style="background-color: black; width: 20px; height: 10px; margin-right: 5px;"></div> <div>Gravel Road</div> </div>	Drainage Areas <div style="display: flex; align-items: center;"> <div style="border: 2px solid red; width: 20px; height: 10px; margin-right: 5px;"></div> <div>1</div> </div> <div style="display: flex; align-items: center;"> <div style="border: 2px solid orange; width: 20px; height: 10px; margin-right: 5px;"></div> <div>2</div> </div> <div style="display: flex; align-items: center;"> <div style="border: 2px solid green; width: 20px; height: 10px; margin-right: 5px;"></div> <div>5</div> </div> <div style="display: flex; align-items: center;"> <div style="border: 2px solid pink; width: 20px; height: 10px; margin-right: 5px;"></div> <div>6</div> </div> <div style="display: flex; align-items: center;"> <div style="border: 2px solid blue; width: 20px; height: 10px; margin-right: 5px;"></div> <div>7 (Pit/Pond)</div> </div>
--	--	---	---	---	---

SOURCE: Benchmark Resources, October 2019
 NOTES: The location of the property line is approximate. The site information and layout is based on site visits. Aerial imagery may not reflect current site conditions.
 P:\GIS\Stevens Creek Quarry\Project\SWPPP Update Nov 2019\Figure 3b.mxd (11/12/2019)



LEGEND

A	Office, Scale House, Scale	Property Line	Unpaved Road	Creek	Sediment Trap	Metal Stormwater Tank	Culvert	Silt Fence	Discharge Point (Color Matches Drainage Area)	Drainage Areas
B	Recycle Plant	Mining Limit Line	Gravel/Rock Surface	Drainage Ditch	Sediment Pond	Drop Inlet	French Drain	Rock Dissipator	▲	1
C	Topsoil Plant	Ingress/Egress	Non-Industrial Areas	Concrete Swale	Rattlesnake Creek Pond	Stand Pipe	Grate	Rock Lining	▼	2
D	Garden Waste Recycle Center	Building	Stockpile	Direction of Flow	Planned New Sediment Pond (Approximate)	Weir	Portable Toilet	4x8 Rock	▲	3
E	Quarry Maintenance/Storage	Structure	Earth Berm		Concrete Drainage Box	Check Dam	Check Dam	Gravel Road	▼	4
F	Voss Trucking	Paved Road	Paved Berm			Low Point	Rock Berm		▲	5
G	Fueling Area and Fuel Tanks		Gate			Bypass Pipe	Coir Wattles		▼	6

