

- EROSION AND SEDIMENT CONTROL NOTES**
1. EROSION AND SEDIMENT CONTROL MEASURES SHALL BE AS REQUIRED BY SANTA CLARA COUNTY
 2. EROSION AND SEDIMENT CONTROL MEASURES SHALL BE IN EFFECT PRIOR TO CONSTRUCTION.
 3. NO WATER SHALL BE ALLOWED TO DRAIN INTO THE EXISTING PUBLIC WATERWAY SYSTEM BEFORE THE STORM DRAIN MEASURES ARE INSTALLED.
 4. ALL EROSION CONTROL MEASURES SHALL BE MAINTAINED UNTIL DISTURBED AREAS ARE STABILIZED. CHANGES TO THIS EROSION AND SEDIMENT CONTROL PLAN SHALL BE MADE TO MEET FIELD CONDITIONS SUBJECT TO THE APPROVAL OF THE CITY ENGINEER.
 5. DURING THE RAINY SEASON ALL PAVED AREAS SHALL BE KEPT CLEAR OF EARTH MATERIAL AND LAND DEBRIS. THE SITE SHALL BE MAINTAINED SO AS TO MINIMIZE SEDIMENT - LADEN RUNOFF TO ANY STORM DRAINAGE SYSTEM.
 6. DUST CONTROL MEASURES SHALL BE APPLIED TO THE CONSTRUCTION OPERATIONS.
 7. WASTE WATER GENERATED DURING CONSTRUCTION SHALL NOT BE DISCHARGED TO THE STORM DRAIN FROM PAINTING, SAW CUTTING, CONCRETE WORK, ETC. THE CONTRACTOR SHALL MAKE ARRANGEMENTS TO ELIMINATE DISCHARGES TO THE STORM DRAIN SYSTEM. PROVIDE AN AREA FOR ON-SITE WASHING ACTIVITIES DURING CONSTRUCTION. MATERIALS WHICH COULD CONTAMINATE STORM RUN OFF SHALL BE STORED IN AREAS WHICH ARE DESIGNATED TO PREVENT EXPOSURE TO RAINFALL AND TO NOT ALLOW STORM WATER TO RUN ONTO THE AREA.
 8. PAVEMENT CLEANING, FLUSHING OFF STREETS AND PARKING LOTS TO REMOVE DIRT AND CONSTRUCTION DEBRIS IS PROHIBITED UNLESS PROPER SEDIMENT CONTROLS ARE USED. IT IS PREFERRED THAT DIRT AND DUST BE SWEEPED FROM THE SURFACES RATHER THAN FLUSHED.
 9. STRAW BALE DIKES ARE REQUIRED WHEN THE EXISTING CURBS ARE REMOVED AND THE UNPAVED GRADES ARE ABOVE THE PAVEMENTS, OR CONDITIONS REQUIRE THEIR INSTALLATION.
 10. THIS PLAN COVERS ONLY THE FIRST WINTER FOLLOWING GRADING. PLANS ARE TO BE RESUBMITTED FOR CITY APPROVAL PRIOR TO SEPTEMBER FIRST OF EACH SUBSEQUENT YEAR UNTIL THE SITE IMPROVEMENT ARE ACCEPTED BY THE CITY.
 11. ALL EROSION CONTROL FACILITIES MUST BE INSPECTED AND REPLACED AT THE END OF EACH WORKING DAY DURING THE RAINY SEASON.
 12. BORROW AREAS AND TEMPORARY STOCKPILES SHALL BE PROTECTED WITH APPROPRIATE EROSION CONTROL MEASURES TO THE SATISFACTION OF THE CITY ENGINEER.
 13. ALL CUT AND FILL SLOPES ARE TO BE PROTECTED TO PREVENT OVERTANK FLOW.
 14. PROTECT ALL CUT AND FILLED SLOPES BY SEEDING AND PUNCHING SLOPES WITH STRAW OR USING PLASTIC NETTING TO HOLD STRAW IN PLACE.
 15. THIS PLAN MAY NOT COVER ALL THE SITUATIONS THAT MAY OCCUR DURING CONSTRUCTION. CHANGES MAY BE MADE TO THE PLAN IN THE FIELD SUBJECT TO THE APPROVAL OF THE CITY ENGINEER.
 16. THE CONTRACTOR SHALL CONSTRUCT A STABILIZED CONSTRUCTION ENTRANCE AS SHOWN ON PLANS AT ENTRANCE TO THE SITE. ANY MUD THAT IS TRACKED ONTO PUBLIC STREETS SHALL BE REMOVED THE SAME DAY AND AS REQUIRED BY THE CITY.
 17. REMOVE SEDIMENT ACCUMULATIONS BEHIND STRAW BALE DIKE OR SILT FENCE IF IT EXCEEDS 1/3 THE HEIGHT OF THE DIKE OR FENCE.
 18. UNTIL CONSTRUCTION IS COMPLETE, MONITOR RAINFALL FORECASTS EACH DAY. IF RAIN IS PREDICTED, COVER ALL BARE SOIL AREAS WITH A 2- INCH THICK LAYER OF STRAW. KEEP STRAW BALES ON SITE FOR THIS PURPOSE AT THE RATE OF 2 BALES PER 1,000 SQUARE FEET OF COVERAGE NEEDED.
 19. SWEEP OR SCRAPE UP SOILS TRACKED ONTO THE ROAD AT THE END OF EACH DAY. DO NOT HOSE INTO STREET, GUTTER OR STORM DRAIN.
 20. THE SITE SHALL BE MONITORED BY THE CONTRACTOR/OWNER AFTER A RAIN EVENT TO VERIFY EROSION CONTROL MEASURES ARE FUNCTIONING AND APPLY MEASURES IMMEDIATELY TO MITIGATE IMPACT.

REVISIONS	BY



STOWERS ASSOCIATES
 Creating Plans for People
 155 E. Garfield Avenue #114
 Campbell, CA 95008
 Greg Stowers
 greg@stowersassociates.com
 950.882.9200
 www.stowersassociates.com



PROPOSED ADDITION TO RESIDENCE OF:
PAUL KADILLAK
 18566 VINA DRIVE
 LOS GATOS, CALIFORNIA

EROSION CONTROL PLAN

Date: 08.01.2019
 Scale: as shown
 Drawn: GS
 Job: 14022



EROSION CONTROL PLAN
 Scale: 1/8" = 1'-0"