

APPLICATION FOR TREE REMOVAL PERMIT

Owner: County of Santa Clara Address: 2310 N. 1st St., Suite 200, San Jose, CA 95131

City: San Jose Phone: Jose Kuan (408) 993-4621 (county project manager)

Applicant: Forefront Power(on behalf of county) Address: 100 Montgomery St., Suite 725, San Francisco, CA 94104

City: San Francisco Phone: Michelle Gunther (628) 899-1625 (project manager)

Address of tree(s) to be removed: 110 W Tasman Dr., San Jose, CA 95134

Assessor's Parcel Number: 097-54-023 Nearest cross street: Rio Robles

Company/Individual to remove tree(s): General Tree Service (contracted under Collins Electric)

Address: 4811 Kimber Ave., Bakersfield, CA 93307 Business License No.: 2460099

Number of Trees to be removed: 90 Species: Please see attached excel file for tree characteristics

Size of trees (circumference, measured 4.5' above ground): Please see attached file for tree characteristics

Specific Reasons for removal of trees: All trees conflict or will shade the solar arrays to be constructed June-Dec. 2023. The solar arrays will provide energy savings to the county for the next 20 years while generating clean renewable energy through an energy services agreement approved by the board. Tree removal was part of the CEQA NOE filed for this site and solar project.

Statement from licensed Arborist or Forester? If yes, attach to application. ***No, but information here is from the TreePlotter database, updated by Davey Resource Group.***

Location of Tree(s) on property: Provide a site plan (see reverse for requirements) ***See attached.***

Include photos of all trees. ***See attached.***

OFFICE USE ONLY

Permit #: _____

Zoning District: _____ Parcel Size: _____ 500' Scale Map #: _____

Heritage Tree on Historic Inventory List? ☐ Yes ☐ No If yes, project must be referred to the HHC and Board of Supervisors.

Located w/in County Road Right-of-Way? ☐ Yes ☐ No If yes, applicant must obtain encroachment permit from Roads & Airports and approval from Board of Supervisors.

Located w/in Los Gatos Specific Plan area? ☐ Yes ☐ No If yes, refer to Town of Los Gatos.

Previous CPO file #? _____ If yes, any previous conditions of approval to retain certain tree(s)? _____

PURSUANT TO SECTION C16 OF THE COUNTY ORDINANCE CODE, REMOVAL OF TREE(S) IS:

APPROVED: ☐ DENIED: ☐

By: _____

COUNTY OF SANTA CLARA – PLANNING OFFICE
70 W. HEDDING ST., SAN JOSE, CA 95110
(408) 299-5770 www.sccplanning.org


REASON FOR APPROVAL/DENIAL: _____

Site Plan Requirements for Tree Removal Permits

On the site plan show :

- all trees to be removed and replanted on the property
- the size of all trees to be removed (as measured 4.5' above grade), the species of each tree, approximate height of each tree, and age (if known)
- the number of trees that will remain on the property upon completion of the cutting
- the dimensions from property lines and existing structures (on site and closest neighbor) and show names of streets fronting the property, the edge of the any County road right-of-way
- any other pertinent information which may be useful to staff in reviewing your application

110 W Tasman tree removal site plan. See excel file for tree characteristics. 122 trees remaining, 90 to be taken out.



All trees <18 inches DBH. 20 trees <5 inches. 70 trees to be replaced with \$300 in-lieu fee for replanting offsite.





Layer: Trees

Display by: Species

Symbology: None

View Filter: 110 Tasman

Showing 212 of 212 sites.

- Search
- ☒ Toggle All ?
- ☒ Ash (9)
 - ☒ Australian blackwood
 - ☒ California live oak (4)
 - ☒ Callery pear (17)
 - ☒ Chinese hackberry (3)
 - ☒ Coast redwood (8)
 - ☒ Crabapple (20)
 - ☒ European hornbeam (12)
 - ☒ London planetree (98)
 - ☒ Red maple (36)
 - ☒ White alder (4)

Primary ID	Address N	Address St	Agency	City	Common Name	Condition	Circumfer	DBH	Tree Height	Scientific Name
19024	110	W Tasman Dr		Milpitas	London planetree	Good 80%	28.26	9	30	Platanus hybrida
19019	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
19017	110	W Tasman Dr		Milpitas	London planetree	Good 80%	37.68	12	40	Platanus hybrida
19009	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
19002	130	W Tasman Dr		Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
18909	110	W Tasman Dr		Milpitas	London planetree	Dead 0%	3.14	1	10	Platanus hybrida
18907	110	W Tasman Dr		Milpitas	Callery pear	Fair 60%	12.56	4	20	Pyrus calleryana
18906	110	W Tasman Dr		Milpitas	Callery pear	Fair 60%	12.56	4	20	Pyrus calleryana
18640	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
18639	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
18366	110	W Tasman Dr		Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
18175	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	40	Platanus hybrida
17895	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	40	Platanus hybrida
17825	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
17824	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
17794	110	W Tasman Dr		Milpitas	London planetree	Good 80%	25.12	8	30	Platanus hybrida
17699	110	W Tasman Dr		Milpitas	Callery pear	Good 80%	21.98	7	20	Pyrus calleryana
17693	110	W Tasman Dr		Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
17679	110	W Tasman Dr		Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
17613	110	W Tasman Dr		San Jose	London planetree	Good 80%	50.24	16	40	Platanus hybrida
17416	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
17357	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	40	Platanus hybrida
17356	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
17165	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
16806	110	W Tasman Dr		Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
16767	110	W Tasman Dr		Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
16734	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	40	Platanus hybrida
16713	110	W Tasman Dr		Milpitas	London planetree	Good 80%	25.12	8	30	Platanus hybrida
16628	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	40	Platanus hybrida
16611	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
16606	110	W Tasman Dr		Milpitas	Callery pear	Good 80%	25.12	8	20	Pyrus calleryana
16556	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
16427	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
16422	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
16418	110	W Tasman Dr		Milpitas	London planetree	Fair 60%	31.4	10	30	Platanus hybrida
16035	110	W Tasman Dr		Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
15988	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
15899	110	W Tasman Dr		Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
15789	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
15656	110	W Tasman Dr		San Jose	London planetree	Good 80%	43.96	14	40	Platanus hybrida
15532	110	W Tasman Dr		Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
15372	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
15368	110	W Tasman Dr		Milpitas	Callery pear	Fair 60%	21.98	7	20	Pyrus calleryana
15060	110	W Tasman Dr		Milpitas	London planetree	Fair 60%	31.4	10	40	Platanus hybrida
14999	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
14924	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	40	Platanus hybrida
14922	110	W Tasman Dr		Milpitas	Callery pear	Good 80%	18.84	6	20	Pyrus calleryana
14921	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
14771	110	W Tasman Dr		Milpitas	Callery pear	Good 80%	18.84	6	30	Pyrus calleryana
14600	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
14572	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
14542	110	W Tasman Dr		Milpitas	Red maple	Dead 0%	3.14	1	10	Acer rubrum
14499	110	W Tasman Dr		San Jose	London planetree	Good 80%	53.38	17	40	Platanus hybrida
14462	110	W Tasman Dr		Milpitas	London planetree	Good 80%	34.54	11	40	Platanus hybrida
14405	110	W Tasman Dr		Milpitas	Callery pear	Good 80%	18.84	6	20	Pyrus calleryana
14404	110	W Tasman Dr		Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
14378	110	W Tasman Dr		Milpitas	London planetree	Good 80%	34.54	11	30	Platanus hybrida
14326	110	W Tasman Dr		Milpitas	London planetree	Good 80%	37.68	12	30	Platanus hybrida
14269	110	W Tasman Dr		Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
14198	110	W Tasman Dr		Milpitas	London planetree	Good 80%	21.98	7	30	Platanus hybrida

14159	110	W Tasman Dr	Milpitas	London planetree	Good 80%	31.4	10	40	Platanus hybrida
14113	110	W Tasman Dr	Milpitas	Callery pear	Good 80%	12.56	4	30	Pyrus calleryana
13985	110	W Tasman Dr	Milpitas	London planetree	Good 80%	31.4	10	40	Platanus hybrida
13919	110	W Tasman Dr	Milpitas	London planetree	Good 80%	21.98	7	30	Platanus hybrida
13767	110	W Tasman Dr	Milpitas	Callery pear	Fair 60%	25.12	8	20	Pyrus calleryana
13677	110	W Tasman Dr	Milpitas	London planetree	Fair 60%	31.4	10	30	Platanus hybrida
13647	110	W Tasman Dr	Milpitas	London planetree	Good 80%	31.4	10	40	Platanus hybrida
13644	110	W Tasman Dr	Milpitas	London planetree	Good 80%	28.26	9	30	Platanus hybrida
13626	110	W Tasman Dr	Milpitas	London planetree	Good 80%	34.54	11	30	Platanus hybrida
13517	110	W Tasman Dr	Milpitas	London planetree	Good 80%	31.4	10	40	Platanus hybrida
13464	110	W Tasman Dr	Milpitas	Callery pear	Fair 60%	18.84	6	20	Pyrus calleryana
13329	110	W Tasman Dr	Milpitas	London planetree	Fair 60%	31.4	10	30	Platanus hybrida
13227	110	W Tasman Dr	Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
13211	110	W Tasman Dr	Milpitas	London planetree	Good 80%	37.68	12	40	Platanus hybrida
13154	110	W Tasman Dr	Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
13066	110	W Tasman Dr	Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
13002	110	W Tasman Dr	Milpitas	Callery pear	Fair 60%	25.12	8	20	Pyrus calleryana
12894	110	W Tasman Dr	Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
12826	110	W Tasman Dr	Milpitas	London planetree	Good 80%	37.68	12	30	Platanus hybrida
12708	130	W Tasman Dr	Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
12606	110	W Tasman Dr	Milpitas	London planetree	Good 80%	31.4	10	40	Platanus hybrida
12497	110	W Tasman Dr	Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
12443	130	W Tasman Dr	Milpitas	Red maple	Good 80%	3.14	1	10	Acer rubrum
12432	110	W Tasman Dr	Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
12417	110	W Tasman Dr	Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
12276	130	W Tasman Dr	Milpitas	Red maple	Fair 60%	3.14	1	10	Acer rubrum
12063	110	W Tasman Dr	Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
12019	110	W Tasman Dr	Milpitas	London planetree	Good 80%	31.4	10	30	Platanus hybrida
11979	110	W Tasman Dr	Milpitas	Callery pear	Good 80%	18.84	6	20	Pyrus calleryana
11889	110	W Tasman Dr	Milpitas	Callery pear	Good 80%	21.98	7	10	Pyrus calleryana

Overall Replanting plan for County of Santa Clara REAP solar portfolio (Ph. 1)

Site name		Planning Application record no.	No. of trees to be removed	No. of trees removed with >5in DBH	No. of trees removed with less than 5in DBH	In-ground onsite		In lieu fee
						15 gal	24 gal	
1.	Fleet Admin Facility	AR22-2652	2	2	0	0	0	\$600
2.	Muriel Wright Ranch Center	AR22-2649	2	2	0	6	0	\$0
3.	Animal Shelter	AR22-2654	2	2	0	6	0	\$0
4.	VASC	AR22-2653	2	2	0	0	0	\$600
5.	110 Tasman	22TMP-011016	90	70	20	0	0	\$21,000
6.	130 Tasman	22TMP-011160	43	38	5	0	0	\$11,400
7.	150 Tasman	23TMP-000104	45	37	8	0	0	\$11,100
8.	180 Tasman	23TMP-000105	62	40	22	0	0	\$12,000
	Total		244	189	55	12	0	\$56,700

Muriel Wright:

- 6 trees – 15 gallon California live oak (*Quercus agrifolia*)

Animal Shelter:

- 3 trees: 15 gallon California live oak (*Quercus agrifolia*)
- 3 trees: 15 gallon Knife leaf acacia (*Acacia cultriformis*)