
GENERAL USE PERMIT 2000

ANNUAL REPORT No. 21





COUNTY OF SANTA CLARA
PLANNING OFFICE

April 2022 CRG Draft

Prologue		P-1
Section I:	Introduction	1
	Glossary of Terms	4
Section II:	Development Overview	6
	GUP Building Area Cap	
	Other Space Caps	9
	Housing	
	Parking	13
Section III:	Overview of monitoring During Twenty-first Year	16
	GUP Condition A: Building Area	16
	GUP Condition B: Framework	
	GUP Condition C: Monitoring, Reporting, and Implementation	
	GUP Condition D: Permitting and Environmental Review	16
	GUP Condition E: Academic Building Area Review	17
	GUP Condition F: Housing	17
	GUP Condition G: Transportation	18
	GUP Condition H: Parking	20
	GUP Condition I: Parks and Recreation Facilities	20
	GUP Condition J: California Tiger Salamander	21
	GUP Condition K: Biological Resources	21
	GUP Condition L: Visual Resources	21
	GUP Condition M: Hazardous Materials	22
	GUP Condition N: Geology and Hydrology	22
	GUP Condition O: Cultural Resources	22
	GUP Condition P: Utilities and Public Services	
	GUP Condition Q: Air Quality	. 22
	GUP Condition R: Noise	22
	GUP Condition S: Additional GUP Conditions	23
Section IV:	Project Summaries	24
	File No. PLN20-081: Land, Buildings, and Real Estate (LBRE) Replacement	
	Facilities Project	25
	Files No. PLN19-0164: George P. Shultz Building	26
	Files No. PLN20-048: Collaboration Building in the Center for Advanced Students	dies
	in Behavioral Sciences (CASBS) Complex	27
Section V:	Anticipated Future Development	30
Section VI:	Other Information	32
- · -•	References	32
	County of Santa Clara Annual Report Project Managers	32
	Stanford University Data Providers	

Annual Report 20

Tables		
	nnual Report 21 Distribution of GUP-Allowed Academic and Academic Supp	
TABLE 2 An	nnual Report 21 Other Space Caps - Project Summary	10
TABLE 3 An	nnual Report 21 Distribution of Residential Development	12
TABLE 4 An	nnual Report 21 Distribution of Parking	14
TABLE 5 An	nual Report 21 Development Projects Receiving ASA or Other Approval	28
TABLE 6 An	nticipated Projects for Annual Report 22	31
Figures		
	gional Location	
Figure 2: Cur	mulative Development Activity 12/12/00 - 8/31/21	8
Figure 3: Dis	tribution of Academic Development	9
	tribution of Residential Development	
Figure 5: Dis	tribution of Parking Spaces	13
	cation of Major Annual Report 21 Projects	
Figure 7: Loc	eation of Anticipated Projects	30
Appendices		
Appendix A	General Orientation Maps of Stanford Lands and Campus	
Appendix B	GUP Conditions and Compliance Activities	
Appendix C	Cumulative Projects	
Appendix D	Summary Report of Traffic Monitoring	
Appendix E	Sustainability at Stanford Annual Report	
Appendix F	Stanford Alternate Means Programs	

The Stanford University 2000 General Use Permit (GUP) Twentyfirst Annual Report (AR 21) provides public documentation that summarizes development at Stanford University and required environmental mitigation activity within unincorporated Santa Clara County, for the monitoring period from September 1, 2020, through August 31, 2021. This report documents both new projects approved during the reporting period and the status of ongoing projects. Section I provides an introduction and context to the AR 21. Information on project status and a summary of development through the AR 21 reporting period is provided in Section II. Section III provides a summary of GUP compliance. Details and illustrations of projects that received Architecture and Site Approval (ASA) during this reporting period are provided in Section IV. Section V describes anticipated development, Section VI provides information on other significant information in the reporting period, and Section VII provides information on references and the project team.


Appendices A, B, C, D, E, and F contain information on campus maps, GUP conditions and additional compliance details, summaries of cumulative development on campus, traffic monitoring results, sustainability activities initiated and ongoing by Stanford University, and a summary of Stanford's approved Alternate Means Programs, respectively.

The production team for this annual report endeavored to make this report user-friendly. If you have comments or questions about the format, you may forward your comments to the County of Santa Clara Planning Office. For the 21st annual reporting period. Charu Ahluwalia was the County of Santa Clara Planning Office's project manager, for the Stanford University environmental mitigation monitoring and reporting program.

Specific questions regarding this report or the Stanford Community Plan, General Use Permit or the Environmental Impact Report may be directed to: Charu Ahluwalia, Associate Planner (email: charu.ahluwalia@pln.sccgov.org).

Annual Report 21 - 2021

Stanford University owns 8,180 acres of land, including 4,017 acres within unincorporated Santa Clara County that are subject to the land use jurisdiction and regulatory authority of the County. Please see Map 1 in Appendix A, which shows governmental jurisdiction on Stanford lands. Stanford University is a private institution and is subject to local zoning controls and project approval procedures. Stanford University land in Santa Clara County includes the academic campus, residential areas, and most of the foothills east of Alpine Road.



In November 1999, Stanford University submitted a Draft CP/GUP Application to the County of Santa Clara. As a result of an extensive public review process, significant changes were made in the proposed CP/GUP. The County of Santa Clara, which is the lead agency under the California Environmental Quality Act (CEQA),

prepared a Program Environmental Impact Report (EIR) to disclose the significant environmental effects of development pursuant to the CP/GUP. In December 2000, the County Board of Supervisors certified the EIR and approved the Final CP/GUP (2000 GUP).

The 2000 GUP replaced the 1989 GUP. It is the permit under which Stanford continues its academic and support uses, and authorizes the University to develop the following facilities:

- Academic and academic-support facilities (an additional 2,035,000 net square feet (sq. ft.) plus the square footage remaining under the 1989 GUP)
- Childcare or community centers (an additional 40,000 sq. ft.)
- Temporary trailers and surge space (up to 50,000 sq. ft.)
- Parking structures and lots (2,300 net new parking spaces)
- Housing (3,018 housing units, increased to 4,468 housing units in 2016)

The Board approval of the 2000 GUP and the EIR resulted in mitigation measures. The EIR identified mitigation measures, which were formally adopted in the Mitigation Monitoring and Reporting Program (MMRP).

GUP Condition D.2 requires Stanford to implement the identified MMRP mitigation requirements as follows:

"If at any time the County Planning Commission determines that Stanford is not in compliance with one or more conditions of the General Use Permit, it may take corrective action as provided in the County Ordinance Code including, but not limited to, suspension of any future development approvals until such time as the conditions are met. Failure of Stanford to comply with aspects of the Mitigation Monitoring and Reporting Program adopted for the GUP or any specific projects approved under the GUP for which Stanford is responsible shall also constitute a violation of these GUP conditions for which corrective action may be taken as described above."

This Twenty-first Annual Report (AR 21) documents Stanford's development activity and compliance with both the conditions of the 2000 GUP and any specific conditions associated with proposed building projects. It covers the period from September 1, 2020, to August 31, 2021. Activities or projects that occurred after August 31, 2021, are beyond the scope of this Annual Report but will be

presented in the next Annual Report that will cover activities between September 1, 2021, and August 31, 2022.

This report is organized into seven primary sections and six appendices:

- **I. Introduction** presents the background and overall requirements of the 2000 GUP, the reporting period and organization of the Annual Report, and provides a glossary of terms used in this report.
- II. Development Overview presents major statistics on certain 2000 GUP provisions, including the academic building area cap, the distribution of development, development projects that do not count toward the building area cap, housing, and parking.
- III. Overview of Monitoring During Twenty-first Year summarizes Stanford's activities and status of compliance with 2000 GUP conditions.
- IV. Project Summaries provides summaries of major Stanford projects that received Architectural and Site Approval (ASA) within this Annual Report's reporting period.
- V. Anticipated Future Development lists projects anticipated for submittal/approval during the next Annual Report period. Includes a map showing proposed locations.
- **VI. Other Information -** presents references for the information used in this Annual Report and the persons involved in its preparation.

Appendix A - provides maps to illustrate the general orientation of Stanford University lands and campus.

Appendix B - presents the complete list of 2000 GUP conditions and associated activities in the reporting period.

Appendix C - provides cumulative tables and location maps for building projects, housing projects, parking projects, and grading projects.

Appendix D - provides a summary of the result of traffic monitoring at the Stanford University campus between 2001 and 2021.

Appendix E – presents the Stanford Sustainability Annual Report.

Appendix F – provides a summary of Stanford's approved Alternate Means Programs.

Glossary of Terms

The following terms and acronyms are used in this Annual Report:

- **AR Annual Report:** "AR 21" refers to Stanford's 21st annual report on development and compliance with GUP conditions.
- ASA Architecture and Site Approval (ASA): A procedure established by the County of Santa Clara Zoning Ordinance to review the quality of site and architectural design associated with a proposed project. ASA may establish conditions of approval that change and improve development design.
- ASX ASA Administrative Review for Minor Projects (ASX): Projects that are below a certain threshold due to their minimal impact are exempt from the full ASA process and public hearing. ASX is a discretionary staff approval process. ASX may establish conditions of approval that change and improve development design.
- **CEQA** California Environmental Quality Act: The overarching California law under which environmental reviews are conducted.
- CP Stanford Community Plan: Plan that refines the policies of the County of Santa Clara's 1995 General Plan as they apply to Stanford lands under County jurisdiction.
- DAPER Stanford's Department of Athletics, Physical Education and Recreation supports student athletes, and the university's physical education, recreation, and wellness initiatives.
- **EIR Environmental Impact Report:** Documents the result of environmental analyses conducted under CEQA.
- FY Stanford University's Fiscal Year: A one-year period from September 1st August 31.
- GUP 2000 General Use Permit: Permit issued to Stanford by the County of Santa Clara, which describes the allowable distribution of additional building area, and establishes procedures under which construction may occur and associated measures that must be accomplished before, during and after construction as conditions of approval for development.
- **NPS Non-point source:** Refers to pollution of runoff by diffuse sources, such as vehicle traffic on parking lots or streets.

I. Introduction

NSF	Net square feet: Total "net" or overall change in square
	footage. This category designates a total amount of
	positive or negative square footage for a project, based on
	square footage of total construction ("gross square
	footage") less any credits for demolition.

SDS Sustainable Development Study: A Study required under GUP Condition E.5 that was submitted by Stanford and approved by the Board of Supervisors in 2009. In 2018, the County prepared a Supplement to the SDS. The Supplement augmented the work previously prepared to identify the maximum planned buildout potential of Stanford lands in unincorporated Santa Clara County.

GUP Building Area Cap

The 2000 GUP (GUP Condition A.1.b) establishes a 2,035,000 net-square-foot building area cap for new academic and academic support uses. The limit applies to most nonresidential development that Stanford proposes to build during the time that this GUP is in effect. Because the exact amount of square footage may change due to design refinements that occur between initial ASA application and subsequent issuance of a building permit, the County requires that the actual square footage deducted from the building area cap be documented at the time a building permit is issued. The cumulative total building area authorized during the reporting period is provided in this annual report for those projects that received building permits between September 1, 2020, and August 31, 2021.

The GUP distributes the 2,035,000 sq. ft. of additional academic and academic support facilities among 11 development districts on the Stanford Campus. Map 3 in Appendix A shows the development districts. The majority of 2000 GUP academic building area is allocated to the Campus Center. The allocation of square footage between the development districts can deviate from the GUP's general allocation as long as the GUP procedures are followed (see GUP Condition E.2). For example, during the AR 8 reporting period, the allocation for Campus Center was revised down from 1,600,268 sq.ft. to 1,480,268 sq.ft. to allow for the allocation of 120,000 sq.ft. to the DAPER (Department of Athletics, Physical Education and Recreation) and Administrative district to accommodate the Knight Management Center and future anticipated projects, which is consistent with the 2000 GUP.

Table 1 lists the development districts, the 2000 GUP allocation of building area for each district, and the amount of academic/academic-support square footage that received ASA or building permit approval in each district during this reporting period. The academic/academic-support projects that do not affect the GUP building area cap are not shown in Table 1. See Section IV, Project Summaries, for additional information on projects that received ASA approval during the AR 21 reporting period.

TABLE 1 ANNUAL REPORT 21 DISTRIBUTION OF GUP-ALLOWED ACADEMIC AND ACADEMIC SUPPORT DEVELOPMENT¹

Development District	2000 GUP Building Area Distributi on (sq.ft.)	GUP Building Area Distribution at the end of AR 21 ¹	ASA Approved Space in AR 21 (sq. ft.)	Building Permit Approved Space in AR 21 ² (sq. ft.)	Previous ARs Cumulative Building Permit Approvals (sq. ft.)	Cumulative Total Building Permits Approved ³ (sq. ft.)	GUP Balance Remaining (sq. ft.)
Campus Center	1,605,000	1,389,337	776	(90,221)	1,251,0115	1,160,790	228,547
DAPER & Administrative	250,000	302,796	(123,922)	0	367,470	367,470	8,326
East Campus	110,000	$(27,167)^4$	0	0	(30,064)	(30,064)	2,897
Quarry	50,000	165,000	0	0	152,1205	152,120	12,880
Lathrop	20,000	20,000	(32)	0	0	0	20,000
West Campus	0	90,341	73,000	0	17,341	17,341	0
Foothills	0	4,732	0	0	3,135	3,135	1,597
Lagunita	0	89,961	0	0	89,961 ⁵	89,961	0
Arboretum	0	0	0	0	0	0	0
San Juan	0	0	0	0	0	0	0
Total	2,035,000	2,035,000	(50,178)	(90,221)	1,850,974 ⁵	1,760,753	274,247


- 1. 2000 GUP Conditions E.2, 3, and 4 allow for deviations from the building area cap for each district. Any proposed increase in development in a district will be accompanied by an identified corresponding proposed decrease equivalent in building area in one or more of the other districts so that the overall campus-wide GUP building area cap is not exceeded. A cumulative maximum of 15,000 square feet of building area may be located in the Foothills District in a manner consistent with the General Plan and zoning. This amount may not be increased. Redistribution occurred in AR 8, AR 9, AR 11, AR 13, AR 14, AR 17, and AR 18.
- 2. Square footage is counted against the GUP building area cap in the reporting year in which the building permits are approved.
- 3. Cumulative totals include adjusted results from the current and previous annual reports. Also see Appendix C and/or previous annual reports for more detailed background on these cumulative totals.
- 4. The East Campus District has a cumulative credit from previous Annual Reports. In FY 18, when the remaining square footage was transferred to the DAPER District for the Public Safety Building and to the Quarry District for the Center for Academic Medicine, the transfer included all remaining allocation as well as the credit from the net demolition.
- 5. AR 18 includes a correction to the final square footages of three projects reported in AR 16 and AR 17: The Regional Loading Dock project (AR 16), the Denning House project (AR17), due to minor design changes or revisions in calculation. AR 19 includes a correction to the square footage of the ChEM-H & SNI project reported in AR 17, which was reduced by 6 sf due to a revision in calculation. AR 20 includes corrections to the square footage of the Center for Academic Medicine and the Academic Advising and Rowing Center, reported in AR 18, due to minor changes to design. These revisions are also noted in Appendix C.

During the AR 21 reporting period, four projects received ASA approval and there were two ASX projects.

Figure 2 illustrates the cumulative status of building-permitapproved square footage for academic/academic-support facilities, including the ASA approved square footage counted during the reporting period, as also shown in Table 1. In addition, it illustrates the remaining allowable square footage for development under the 2000 GUP.

FIGURE 2: CUMULATIVE DEVELOPMENT ACTIVITY 12/12/00 - 8/31/21

Figure 2 illustrates the cumulative status of development that counts toward the GUP building area cap. The square footage of building permit approvals is cumulative. In contrast, ASA approved square footage is only shown for projects that received ASA and ASX (small project) approval during the current reporting period.




The Stanford Community Plan and GUP Condition E.5 required that a Sustainable Development Study (SDS) be completed and approved prior to acceptance of applications for the second 50% of the academic development allowed under the 2000 GUP. The SDS was presented to the Stanford Community Resource Group (CRG) on November 13, 2008, and to the Planning Commission on November 20, 2008, and was approved by the Board of Supervisors on April 7, 2009. In 2018, the County prepared a Supplement to the Sustainable Development Study. The Supplement augmented the work previously prepared to identify the maximum planned buildout potential of Stanford lands in unincorporated Santa Clara County. Supplement is available https://www.sccgov.org/sites/dpd/DocsForms/Documents/SU SD S Supplement.pdf. See Appendix E for a Summary of Stanford's Sustainability Activities during this reporting period.

Figure 3, below, based on data in Table 1 and Figure 2, illustrates the 2000 GUP distribution of academic/academic support square footage throughout the 10 development districts, and the academic/academic-support square footage authorized by building permits or received approval by the ASA committee during the current reporting period. Anticipated projects or projects in the approval process for Annual Report 21 reporting period are noted in Section V, Table 6.

FIGURE 3: DISTRIBUTION OF ACADEMIC DEVELOPMENT

A map of Stanford
University's
Development District is
provided in Map 3 in
Appendix A. The
distribution of GUPallowed academic and
academic-support
development is detailed
in Table 1.



Other Space Caps

Remaining 1989 GUP Approved Square Footage

In addition to providing a 2,035,000 sq. ft. academic/academic support building area, the 2000 GUP preserved the remaining 92,229 sq. ft. authorized but undeveloped under the 1989 GUP. The remaining 1989 GUP approved square footage was consumed during the Annual Report 5 reporting period.

Temporary Surge Space

The 2000 GUP (Condition A.2.c) allows Stanford University to install up to 50,000 sq. ft. as surge space during construction. Surge space is typically provided by installing modular buildings for a limited time.

TABLE 2 ANNUAL REPORT 20 OTHER SPACE CAPS - PROJECT SUMMARY

Non- Building Cap Category	Maximum Allowable Square Footage	ASA Approved (sq. ft.)	Building Permit (sq. ft.)	ermit Approved (sq. ft.)		Balance Remaining (sq. ft.)		
Remaining 1989 GUP Square Footage	92,229	0	0	92,229	92,229	0		
Temporary Surge Space	50,000	0	0	0	0	50,000		
Childcare/ Community Center	40,000	0	0	40,000	40,000	0		

¹ The Temporary Childcare Facility (later renamed the Stock Farm Childcare Facility) was converted from Temporary Surge Space to Academic space. Although the conversion did not involve new construction, the reduction in Temporary Surge Space is recorded under the Building Permit columns in Table 2 to document the removal of square footage.

Childcare and Community Centers

The 2000 GUP (Condition A.2.c) allows up to 40,000 sq. ft. of building area for the purpose of new childcare or community centers, in addition to the academic/academic support building area. As indicated in Table 2, a total of zero sq. ft. remains available.

Housing

The 2000 GUP allows for the construction of 3,018 net new housing units on campus, with allocations for faculty and staff, graduate and undergraduate students, and postdoctoral and medical students. In FY 16, pursuant to Condition F.7, the Planning Commission approved an additional allocation of 1,450 housing units, for a total allocation of 4,468 housing units, as shown in Table 3. The GUP identified potential housing sites for students, staff, and faculty (Map 4, Appendix A). As with academic/academic support building space, the housing units must be distributed among the 10 development districts (see Table 3).

Housing may also be developed on sites other than those shown on Map 4. The estimated distribution of the type and location of housing among development districts may deviate from the locations described in the 2000 GUP pursuant to Conditions F.2, F.3, and F.4. As explained under Condition A (A.1.c, A.1.d, and A.3.b), the square footage of housing units constructed is tracked

but does not count toward the 2000 GUP building area cap (see Table C-2, Appendix C).

For purposes of the housing linkage requirement, as provided in GUP Condition F.8, the housing requirement is counted at the time of the framing inspection.




FIGURE 4: DISTRIBUTION OF RESIDENTIAL DEVELOPMENT

There is currently a total allocation of 4,468 housing units for the campus. As illustrated in Figure 4, the cumulative total number of approved units under the 2000 GUP allocation, which have completed framing inspection, is 4,423 units. A total of 45 housing units remains available under the housing allowance.

TABLE 3 ANNUAL REPORT 21 DISTRIBUTION OF RESIDENTIAL DEVELOPMENT

	Allowable 2000 GUP Net Additional	ASA Approved Units but Not Yet	Past	Final Framing Inspection Approved		Unused 2000 GUP Authoriza tion
Development District ¹	Units	Framed	Cumulative ²	Units	Cumulative	tion
West Campus	0	0	0	0	0	0
Lathrop	0	0	0	0	0	0
Foothills	0	0	0	0	0	0
Lagunita - Driving Range - Searsville Block - Mayfield/Row	222	0	220	0	220	2
Campus Center	345	0	318	0	318	27
Quarry - Quarry/Arboretum - Quarry/El Camino	0	0	0	0	0	0
Arboretum	0	0	0	0	0	0
DAPER & Administrative	0	0	0	0	0	0
East Campus - Manzanita - Escondido Village - Quillen - GSB Residences	3,878	0	1,847	2,020	3,867	11
San Juan - Lower Frenchman's - Gerona - Mayfield	23	5	18	0	18	5
Total	4,468 Allowed ^{1, 3, 4}	5	2,4035	0	4,423	45

- 1. Housing may be developed on other sites and development may vary from the estimated distribution with regard to either the type (student, postdoctoral, or faculty/staff) or amount of housing on the site (2000 GUP Conditions F.2, F.3, and F.4). Redistribution was reported in AR 6, AR 13, AR 14, AR 16 and AR 17.
- 2. Cumulative totals include results from previous annual reports. See Appendix C and/or previous annual reports for more detailed background on these cumulative totals.
- 3. A GUP amendment was approved on May 5, 2015, to revise the remaining housing allocations by housing types, to provide flexibility in meeting campus housing needs. All remaining unused housing allowances consisting of 228 faculty/staff beds, 3 graduate student bends, and 350 post-doc/medical resident beds, were approved to be usable for any type of university affiliate housing.
- 4. 1,450 additional housing units were approved on March 24, 2016, pursuant to GUP Condition F.7, in preparation for the Escondido Village Graduate Residences (EVGR) project. At the same time, 566 housing units from various Development Districts were reallocated to the East Campus Development District (194 from Lagunita, 1 from Campus Center, 350 from Quarry, and 21 from San Juan). The ASA for the EVGR project was approved in FY 17.
- 5. The Kingscote Gardens Renovation was approved on March 30, 2016, removing 33 units from the housing inventory for conversion to academic offices.
- 6. In September 2018, with further updates in October of 2020, the Board of Supervisors adopted an ordinance (Ordinance No. NS-1200.368) for a 16% inclusionary housing requirement applicable to the Stanford Community Plan Area for residential development projects of three or more units. The ordinance became effective on July 1, 2019. There were no housing projects subject to the inclusionary housing requirement during the AR 20 and AR 21 reporting periods.

Parking

The 2000 GUP allows for 2,300 net new parking spaces above the campus base of 19,351 spaces. As explained in Condition A.3.c, the building area of parking structures does not count towards the GUP academic/academic-support building area cap. As with academic/academic-support building area square footage and housing, the allowed parking spaces have been distributed among the development districts (Table 4 and Figure 5).




FIGURE 5: DISTRIBUTION OF PARKING SPACES

Table 4 presents the changes in parking spaces during the current reporting period, and cumulative increases and decreases in parking spaces on the campus during the AR 1 through AR 21 reporting periods.

During the AR 21 reporting period, there was a net increase of 1,716 parking spaces on campus. The cumulative change in the parking inventory is a net increase of 580 parking spaces under the 2000 GUP.

TABLE 4
ANNUAL REPORT 21
DISTRIBUTION OF PARKING

	,			Changes to Parking Inventory				
	Development District	Base Parking GUP EIR	2000 GUP Allowed Change in Parking Spaces	AR 21 Contribution	Previous AR 1-20 Contribution	Cumulative (AR 1 Through Current AR21)	EIR Base and Cumulative (Current Parking Capacity)	Unused 2000 GUP Allocation
West Campus		191	622	(168)	585	417	608	205
Lathrop		0	50	0	0	0	0	50
Foothills		0	0	0	0	0	0	0
Lagunita		1,745	700	0	(528)	(528)	1,217	1,228
Campus Center		8,743	(511)	87	(1,341)	(1,254)	7,489	743
Quarry		1,058	800	963	(578)	385	1,443	415
Arboretum		134	36	0	(138)	(138)	(4)	174
DAPER & Administrative		2,209	1,092	(1)	206	205	2,414	887
East Campus ¹		4,731	1,611	835	766	1,601	6,332	10
San Juan		540	100	0	(108)	(108)	432	208
Campus Wide Summary		19,351	2,3002	1,716 ⁶	(1,136)	580	19,931	1,7202

- 1. Parking allocation in East Campus increased from 900 to 1,611 spaces and decreased in Campus Center from 200 to negative 511 with the approval of Parking Structure 6 (Munger).
- 2. According to 2000 GUP Condition H.1, the total net additional parking on campus shall not exceed 2,300 spaces, except for parking provided with any housing that is constructed in excess of 3,018 planned housing units. Also, per GUP Condition H.1, parking constructed as part of and for new faculty/staff housing in areas designated Campus Residential-Low Density and Campus Residential-Medium Density will not count toward the limit for each development district. In order to allow flexibility in the distribution of parking, the GUP also sets an upper limit for new parking in each development district. Some districts will ultimately build less than their GUP allocations. Thus, the sum of unused district allocations is more than the remaining 2000 GUP allocation, which is the campus-wide maximum number of parking spaces that will be built under this GUP.
- 3. Parking allocation for Arboretum increased from zero to 36 spaces and decreased in DAPER from 1,700 to 1,664 when on-street, non-striped parallel parking was converted to striped, angled parking along the west side of the street, and two-way traffic was converted to one-way northbound traffic in association with the Galvez Parking Lot project.
- 4. Parking allocation for West Campus increased from 50 to 622 and decreased in DAPER from 1,664 to 1,092 when 611 new surface parking stalls were added to the Searsville Parking lot and 19 on-street parking spaces were removed in West Campus.
- 5. In FY 16, Stanford conducted a comprehensive quality review of the parking inventory which resulted in the following corrections:
 - (i) 61 spaces were removed from the Quarry District inventory (Lot 1-A and Parking Structure 9 next to Hoover Pavilion) as these are in Palo Alto, but entered into the inventory in AR 14 and AR 15 by mistake;
 - (ii) 28 faculty/staff-only spaces in the San Juan District within R1S and R3S zoning were removed from the inventory, consistent with the treatment of parking for the faculty subdivision per GUP Condition H.1; and
 - (iii) 108 bus storage and staging spaces were removed from the inventory, including 64 spaces at L-20 for storage of Marguerite shuttles in the Campus Center District; 38 spaces at Oak Road for staging of Marguerite, tour bus, charter bus, and authorized oversize vehicle and equipment in the Campus Center District; and 6 spaces for tour bus staging in the Arboretum District. Bus storage and staging areas are not part of the parking inventory that can be used by commuters, campus residents, or the general public, but rather serve to facilitate a mode of transportation that reduces vehicular trips to and from campus.

THIS PAGE INTENTIONALLY LEFT BLANK

This section provides a summary of activities conducted during the AR 21 reporting period in compliance with 2000 GUP conditions. For a complete discussion of compliance with each 2000 GUP condition, please see Appendix B.

GUP Condition A: Building Area

Section II of this Annual Report provides statistics and distribution of building area by district. It also provides accounting of the 2000 GUP space expenditure for those projects that received building permits during the AR 21 reporting period. Descriptions and illustrations of projects that received ASA and ASX during the AR 21 reporting period are provided in Section IV.

During the AR 21 reporting period, September 1, 2020, through August 31, 2021:

- Stanford did not exceed the GUP building area cap, or the GUP caps for new housing and parking.
- Stanford also remained within the other space caps established under the GUP.

GUP Condition B: Framework

A total of six projects received ASA approval or ASX during the AR 21 reporting period. All were determined to be consistent with General Plan land use designations and zoning. Stanford University paid all costs associated with the work conducted by the County Planning Office in relation to the 2000 GUP (staff time, consultant fees, and the direct costs associated with report production and distribution), mostly in a timely manner.

GUP Condition C: Monitoring, Reporting, and Implementation

The County Planning Office gathered comprehensive data related to Stanford projects, compiled the information, produced and published the AR 21 pursuant to the 2000 GUP. Stanford University provides funding for all aspects of the Annual Report preparation, and necessary information included in the report.

The Draft AR 21 will be presented to the Community Resource Group on April 14, 2022, and the final report will be presented to the Planning Commission at the June 2022 public hearing.

GUP Condition D: Permitting and Environmental Review

During the AR 21 reporting period, Stanford received ASA or ASX for six projects. All of these projects were determined to be

consistent with the General Plan land use designations and zoning requirements, and were found to be adequately analyzed in the CP/GUP EIR. See Section II of this Annual Report for the status of each project.

When violations of codes, ordinances, or other requirements occur, they are addressed through appropriate County procedures. During the AR19 reporting period, a violation was issued by the County involving the Cabrillo-Dolores Subdivision, for unpermitted removal of three oak trees and noncompliance with GUP Condition K.2., relating to preconstruction surveys for nesting raptors and migratory birds. The required replacement trees will be planted following project completion, anticipated to be in FY 23.

During the AR 21 reporting period, a combined violation was issued by the County involving three projects (Via Ortega North, Academic Advising and Rowing Center and Serra Roundabout projects), mainly for unpermitted tree removal. Ten protected trees (four oak and six non-oak) were removed without a permit. To return to compliance, Stanford was required to pay a fine of \$50,000 (\$5,000 per tree removed), to submit modifications to prior approvals proposing tree replacement, and to legalize other work done in violation. The \$50,000 fine has been paid by Stanford and a permit modification with the required tree replacement conditions has been issued by the County. Stanford is required to plant forty (40) replacement oak trees and sixty (60) replacement non-oak trees by FY22.

Stanford University remains in general compliance with the GUP and other County requirements.

GUP Condition E: Academic Building Area Review

Stanford is in compliance with GUP Condition E.5. See Appendices B and E for more detail. Appendix E is provided electronically at https://sustainability-year-in-review.stanford.edu/2021/

GUP Condition F: Housing

During this reporting period, Stanford did not add or remove housing units and 2,020 net new housing units were completed via the Escondido Village Graduate Residences project. The total number of campus housing units constructed under the 2000 GUP is now 4,423.

Currently, Stanford's capacity for providing student-housing units remains equivalent to the capacity identified by Stanford University at the time of initial occupancy. Stanford's housing need is subject to fluctuation during any given year. Accordingly, Stanford

University may redistribute the student population among existing housing facilities in any given year, based on current population and programmatic needs. The County will, as needed, reassess housing availability status with appropriate Stanford University staff. If Stanford University should ever apply for a development permit that would change the number of beds available to students, that action and the change in beds would be reported in the Annual Report.

The 2000 GUP requires Stanford to build additional housing units commensurate with the development of academic/academic-support facilities. The threshold at 1,500,000 sq. ft. of academic or academic support area requires a minimum of 1,815 housing units. Stanford University has constructed 4,423 units and is therefore in compliance with this requirement.

Stanford has complied with the affordable housing requirements under the GUP conditions for net new academic square footage constructed by paying the in-lieu fee for applicable projects prior to occupancy. An Affordable Housing Fee Square Footage Bank (Square Footage Bank) has been maintained by the County since 2000 for demolition or conversion of projects that remove buildings from GUP allocation square footage. Stanford may use the square footage from the Square Footage Bank and is not required to pay the in-lieu fee because the square footage is not treated as net new academic square footage.

For this reporting period Stanford paid in-lieu fees for four projects, totaling \$7,087,015, and no square footage from the Square Footage Bank was used. As of August 31, 2021, Stanford has made affordable housing fee payments totaling \$39,348,456. At the end of FY21, 90,997 square feet remains in the Square Footage Bank.

Five affordable housing projects have been built within a six-mile radius from the Stanford Campus boundary and have provided 286 affordable housing units, with 137 units restricted to very low income to extremely low income families. In September 2017, \$14.5 million of the in-lieu fees was used to partially fund the acquisition and rehabilitation of the Buena Vista Mobile Home Park in Palo Alto. In addition, on April 17, 2018, the County Board of Supervisors approved setting aside \$6,000,000 to support the development of a 60- to 100-unit multifamily rental development in Palo Alto for teachers.

GUP Condition G: Transportation

A baseline traffic count to determine the existing level of commute trips entering the campus during the morning peak commute period and leaving the campus during the evening peak commute period

was established in 2001. The baseline is the raw traffic volumes adjusted for hospital parking and cut-through traffic.

A COVID 19 shelter-in-place (SIP) order resulted in the shutdown of Stanford University campus starting March 2020. After the campus closure in 2020, the year 2021 represented a gradual return to normal. The campus remained closed to all students due to the SIP order through the spring of 2021 and reopened in the fall of 2021. The Stanford traffic monitoring program was conducted in the spring with raw (unadjusted) traffic counts only, and after campus reopening, the usual adjusted traffic data was collected in the fall.

The 2000 GUP Condition G.7.a. requires traffic counts for a minimum of three times per year for an interval of two weeks each time. Since 2003, the established methodology for traffic monitoring program is six weeks in the spring and two weeks in the fall for a total of eight weeks of count data. However, given the campus was still closed in spring, the County determined that two weeks of raw (unadjusted) traffic counts would be collected in spring and six weeks of adjusted data in fall.

The baseline used to determine compliance with the no-net-new trips included the adjustments; the adjusted traffic volumes were always calculated as part of the monitoring program for that year. In FY 21, because of the COVID-19 pandemic, the adjustment data was only collected for six weeks in fall.

Two weeks of data in the spring of 2021 found an average (unadjusted) AM peak-hour traffic volume of 2,280. This is compared with the AM (unadjusted) peak-hour average of 4,091 from the 19 years of data when there was not a public health crisis. Two weeks of data in the spring of 2021 found an average (unadjusted) PM peak-hour traffic volume of 2,584. This is compared with the PM (unadjusted) peak-hour average of 4,355 from the 19 years of data collected under normal conditions. Thus, spring 2021 (unadjusted) traffic counts during pandemic conditions showed traffic at slightly more than half of normal levels.

In the fall of 2012, the monitoring program collected all the data required to compare traffic levels to the baseline. The 2021 Monitoring Report concludes that the adjusted AM inbound fall count totaled 2,719 vehicles. This represents a decrease of 600 vehicles from baseline; it is 720 vehicles below the 90 percent confidence interval and 755 vehicles below the one percent established trigger. The PM outbound fall count totaled 2,892 vehicles, which is a decrease of 554 vehicles from the baseline; it is below the 90 percent confidence interval by 663 vehicles and below the one percent increase trigger by 699 vehicles. Stanford University

is in compliance with the 2000 GUP no-net-new-trips requirement in 2021.

The Stanford University Traffic Monitoring Report 2021 is available for review on the County website, (https://plandev.sccgov.org/policies-programs/stanford-university/2000-general-use-permit/annual-reports). Results of annual traffic monitoring are summarized in Appendix D of this document.

The Annual Report normally reports on activity between September 1 and August 31. However, the typical annual Traffic Monitoring Reporting period is the same as the baseline, 8 weeks for the period of a calendar year.

The 2021 traffic monitoring cordon locations used for traffic monitoring are shown on Figure 1 of the Stanford University Traffic Monitoring Report 2021, available at the aforementioned County website link. Data and analysis of these counts, reported in March 2022, are provided in Appendix D of this annual report.

GUP Condition H: Parking

During AR 21 reporting period, all parking projects were in compliance with GUP Condition H. Detailed information may be found in Section II, Table 4 and Appendix B, Appendix C (Map C-3) and Figure 5. As indicated in this Annual Report, several parking projects were implemented. The cumulative change in the parking inventory remains significantly under the cap set for the 2000 GUP, which allowed a total increase campus-wide of 2,300 spaces. With cumulative reductions, the remaining parking capacity that could be installed under the 2000 GUP parking cap is 1,720 spaces.

GUP Condition I: Parks and Recreation Facilities

<u>Construction of C2/Arastradero Trail</u>: Construction and trail improvements were completed and the trail was dedicated in November 2013. The trail links to the Pearson-Arastradero Preserve.

San Mateo County and Stanford did not reach agreement for the San Mateo C1 segment and in February 2012, Stanford paid County of Santa Clara approximately \$10.3 million. In August 2012, the County issued a request for applications for projects that would serve as alternative mitigation measures to address the loss of recreational facilities on the Stanford campus. The County received 15 project applications from six local agencies. The Board of Supervisors declared its intent to fund six of the 15 projects, including \$4.5 million to Stanford to construct a perimeter trail

along El Camino Real and Stanford Avenue frontages. Stanford subsequently did not accept the grant award for the Stanford Perimeter trail, which was opened to the public in April 2016. The Board also directed County Administration to negotiate project agreements for the selected projects and submit approval to the Board consistent with the requirements of CEQA. A project agreement and appropriation modification for the Adobe Creek / Highway 101 Overcrossing Project were approved by the Board on December 17, 2019, and an appropriation modification for the Ravenswood Bay Trail project was approved by the Board on February 25, 2020.

Further, at the May 12, 2020, Board meeting, the Board declared its intent to fund all or part of seven additional projects relating to alternative mitigation for loss of recreational facilities on the Stanford campus. Project agreements for two of seven projects have been approved.

GUP Condition J: California Tiger Salamander

The final Stanford University Habitat Conservation Plan (HCP) and Final Environmental Impact Statement (EIS) were published on November 23, 2012, and the HCP was revised in March 2013. On August 13, 2013, the County Board of Supervisors acknowledged the determination that the approved HCP provides equal habitat value and protection for the California Tiger Salamander (CTS). Therefore, the HCP supersedes all conditions in the GUP that address the CTS, implementing Condition J.9 of the GUP.

GUP Condition K: Biological Resources

Three projects that began construction during the current reporting period required pre-construction surveys for breeding raptors and migratory birds. For more information, see Appendix B, Condition K.2. No special status plant assessments were conducted on campus during this reporting period.

During the AR 21 reporting period, a combined violation was issued by the County involving three projects (Via Ortega North, Academic Advising and Rowing Center and Serra Roundabout projects), mainly for unpermitted tree removal. Ten protected trees (four oak and six non-oak) were removed without a permit. Stanford is required to plant forty (40) oak replacement trees and sixty (60) non-oak replacement trees by FY22.

GUP Condition L: Visual Resources

Three (3) projects approved during the reporting period included exterior lighting. The ASA conditions of approval required the lighting impacts to be mitigated and limited to the site to be in keeping with the Visual Resources conditions.

GUP Condition M: Hazardous Materials

During the AR 21 reporting period, no new buildings will include hazardous materials that are regulated by the California Accidental Release Prevention Law.

GUP Condition N: Geology and Hydrology

During the AR 21 reporting period, all projects were in compliance with GUP Condition N. See Appendix B, Condition N for more details.

GUP Condition O: Cultural Resources

During the AR 21 reporting period, all projects were in compliance with GUP Condition O. See Appendix B, Condition O for more details.

GUP Condition P: Utilities and Public Services

During the AR 21 reporting period, all projects were in compliance with GUP Condition P. See Appendix B, Condition P for more detail.

GUP Condition Q: Air Quality

All approved projects were required to comply with BAAQMD's permitting, control measures and recommendations as appropriate. See Appendix B, Condition Q for more detail.

GUP Condition R: Noise

Stanford complied with the requirements of the County Noise Ordinance on individual construction projects. Two events per calendar year are allowed by the GUP and additional fireworks events were allowed under separate permits. Stanford continues to meet the GUP Condition by operating the noise hotline at (650) 724-4900, which is intended to log complaints related to outdoor special events and high impact events on campus. The University reports that one noise complaint was received during FY 21. See Appendix B, Condition R for more detail.


GUP Condition S: Additional GUP Conditions

This condition was a requirement for Stanford University to agree to the GUP conditions of approval within 60 days. This condition was fulfilled in Annual Report 1.

Project Summaries

This section presents brief project summaries of all major projects that received ASA approval or exemption and/or a building permit or demolition permit during the reporting period. A list of projects that received approval is presented at the end of this section. Figure 6 shows the locations of the major projects.

FIGURE 5: LOCATION OF MAJOR ANNUAL REPORT 21 PROJECTS



File No. PLN20-0081: Land, Buildings, and Real Estate (LBRE) Replacement Facilities Project

ASA Application Submitted:

07/17/2020

ASA Approved:

Approved 06/24/2021

Status as of 08/31/21:

Grading and Building Permits under review.

Project Description:

The project includes demolition of the existing LBRE facilities (approximately 123,00 sq. ft.) located at Bonair Siding Road (DAPER District), redistribution of 73,000 square feet of academic square footage from the DAPER District to the West Campus District. and the construction of a new LBRE Replacement Facilities (West Campus District). The new LBRE Replacement Facilities would be a consolidated facility for oncampus building and grounds operations and maintenance functions, and will serve Stanford University's employees. The scope of work includes: 1) a new, three story high, 73,000 sq. ft. LBRE Building 2) a new outdoor fenced corporation yard on the western portion of Electioneer Road, 3) removal of 305 parking spaces, and 4) modification of the current four-way Fremont Road/Electioneer Drive intersection to a yield-controlled roundabout. Two (2) oak trees over 12-inches in diameter are proposed for removal, to be replaced by two (2) new oak trees. Proposed estimated grading quantities associated with the project are a total of 4,300 c.y. of cut and 3,500 c.y. of fill.

Development District:

West Campus

Type of Project:

Academic



Applicable GUP Conditions:

Stanford is in compliance with Mitigation Monitoring and Reporting Program requirements and GUP Conditions for this project. Detailed summaries of project-related conditions are maintained in County project files.

File No. PLN19-0164: George P. Shultz Building

ASA Application Submitted:

08/02/2019

ASA Approved:

Approved 06/23/2021

Status as of 08/31/21:

Demolition, Grading and Building Permits under review

Project Description:

The project is for demolition of the existing Lou Henry Hoover (LHH) Building that has been determined as ineligible for listing (thus not a potential historic resource), and construction of the new George P. Shultz building located within the footprint for LHH building, that has been determined to be in compliance with the Secretary of the Interior's Standards. The Shultz Building will house new offices for Hoover fellows and the Hoover institution's revitalized research facilities, and the oval-shaped Annenberg Conference Room. Proposed estimated grading quantities associated with the grading approval are a total of 1,867 c.y. of cut and 2,041 c.y. of fill. This project proposes to remove and replace three trees, one (1) oak and four (4) non-oaks, over 12-inch diameter, with three (3) new oaks and four (4) new non-oaks.

Development District:

Campus Center

Type of Project:

Academic



Applicable GUP Conditions:

Stanford is in compliance with Mitigation Monitoring and Reporting Program requirements and GUP Conditions for this project. Detailed summaries of project-related conditions are maintained in County project files.

Files No. PLN20-048: Collaboration Building Project in the Center for Advanced Behavioral Sciences Complex (CASBS)

ASA Application Submitted:

03/12/2020

ASA Approved:

Approved 07/1/2021

Status as of 08/31/21:

Demolition and Building Permits under review

Project Description:

The proposed project site is located within the CASBS Complex, which was determined 'potentially eligible' for listing on the California Register of Historic Resources. The proposed project includes construction of a new 1,689 sq. ft. Collaboration Building in the parking lot of the CASBS Complex, and associated site improvements, including changes in the parking lot striping and landscaping. The two existing storage sheds and a shower facility, totaling 1,721 sf, located at the far end of the CASBS Complex parking lot, were evaluated and found not to contribute to the significance of the district and were approved for demolition.

The proposed new Collaboration Building would be a single-story structure consisting of conference rooms, an office for 2 staff, and ADA restroom and shower facilities. This new Collaboration Building was analyzed and found to meet the Secretary of Interior Standards for compatibility, with the existing CASBS facility. Proposed grading quantities are 126 cubic yards (c.y.) of cut and 41 c.y. of fill, which includes grading associated with the site improvements and building pad/foundation.

Development District:

Lathrop

Type of Project:

Academic



Applicable GUP Conditions:

Stanford is in compliance with Mitigation Monitoring and Reporting Program requirements and GUP Conditions for this project. Detailed summaries of project-related conditions are maintained in County project files.

IV. Project Summaries

TABLE 5 ANNUAL REPORT 21 DEVELOPMENT PROJECTS RECEIVING ASA OR OTHER APPROVAL

			<u> </u>	<u> </u>	I	I
PC/ File #	Project Name	Development District	ASA gross sq. ft.	Demolition sq. ft.	Bldg. Permit sq. ft. (New Constr.)	Development Status
Projects tha	t affect GUP sq.ft.					
10784	ChEM-H & SNI	Campus Center	210,953		210,940	Completed
10829	Demolition of Herrin Hall	Campus Center		(35,944)		Demolition in progress
10829	Demolition of Herrin Labs	Campus Center		(78,047)		Demolition in progress
3497	Academic Advising and Rowing Center	Campus Center	23,714		22,622	Tree removal permit and Grading Permit modification under review
11037	Center for Academic Medicine	Quarry	153,821		152,120	Completed
11076	Public Safety	DAPER	27,820	(2,729)	27,196	Completed
11176	EOC/ECH	DAPER	7,429		Not yet	Under Planning review
11231	DWC: Panama site	Campus Center	3,926		3,926	Completed
11230	DWC: Roth site	Campus Center	3,926		3,926	Completed
11256	DWC: Memorial site	Campus Center	3,926		3,926	Completed
11218	Gilbert Greenhouse	Campus Center	714		Not yet	Planning Approval obtained; Project on hold
PLN19- 0164	George P. Shultz Building	Campus Center	48,643	(48,643)		Planning Approval obtained. Demolition, and Grading Permit Applications under review
PLN20- 081	LBRE Replacement Facilities	West Campus/DAPER	73,000	(123,922)		ASA Approval received, Grading Permit Application under review.
PLN20- 048	Collaboration Building Project in the CASBS	Lathrop	1,689	(1,721)		Planning Approval obtained
Projects tha	t affect other sq.ft.					

TABLE 5 ANNUAL REPORT 21 DEVELOPMENT PROJECTS RECEIVING ASA OR OTHER APPROVAL PC/ File # **Project Name Development ASA** gross **Demolition Bldg. Permit Development** District sq. ft. sq. ft. sq. ft. Status (New Constr.) Housing Escondido 1,824,127 (168,920)7165; 1,699,001 Village Graduate 10915 East Campus Completed housing housing Residences housing sq.ft. sq.ft. sq.ft. Planning Approval obtained; Awaiting Grading 23,448 Cabrillo-Dolores (5,273)and Building 11069 Faculty Housing San Juan Not yet housing housing permits sq.ft. sq.ft. (retroactive Tree Removal Permit issued in July, 2020) **Site Projects** Under Construction, On DAPER and East hold pending Serra 8972 N/A N/A N/A ASA Roundabout Campus Modification for Violation Abatement Manzanita 10915 East Campus Garage N/A N/A N/A Completed Under Construction, On hold pending 11171 Via Ortega North Campus Center N/A N/A N/A ÁSA Modification for Violation Abatement Under Bonair Pampas 11335 **DAPER** Construction N/A N/A N/A Road PLN19-Foothills Frog Ponds N/A N/A N/A Completed 0080 PLN19-DAPER/East Manzanita N/A N/A N/A 0115 Turnaround Campus Completed Campus ASX PLN19-Crothers Center/East Application N/A N/A N/A 061 Extension Campus under review

V. Anticipated Future Projects




FIGURE 6: LOCATION OF ANTICIPATED PROJECTS

Map ID Project

- 1 Graduate School of Education
- 2 Bridge Building
- 3 Redwood Demolition
- 4 Stanford Stadium Restroom demolitions

TABLE 6 ANTICIPATED PROJECTS FOR ANNUAL REPORT 21									
County File #	Project	ASA Anticipated Application ASA Square District Submitted Footage		ASA Square	Anticipated Housing	Anticipated Parking			
ASA Applications Submitted During FY 21 or earlier, No Approval as of August 31, 2021									
PLN21-011	Graduate School of Education	Campus Center	08/2021	48,193	-	-			
PLN21-040	Bridge Building	Campus Center	03/2021	157,500	-	-			
ASA & Other A	Applications Anticip	ated for AR 22 Repo	rting Period						
PLN21-199	Lasuen Row House	San Juan	-	-	-	-			
DEV21- 2192	Redwood demolition	Campus Center	-	-	-	-			
DEV 21- 2116, DEV 21-2117, DEV 21- 2119	Stanford Stadium Restroom Demolitions (Galvez and El Camino)	DAPER & Administrative	-	(3.231)	-	-			
DEV21- 3021	Stanford Stadium Restroom Demolitions (Bern)	DAPER & Administrative	-	(2,282)	-	-			

References

- County of Santa Clara 2000 Stanford Community Plan/General Use Permit Environmental Impact Report. Prepared by Parsons.
- Stanford University Community Plan. Adopted by County of Santa Clara Board of Supervisors December 12, 2000.
- Stanford University General Use Permit. Approved December 12, 2000.


County of Santa Clara Annual Report Preparers

 Charu Ahluwalia, Associate Planner [(408) 299-5740/ <u>charu.ahluwalia @pln.sccgov.org</u>] (Project Manager: Stanford Environmental Mitigation Monitoring and Reporting Program), County of Santa Clara Planning Office

Stanford University Data Providers


- Land Use and Environmental Planning: Erin Efner, Associate Vice President; Jessica von Borck, LEED AP, Executive Director, Land Use Planning; Karen Hong, AICP, Planning Manager; Ramya Subramanian, Planner/GIS Specialist, LEED AP
- Department of Project Management: Laura Goldstein, Executive Director; Project Managers and staff
- Parking & Transportation Services: Brian Shaw, Executive Director; Brian Canada, Parking Operations Coordinator
- Utilities: Adam Porter, Civil Infrastructure Engineer
- Project Management Resources, Residential and Dining Enterprises, Environmental Health & Safety Department, Facilities Operations - Utilities, University Architect/Campus Planning and Design

Appendix A Reference Maps




Source: Stanford University 2014

MAP A-1 GOVERNMENTAL JURISDICTIONS ON STANFORD LANDS



MAP A-2
GENERAL ORIENTATION MAP OF STANFORD UNIVERSITY
(UNINCORPORATED SANTA CLARA COUNTY)




Source: Stanford University General Use Permit, December 2000

MAP A-3 STANFORD UNIVERSITY DEVELOPMENT DISTRICTS


Appendix A Reference Maps






Source: Stanford University General Use Permit, December 2000

MAP A-4 POTENTIAL HOUSING SITES




Source: Stanford University General Use Permit, December 2000

MAP A-5
TRAFFIC MONITORING CORDON BOUNDARIES



MAP A-6 PLUG-IN ELECTRIC VEHICLES ALTERNATIVE MEANS SITE BOUNDARY 2014



MAP A-7 STANFORD UNIVERSITY'S LAKE WATER SYSTEM

	GUP Condition	Stanford Compliance
A.	Building Area	
A.1.	GUP allowed construction on unincorporated Santa Clara County lands.	Illustrations and details are provided in Section IV of this report of all major projects that received ASA during the current reporting year. Projects are described in detail in the annual report for the period in which ASA was granted; however, academic and support building area is counted against the building area cap in the period during which the project received a building or grading permit. Table 1 in Section II of this annual report shows building area accounting during this reporting period relative to the "GUP building area cap."
		During this reporting period, no housing units were demolished. As of August 31, 2021, the cumulative number of framed housing units is 4,423, as shown in Section II (Table 3).
		During the AR 21 reporting period, there was a net increase of 1,716 parking spaces. Changes that resulted from these projects are enumerated in Section II (Table 4).
A.2.	Building area allowed in addition to the GUP building area cap.	The remaining 1989 GUP approved square footage was consumed during the Annual Report 5 reporting period, per Condition A.2.a.
		The 2000 GUP (Condition A.2.c) allows Stanford University to install up to 50,000 sq. ft. as surge space during construction activities in the form of temporary trailers, which shall not be counted towards the GUP building area cap. The surge space balance is currently at 50,000 sq.ft.
A.3.	Construction that does not count toward the GUP building area cap.	The 2000 GUP (Condition A.3.a) allows up to 40,000 sq. ft. of additional building area for the purpose of new childcare or community centers. The balance remaining under childcare and community center is zero square feet.
В.	Framework	
B.1.	Development under the GUP must be consistent with the Community Plan and General Plan.	Six ASA/ASX projects were approved consistent with the policies in the Community Plan and the General Plan.
B.2.	Definition of a proposed building project.	No action required.
В.3.	Minimum time duration of GUP (modification possible, subject to County Ordinance).	No action required.
B.4.	Funding of work associated with conditions of GUP.	Stanford paid all costs associated with work conducted by the County Planning Office in relation to the GUP (staff time, consultant fees, and direct costs associated

	GUP Condition	Stanford Compliance
		with report production and distribution) in a timely manner.
C.	Monitoring, Reporting, and Implementation	
C.1.	Preparation of an Annual Report that summarizes Stanford's development over the preceding year, upcoming development, and compliance with GUP conditions.	This Annual Report fulfills Condition C.1. for the reporting period of September 1, 2020 to August 31, 2021.
C.2.a.	County of Santa Clara Planning Office has the responsibility of preparing the Annual Report.	The County Planning Office staff prepared and distributed this 21st Annual Report pursuant to the 2000 GUP.
C.2.b.	Funding for Annual Report by Stanford.	Stanford provided funding to the Santa Clara County Planning Office for all aspects of this Annual Report in a timely manner.
C.2.c	Stanford to submit information related to Annual Report.	Stanford provided required information for this Annual Report in a timely manner.
C.2.d.	Annual Report presentation to the Community Resource Group (CRG).	The Draft Annual Report 21 was presented to the CRG on April 14, 2022.
C.2.e.	Presentation of the Annual Report to the Planning Commission in June of each year.	This Annual Report 21 is scheduled for presentation to the Planning Commission at the June 2022 public hearing.
C.2.f.	Time period and content of the Annual Report.	This Annual Report documents Stanford's development activity and compliance with 2000 GUP conditions, and any specific conditions, associated with building projects proposed between September 1, 2020 and August 31, 2021.
C.3.	Funding of work associated with implementing tasks identified in the CP and GUP.	Stanford paid all costs associated with work conducted by the County Planning Office in relation to the CP and GUP during this reporting period (including staff time and consultant fees), mostly, in a timely manner.
D.	Permitting and Environmental Review	
D.1.	Review of proposed building projects and issuance of all necessary permits and approvals in accordance with County requirements.	Six projects received ASA/ASX during the reporting period, as described in Section II and detailed in Section IV of this Annual Report.
D.2.	Compliance with adopted GUP conditions and adopted mitigation measures within the Mitigation Monitoring and Reporting Program (MMRP).	During this reporting period, Stanford submitted six Planning applications for projects proposed under the 2000 GUP. Six projects received ASA/ASX during the reporting period. Approved projects in FY21 were in compliance with GUP conditions. For additional details, see Section II of this annual report. When violations of GUP conditions, codes, ordinances or other requirements occur, they are addressed through appropriate County procedures. During the AR19 reporting period, a violation was issued by the County involving the Cabrillo-Dolores Subdivision,

	GUP Condition	Stanford Compliance
		for unpermitted removal of three oak trees and noncompliance with GUP Condition K.2., relating to preconstruction surveys for nesting raptors and migratory birds. The required replacement trees will be planted following project completion, anticipated to be in FY 23.
		During the AR 21 reporting period, a combined violation was issued by the County involving three projects (Via Ortega North, Academic Advising and Rowing Center and Serra Roundabout projects), mainly for unpermitted tree removal and noncompliance with conditions of approval relating to tree protection (GUP Condition K.4). Ten protected trees (four oak and six non-oak) were removed without a permit. To return to compliance, Stanford was required to pay a fine of \$50,000 (\$5,000 per tree removed), and plant forty (40) oak replacement trees and sixty (60) non-oak replacement trees. The \$50,000 fine has been paid by Stanford and a permit modification with the required tree replacement conditions have been issued by the County. Stanford is required to complete tree replacement planting by FY22. For additional details, Condition K.4 in Appendix B. Stanford University remains in general compliance with the GUP and other County requirements.
D.3.	Compliance with CEQA requirements.	All projects that received ASA/ASX approval also received adequate CEQA review and clearance during the reporting period as specified in this GUP condition. (See also GUP Conditions D.4 and I.2).
D.4.	Determination of appropriate level of environmental assessment.	Relevant measures identified in the EIR, and incorporated into the GUP, have been incorporated into the conditions of approval for each project. Additional project conditions of approval were included where necessary.
D.5.	Project specific environmental assessment.	A project-specific traffic study was submitted for the Land, Building and Real Estate (LBRE) Replacement Facilities project during the reporting period.
D.6.	Impact areas to be considered in environmental assessment.	Not applicable.
E.	Academic Building Area	
E.1.	Distribution of 2,035,000 square feet of academic and academic support facilities distributed among ten development districts.	During the reporting period, academic/academic support facilities were approved for the Campus Center, West Campus and Lathrop Districts. (See Section IV Project Summaries for details).
E.2.	Deviation from the proposed distribution of academic development.	During the reporting period, redistribution of 73,000 academic square feet was approved from the DAPER Development District to the West Campus

	GUP Condition	Stanford Compliance
		Development District for the LBRE Replacement Facilities project.
E.3.	Maximum allowable development in the Lathrop District shall be 20,000 square feet.	The Collaboration Building Project in the Center for Advanced Study in the Behavioral Sciences (CASBS) Complex was approved for a net demolition of 32 square feet in the Lathrop District during the reporting period.
E.4.	No academic development allowed in the Arboretum District.	No academic development was proposed for the Arboretum District.
E.5.	Complete and submit a Sustainable Development Study (prior to cumulative development total of more than 1,000,000 net square feet).	The Sustainable Development Study (SDS) was approved by the Board of Supervisors on April 7, 2009. More detail on the SDS process was provided in AR 9. In 2018, the County prepared a Supplement to the Sustainable Development Study. The Supplement augmented the work previously prepared to identify the maximum planned buildout potential of Stanford lands in unincorporated Santa Clara County. The Supplement is available at https://www.sccgov.org/sites/dpd/DocsForms/Documents/SU_SDS_Supplement.pdf . Appendix E provides an Annual Report of Stanford's sustainable activities. Stanford is in compliance with GUP Condition E.5.
F.	Housing	-
F.1.	Type and distribution of the 3,018 housing units allowed under the GUP.	To date, 4,423 net new housing units have been built or framed. In FY 13, a GUP Housing Amendment was proposed to allocate 372 faculty/staff units in West Campus to 166 student units in Lagunita and 206 student units in East Campus. The Amendment was approved on November 26, 2013. In FY 15, a GUP Housing Amendment was submitted to allow all remaining unused housing allocation to be usable for any type of university affiliate housing. The Amendment was approved on May 5, 2015. Redistributions of housing units across development districts were approved during FY 6, 13, 14, 16, 17 and 19.
F.2.	Other allowed housing sites.	During the FY 21 reporting period, there were no housing projects proposed on housing sites other than the designated sites on Map 4, Appendix A.
F.3.	Allowable variation of housing development.	See compliance with GUP Condition F.2 above, and F.4 below.
F.4.	Deviation from estimated housing distribution.	No housing unit redistribution occurred in FY21.
F.5.	No housing may be constructed in the Foothills, Lathrop, or Arboretum districts.	No housing projects were proposed for any of these districts during the reporting period.

	GUP Condition	Stanford Compliance
F.6.	Compliance with affordable housing requirement.	Stanford has complied with the affordable housing requirements under the GUP conditions for net new academic square footage constructed by paying the inlieu fee for applicable projects prior to occupancy. An Affordable Housing Fee Square Footage Bank (Square Footage Bank) has been maintained by the County since 2000 for demolition or conversion of projects that remove buildings from GUP allocation square footage. Stanford may use the square footage from the Square Footage Bank and is not required to pay the inlieu fee because the square footage is not treated as net new academic square footage. For this reporting period Stanford paid in-lieu fee for 4 projects totaling \$7,087,015, and no square footage from the Square Footage Bank was used. As of August 31, 2021, Stanford has made affordable housing fee payments totaling \$39,348,456. At the end of FY21, 90,997 sq. ft. remain in the Square Footage Bank. Five affordable housing projects have been built
		within the 6-mile radius from the Stanford Campus boundary, and have provided 286 affordable housing units, with 137 units restricted to very low income to extremely low income families. In September 2017, \$14.5 million of the in-lieu fees was used to partially fund the acquisition and rehabilitation of the Buena Vista Mobile Home Park in Palo Alto. In addition, on April 17, 2018, the County Board of Supervisors approved setting aside \$6,000,000 to support the development of a 60- to 100-unit multifamily rental development in Palo Alto for teachers.
F.7.	Allowance for additional housing beyond 3,018 units.	In FY 16, pursuant to GUP Condition F.7, the addition of 1,450 housing units beyond the initial 3,018 unit housing authorization was approved, for the Escondido Village Graduate Residences project. Stanford's new housing authorization is 4,468 units. No additional housing allowance was proposed in FY 21.
F.8.	Housing linkage requirements.	The GUP requires 1,815 housing units to be provided as part of a housing "linkage" to Stanford development of 1,500,000 cumulative sq. ft. of academic square footage. Stanford has constructed a total of 4,423 net new housing units, which complies with the housing linkage requirement.
F.9.	For purposes of the linkage requirement, the County will consider Stanford to have met housing compliance at the time of framing inspection.	The County has and continues to use the framing inspection for determination of the housing linkage requirement.
F.10.	Petition for modification of the housing linkage requirements.	Stanford made no petition for modification of the housing linkage requirement.

	GUP Condition	Stanford Compliance
F.11.	Adoption of new zoning designations for Campus Residential – Low Density and Campus Residential – Medium Density.	Completed during Annual Report 1 reporting period.
F.12.	Allowed suspension of the housing linkage requirement.	There was no suspension of the housing linkage requirement.
G.	Transportation	
G.1.	Intersection modifications.	Completed during Annual Report 1 reporting period.
G.1. G.2.	Continued compliance with 1989 GUP transportation requirements.	Stanford has reported that they continue to offer the following programs that were in effect during the 1989 GUP: free Marguerite shuttle system, carpool app and vanpool incentives, bicycle services and staff support of alternative transportation programs. In 2020-21, Stanford continued to offer the Zipcar car sharing program, with reduced rates and incentives for Stanford members. Due to the pandemic, although reduced in size compared to previous years, Stanford maintained the largest university Zipcar fleet in the United States, with 37 Zipcar vehicles at 24 locations. Stanford's free Marguerite shuttle system is open to the public and includes has 18 routes and 60 buses, a few routes remained suspended due to the reduced operations on campus. The total number of riders during FY 21 was 455,000, which is reflective of the reduced operations on campus due to the COVID-19 pandemic. The Marguerite fleet includes 41 electric buses ands 5 diesel-electric hybrid buses, and with an additional 6 vehicles fueled by diesel. There have been a number of adjustments to the programs and services Stanford offers as a result of COVID-19 and the substantial decline in the number of Stanford commuters. With the number of commuters to campus increasing, Stanford has expanded Marguerite shuttle service and anticipates further expanding its services and incentives as more commuters return to campus. Stanford is able to redesign its programs to accommodate increased telecommuting. Stanford continues to be designated as a Platinum Bicycle Friendly University and has received three consecutive renewals at the highest level. Stanford's bicycle program accommodates an estimated 13,000 bikes on campus on a normal weekday, with parking capacity for over 19,000 bikes. In a 2020 survey, 19 percent of university commuters said they bike to campus. To further support sustainable commuting, Stanford continues to offer free vehicle leases and parking for vanpools, free transit passes, for Caltrain, VTA, AC Transit, and SamTrans for eligibl

	GUP Condition	Stanford Compliance
		amenities for bicycle commuters, including secure bike parking, shower and locker facilities on campus, and free bike safety repair stands.
G.3.	Mitigation of transportation impacts from additional development and population growth.	The County hired an independent consultant, AECOM Engineering, to complete traffic studies. See Appendix D of this document for a summary of results.
G.4.	No net new commute trips.	A baseline traffic count to determine the existing level of commute trips entering the campus during the morning peak commute period and leaving the campus during the evening peak commute period was established in 2001. The baseline is the raw traffic volumes adjusted for hospital parking and cut-through traffic.
		A COVID 19 shelter-in-place (SIP) order resulted in the shutdown of Stanford University campus starting March 2020. After the campus closure of 2020, 2021, represented a gradual return to normal. The campus remained closed to all students due to the SIP order through the spring of 2021, and reopened in the fall of 2021. The Stanford traffic monitoring program was conducted in the spring with raw (unadjusted) traffic counts only, and after campus reopening, the usual adjusted traffic data was collected in the fall.
		The 2000 GUP Condition G.7.a. requires traffic counts for a minimum of three times per year for an interval of 2 weeks each time. Since 2003, the established methodology for traffic monitoring program is 6 weeks in the spring and 2 weeks in the fall for a total of 8 weeks of count data. However, given the campus was still closed in spring, the County determined that 2 weeks of raw (unadjusted) traffic counts would be collected in spring and 6 weeks of adjusted data in fall.
		The baseline used to determine compliance with the no-net-new trips included the adjustments; the adjusted traffic volumes were always calculated as part of the monitoring program for that year. In FY 21, because of the COVID-19 pandemic, the adjustment data was only collected for 6 weeks in fall.
		Two weeks of data in the spring of 2021 found an average (unadjusted) AM peak-hour traffic volume of 2,280. This is compared with the AM (unadjusted) peak-hour average of 4,091 from the 19 years of data when there was not a public health crisis. Two weeks of data in the spring of 2021 found an average (unadjusted) PM peak-hour traffic volume of 2,584. This is compared with the PM (unadjusted) peak-hour average of 4,355 from the 19 years of data collected under normal conditions. Thus, spring 2021 (unadjusted) traffic counts during pandemic

	GUP Condition	Stanford Compliance
		conditions showed traffic at slightly more than half of normal levels.
		In the fall, the monitoring program collected all the data required to compare traffic levels to the baseline. The 2021 Monitoring Report concludes that the adjusted AM inbound fall count totaled 2,719 vehicles. This represents a decrease of 600 vehicles from baseline; it is 720 vehicles below the 90 percent confidence interval and 755 vehicles below the 1 percent established trigger. The PM outbound fall count totaled 2,892 vehicles, which is a decrease of 554 vehicles from the baseline; it is below the 90 percent confidence interval by 663 vehicles and below the 1 percent increase trigger by 699 vehicles. Stanford University is in compliance with the 2000 GUP nonet-new-trips requirement in 2021.
G.5.	Traffic counts cost.	Stanford submitted all requested funds in a timely manner.
G.6.	Baseline count established prior to construction of first new non-residential structure or by an alternative methodology determined to be more accurate.	Baseline cordon counts were completed during AR 1 and 2 reporting periods.
G.7.	Traffic counts and determination of traffic volume.	Two weeks of (unadjusted) traffic counts were conducted in Spring 2021 and six weeks of adjusted traffic counts in Fall 2021. The counts were conducted by the County's traffic consultant team lead by AECOM Engineering. As described in Appendix D of this report, the results of the 2021 (unadjusted) spring counts were analyzed against the unadjusted counts from the previous 19 years., and were determined not to exceed the traffic limits threshold for the AM and PM peak hour traffic. Results of the fall 2021 adjusted counts were analyzed against the baseline counts previously collected, and were determined not to exceed the traffic limits threshold for the AM and PM peak hour traffic, even without the application of any trip credits.
G.8.	Off-campus trip reduction.	During FY 21, Stanford was below the 2000 GUP EIR thresholds for vehicle counts. No trip credits were submitted to the County this year by Stanford.
G.9.	Monitor cordon count volumes.	A summary report of traffic monitoring is provided as Appendix D to this annual report.
G.10.	Neighborhood traffic studies.	No additional neighborhood traffic study requests have been received by the County Planning Office.
G.11.	Project-specific traffic studies.	A project-specific traffic study was approved for the LBRE Replacement Facilities project during the reporting period.

	GUP Condition	Stanford Compliance
G.12.	Construction traffic management plan.	Stanford informed both its Public Safety Office and the University Fire Marshall's Office about site work and schedules for all construction projects that could affect emergency access. The University Fire Marshall's Office has regular coordination meetings with the Palo Alto Fire Department, where they update the Department on any emergency route changes. In addition, Stanford requires, through contract with the general contractors, that emergency vehicle access is always kept available through work areas. The Stanford Contracts office provides a general "Stanford Area truck routes map" to all general contractors and all the associated sub-contractors for the project at the time of contract release. The map also includes pedestrian zones, weight limits, service vehicle parking areas, and loading areas. In addition, Stanford provides copies of the map to contractors that come into the Parking and Transportation office to purchase Service Vehicle permits. This map and others are available on the web at http://transportation.stanford.edu/ . The County and Stanford continue to work towards consistent inclusion of a traffic management plan as part of the construction plan set available on site. Stanford reported that no complaints about construction traffic associated with building projects were received during the AR 21 reporting period.
G.13.	Special event traffic management plan. Junipero Serra Boulevard/ Stanford Avenue traffic group.	Compliance with this requirement was achieved during the AR 3 reporting period. In June 2010, County Supervisor Liz Kniss announced that the County Board of Supervisors had approved \$1.5M in funding to complete the project. CR&A awarded a design contract in March 2011. Construction documents (30% stage) were issued in August 2011. A draft Initial Study was issued for public review in November 2011. A final CEQA document was adopted in March 2012. CR&A anticipated starting construction in spring of 2012. However, due to permitting constraints from the Regional Water Quality Control Board delayed the approval process. Stanford presented a conceptual redesign to CR&A in the Spring of 2015 that could eliminate the permitting constraints. Stanford conducted neighborhood outreach to share the concept with SCRL representatives. The conceptual design was reviewed for engineering feasibility by CR&A in summer 2015. In summer 2016, a CEQA Addendum was completed for the redesign. Final engineering drawings were prepared in FY 17, and the County identified funding to construct the project.

	GUP Condition	Stanford Compliance
		Construction began in August 2018 and ended in Fall 2018.
H.	Parking	
H.1.	Net additional parking spaces shall not exceed 2,300 spaces, with the exception of parking provided for any housing in excess of 3,018 units.	During the reporting period, changes in parking resulted in an estimated net increase of 1,716 parking spaces on the campus for a total cumulative increase since September 1, 2000 of 580 spaces. Changes in parking occurred in the Campus Center, West Campus, Quarry, DAPER and East Campus. See Section II, Table 4, and Appendix C-3 for details.
Н.2.	Residential Parking Permit Program.	In 2006, Stanford paid the City of Palo Alto \$100,000 towards the development of a Residential Parking Permit Program. Stanford is in compliance with Condition H.2.
		The City of Palo Alto conducted a College Terrace Parking Permit Program experiment in 2008 and 2009 and subsequently adopted a permanent program in late 2009. The program includes continued monitoring of the parking patterns in the neighborhood.
I.	Parks and Recreation Facilities	
I.1.	Improve parks in the San Juan faculty/staff residential area.	At the April 8, 2004 ASA meeting, the ASA Committee accepted the Stanford University Program for the Replacement of Recreational Facilities in the San Juan District. Stanford has complied with the requirement to submit the plan, and future compliance will be required through implementation of the plan, if triggered by infill development.
I.2.a.	In consultation with the County Parks and Recreation Department, identify and complete Trail Easements within one year of GUP approval.	Stanford entered into an agreement with the County on January 3, 2006, to construct the S1 trail in Santa Clara County and to make offers to Los Altos Hills for the funding of a trail extension through that town and to the Town of Portola Valley and San Mateo County for improvements to the C1/E12 Alpine Trail.
		Construction of S1 Trail: Construction of the off-road portions of the S1 trail was completed in May 2011. Santa Clara County accepted the trail easement and the trail opened in May 20, 2011. All aspects of the S1/ Matadero Trail in unincorporated Santa Clara County including trail construction, associated roadway improvements, and dedication of easements are complete.
		Construction of C1/E12 Trail: Stanford's proposal for the design and funding of the C1/E12 Alpine Trial (segment in Portola Valley) improvements was accepted by the Town of Portola Valley in 2009. All aspects of the C1/E12 Alpine Trial in Portola Valley including trail construction, associated roadway

GUP Condition	Stanford Compliance
	improvements, and dedication of easements are complete.
	Construction of C2/Arastradero Trail: Construction and trail improvements were completed and the trail was dedicated on November 1, 2013. The trail links the S1/Matadero Trail (at the Arastradero Road and Purissima Road intersection) to the Pearson-Arastradero Preserve.
	Construction of Stanford Perimeter Trail: San Mateo County and Stanford did not reach agreement for the San Mateo C1 segment and in February 2012, Stanford paid Santa Clara County approximately \$10.3 million. In August 2012, Santa Clara County issued a request for applications for projects that would serve as alternative mitigation measures to address the loss of recreational facilities on the Stanford campus. Santa Clara County received 15 project applications from six local agencies. The Santa Clara County Board of Supervisors declared its intent to fund six of the 15 projects, including \$4.5 million to Stanford to construct a perimeter trail along E1 Camino Real and Stanford Avenue frontages. Stanford subsequently did not accept the grant award for the Stanford Perimeter Trail, which was opened to the public in April 2016. The Board also directed County Administration to negotiate project agreements for the selected projects and submit approval to the Board consistent with the requirements of CEQA. A project agreement and appropriation modification for the Adobe Creek / Highway 101 Overcrossing Project were approved by the Board on December 17, 2019, and, an appropriation modification for the Ravenswood Bay Trail project was approved by the Board on February 25, 2020.
	Further, at the May 12, 2020 Board meeting, the Board declared its intent to fund all or parts of seven additional projects relating to alternative mitigation for loss of recreational facilities on the Stanford campus. Project agreements for two of seven projects have been approved.
I.2.b. Work with County Parks and Recreation Department to identify responsibilities for trail construction, management and maintenance.	Identification of trail construction, management, and maintenance responsibilities had begun previously, based on Stanford's 2001 proposal (see Condition I.2.a above and "Overview of Monitoring Activities"). A trail management plan for S1 was accepted by Santa Clara County, along with the easement, in May 2011.

	GUP Condition	Stanford Compliance
J.	California Tiger Salamander (CTS)	
J.1.	Habitat protection easements for protection of the CTS.	Condition superseded by Stanford's Habitat Conservation Plan (see Condition J.9).
J.2.	Specifics of habitat protection easements.	Condition superseded by Stanford's Habitat Conservation Plan (see Condition J.9).
J.3.	Creation of breeding ponds for CTS prior to issuance of a building permit for a proposed building project on occupied CTS habitat.	Condition superseded by Stanford's Habitat Conservation Plan (see Condition J.9).
J.4.	CTS monitoring.	Condition superseded by Stanford's Habitat Conservation Plan (see Condition J.9).
J.5.	Project specific measures in CTS Management Zone.	Condition superseded by Stanford's Habitat Conservation Plan (see Condition J.9).
J.6.	Operational measures required within the CTS Management Zone.	Condition superseded by Stanford's Habitat Conservation Plan (see Condition J.9).
J.7.	Continued compliance with 1998 CTS Management Agreement.	Condition superseded by Stanford's Habitat Conservation Plan (see Condition J.9).
J.8.	CTS passage ways across Junipero Serra Boulevard.	Condition superseded by Stanford's Habitat Conservation Plan (see Condition J.9).
J.9.	U.S. Fish and Wildlife Service permit prior to construction on occupied CTS habitat if CTS is listed as threatened or endangered.	The final Stanford University Habitat Conservation Plan (HCP) and Final Environmental Impact Statement (EIS) were published on November 23, 2012, and revised in March 2013. On August 13, 2013, the County Board of Supervisors acknowledged the determination that the HCP provides equal habitat value and protection for the California Tiger Salamander (CTS). Therefore, the HCP supersedes all conditions in the GUP that address the CTS, as stated in Condition J.9.
K.	Biological Resources	
K.1.	Special-status plant surveys.	No special species plant surveys were done during this reporting period.
K.2.	Preconstruction surveys for breeding raptors and migratory birds.	The County hired Environmental Science Associates to complete three surveys for breeding raptors and migratory birds potentially affected by Stanford projects. During the AR19 reporting period, a violation relating to the Cabrillo-Dolores Subdivision (in the San Juan neighborhood) was issued by the County. The violation included unpermitted removal of three oak trees and noncompliance with this condition relating to preconstruction surveys for nesting raptors and migratory birds, that were not conducted prior to tree removal. To abate the violation, Stanford was required

	GUP Condition	Stanford Compliance
		to pay a fine of \$15,000 and submit a retroactive Tree Removal permit application to legalize all work done in violation of the tentative map approval. The \$15,000 fine has been paid by Stanford and a Tree Removal permit with conditions was issued by the County on May 12, 2020. Per the approved Tree Permit conditions, replanting of trees at a 10 to 1 ratio is required, to be completed following project completion, anticipated to be in FY 23.
K.3.	Oak woodland habitat – create or restore at a 1.5:1 ratio for proposed building projects located in oak woodland area.	During this reporting period, no trees within oak woodland habitat were proposed for removal.
K.4.	Tree preservation for proposed building projects affected by protected trees.	All projects were conditioned to protect existing trees during construction. Stanford proposed appropriate mitigation for the loss of protected trees greater than 12 inches diameter at breast height (dbh) in the ASA applications for all projects.
		During the AR 21 reporting period, a combined violation was issued by the County involving three projects (Via Ortega North, Academic Advising and Rowing Center and Serra Roundabout projects), mainly for unpermitted tree removal. Ten protected trees (four oak and six non-oak) were removed without a permit. To return to compliance, Stanford was required to pay a fine of \$50,000 (\$5,000 per tree removed), submit modifications to prior approvals proposing tree replacement, and legalization of other work done in violation. Per County Ordinance Code Section C16-17, to abate the unpermitted tree removal, replacement of each removed tree with at least 10 trees of like kind and species is required. The \$50,000 fine has been paid by Stanford and a permit modification with the required tree replacement conditions have been issued by the County. Stanford is required to plant forty (40) oak replacement trees and sixty (60) non-oak replacement trees by FY22.
K.5.	Stanford to hire biological consultant to prepare wetlands description.	Compliance with this requirement was achieved during the AR 3 reporting period. Subsequent wetland delineations are conducted in compliance with Army Corps of Engineers guidelines.
K.6.	Updates to CA Natural Diversity Database.	Stanford submitted CNDDB sheets for the following species to the State in the following years: California red-legged frogs – annually since 2002 California tiger salamanders – annually since 2008
K.7.	Special conservation area plan.	Stanford submitted a "Conservation Program and Management Guidelines for the Special Conservation Areas" to the County on December 11, 2001. The County waited for the Stanford HCP to be approved and adopted before directing Stanford with specific

	GUP Condition Stanford Compliance			
		requirements for modification and resubmittal. The Stanford HCP was approved on August 13, 2013 (see Condition J.9). Stanford submitted and the County accepted a revised Special Conservation Area Plan in August 2015, fulfilling Condition K.7.		
L.	Visual Resources			
L.1.	Streetscape design for El Camino Real prior to or in connection with submitting an application for development along El Camino Real.	During AR 8, Stanford completed and submitted a draft <i>Plan For The El Camino Real Frontage</i> , approved by the County of Santa Clara Architectural and Site Approval Committee on April 10, 2008. Stanford is in compliance with Condition L.1.		
L.2.	Minimum 25-foot building setback from Stanford Avenue.	No building projects were proposed on Stanford Avenue during the reporting period.		
L.3.	Lighting plan for development projects that include exterior light sources.	Project-specific lighting plans were submitted with ASA applications during the reporting period.		
L.4.	Development locations in the Lathrop Development District.	The Collaboration Building Project in the CASBS Complex was approved for a net demolition of 32 square feet in the Lathrop District.		
M.	Hazardous Materials			
M.1.	Hazardous materials information/Risk Management Plan for each proposed building project.	Hazardous materials information was provided in the ASA applications for all projects proposed or approved during the reporting period. No projects were proposed or approved during the reporting period that triggers the California Accidental Release Prevention (CAL-ARP) law.		
M.2.	Maintenance of programs for storage, handling, and disposal of hazardous materials.	University Dept. of Environmental, Health and Safety (EH&S) continues to provide key resources in the planning, development, and implementation of effective environmental and health and safety training programs. Where appropriate and possible, EH&S provides in-house training programs that enable University managers and supervisors to deliver health and safety training directly to their staff. Schools, Departments and Principal Investigators provide other levels of training throughout the University. During this reporting period, EH&S maintained a training catalog that included 115 separate training courses. Stanford staff, faculty, and students through both on-line and classroom sessions completed a total of 36, 447 trainings Stanford also extends its training efforts by providing training and information resources on the World Wide Web at http://ehs.stanford.edu . Information on COVID safety can be found at https://healthalerts.stanford.edu. Surveys of campus and medical center labs, shops and studios are conducted on a routine basis to provide compliance assistance regarding hazardous materials, hazardous waste, fire safety, biological safety and		

GUP Condition	Stanford Compliance
	chemical safety requirements. Personnel conducting the surveys often work one-on-one with personnel in labs, shops and studios to help them understand pertinent compliance requirements.
	Hazardous Materials Management Plans for existing buildings storing hazardous materials are submitted annually to the Santa Clara County Environmental Health Hazardous Materials Compliance Division as online updates via the Cal/EPA California Environmental Reporting System Portal. To facilitate hazardous materials tracking and reporting, Stanford has implemented an on-line chemical inventory database system whereby authenticated chemical users may maintain their hazardous materials inventories, supporting timely and accurate submission of required regulatory reports.
	The University Committee on Health and Safety meet five times during the reporting period. The committee membership includes a member from the public as well as faculty, staff and students. Issues considered by the committee included environmental, health and safety activities, and initiatives conducted at the SLAC National Accelerator Laboratory.
	The EH&S Department reviews each set of plans for new structures and those for renovation and/or remodeling of existing structures to help ensure that the risks associated with activities conducted in Stanford's buildings are addressed, and that all facilities projects are undertaken in compliance with applicable environmental and health and safety laws, codes, and regulations. EH&S also conducts Environmental and/or Human Health Risk Assessments for new projects as required by the Bay Area Air Quality Management District and as appropriate as part of the building planning process.
	EH&S personnel specifically responsible for handling hazardous wastes and for emergency response are trained by certified independent professionals and by professional EH&S staff in accordance with all applicable regulations. The operational waste personnel are augmented and assisted by professional environmental engineers, chemists, and environmental managers.
	As a part of waste minimization activities, EH&S operates a Surplus Chemical redistribution program, which reduces the disposal of unused chemicals, therefore reducing the amount of hazardous waste generated, and the costs of disposal. Redistribution volumes are dependent on department and laboratory changes, which can vary annually. In FY 2021, EH&S

	GUP Condition	Stanford Compliance		
		redistributed 143 unneeded chemical containers from laboratory inventories to other campus users.		
N.	Geology and Hydrology			
N.1.	Compliance with all requirements of the Uniform Building Code, County Geologist, County Building Inspection Office, Stock Farm Monocline Agreement, and others defined under the GUP in regard to reduction of seismic risk.	Stanford is in compliance with Condition N.1 requirements. These are reviewed through the ASA applications submitted, and building and grading permits issued during the reporting period. See Section II of this report for project details.		
N.2.	Hydrology and drainage study.	The Storm Water Detention Master Plan for the Matadero Creek watershed was submitted by Stanford and accepted by the County during the Annual Report 4 reporting period. Stanford is responsible for implementing phased measures consistent with the plan prior to development of new impervious cover within the watershed. Regarding storm drainage and flood control, Stanford		
		and the County reached agreement on the approach and engineering design criteria for detention provisions to avoid increases in peak runoff flow rate from the campus in the San Francisquito Creek watershed. Stanford continued with implementation of its storm drainage master plan for both detention and protection of campus facilities, engineering the remaining barriers to divert overland flows away from structures to streets and malls, and Phase 1 and II of the West Campus detention basins. With these improvements and the detention basins constructed previously in the Matadero watershed, Stanford has mitigated anticipated runoff from all its development under the 2000 GUP, including the Escondido Village Graduate Residences, in compliance with Conditions N.2 and N.3.		
N.3.	Storm water management facilities designed to only store storm water runoff temporarily and not create extended ponding.	The Serra/El Camino Real (ECR) and the West Campus Storm Water Detention Facilities projects are designed to accommodate increases in the 10-year and 100-year storm runoff associated with 2000 GUP development in the Matadero and San Francisquito Creek watersheds respectively. These projects are designed to drain within a couple of days, thereby avoiding extended ponding. An initial phase of this plan was implemented when the Stock Form/Sand Hill Road Detention Posing ware		
		the Stock Farm/Sand Hill Road Detention Basins were completed during the AR 4 reporting period. Phase II of the West Campus Detention Basins was completed during FY 16.		
N.4.	Groundwater recharge study in conjunction with projects located in unconfined zone.	Stanford has prepared and submitted a draft campus- wide groundwater recharge plan that describes the groundwater recharge mitigation approach in		

	GUP Condition	Stanford Compliance
		coordination with the Santa Clara Valley Water District (Valley Water) and the County. This plan accounts for water from Stanford's Lake Water system that is directed to Lagunita (where it percolates) in an amount that exceeds the cumulative groundwater recharge lost from projects built in the unconfined zone. Map 7 in Appendix A shows the Stanford's Lake Water System. Stanford and County staff finalized this plan on May 27, 2015. The annual groundwater recharge mitigation monitoring report has been submitted to the County for tracking purposes. A copy of this report is available at https://stgenpln.blob.core.windows.net/document/SU_Groundwater_Recharge_MMRP_20211215.pdf
	eview and approval for storm water/roundwater recharge facilities.	The ASA and grading or building permit-approved projects during the 21st annual reporting period are anticipated to result in new impervious surface area in the Matadero Creek and San Francisquito Creek watersheds. The cumulative increase of impervious surfaces on campus has been mitigated by the Serra/ECR detention basins and West Campus detention basins Phase I and II (completed during FY 4 and FY 16 respectively), to avoid impacts with respect to reduced groundwater recharge. Stanford and the County track the cumulative increase in impervious surface against the amount that can be mitigated by the constructed basins.
C	otice of Intent to State Water Resources ontrol Board (SWRCB) prepared each year or anticipated projects.	Stanford submitted a Notice of Intent (NOI) to join the State of California General Storm Water Construction Permit on June 29, 2001. Stanford received acceptance on July 10, 2001. An updated NOI was submitted to the State Water Resource Control Board as well as to the San Francisco Regional Water Quality Control Board in accordance with the NPDES General Permit on July 16, 2009. On September 2, 2009 the State Water Resources Control Board adopted a new construction permit for all construction projects over 1 acre. Due to reporting and sampling requirements listed in the new State permit, Stanford has been applying for permit coverage on a project-by-project basis for all new construction over 1 acre. All projects listed below were either terminated, continued, or started from the period September 1, 2020 through August 31, 2021 and can be viewed via the State Board's SMART system located at http://smarts.waterboards.ca.gov/smarts/faces/SwSmartsLogin.jsp . Projects terminated from September 1, 2020 – August 31, 2021:

GUP Condition	Stanford Compliance
	 Public Safety Building, WDID # 2 43C387021 Escondido Village Graduate Housing, WDID # 2 43C378743 Stanford University Center for Academic Medicine, WDID # 2 43C381311 Via Ortega North, WDID # 2 43C384834 Manzanita Field Parking Garage, WDID # 2 43C382298
	Projects started/continuing from September 1, 2020 – August 31, 2021: • Serra Roundabout/Serra Street, WDID # 2 43C380436 • Serra Mall, WDID # 2 43C382842 • Cabrillo Dolores Faculty Housing, WDID # 2 43C387005 • Herrin Lab and Hall Demolition, WDID # 2 43C389493 • Lasuen Escondido Circulation, WDID # 2 43C393564 • LBRE Building and Yard, WDID # 2 43C393312 • 1215 Welch Road School of Medicine, WDID # 2 43C394794 • George P. Shultz Building, WDID # 2 43C395254
N.7. Monitor effectiveness of storm water pollution prevention best management practices; monitor at construction sites before and during storm events occurring during construction period.	Each construction site under the 2000 GUP that disturbs one acre or more is permitted through the General Permit for Discharges of Storm Water Runoff Associated with Construction Activity. The information submitted as part of the permit will be updated yearly to reflect the current construction projects. In accordance with that permit, the sites are required to have a Storm Water Pollution Prevention Plan (SWPPP). Each SWPPP outlines the Best Management Practices for preventing storm water pollution on that specific site. To ensure that the BMPs are working and in place, each construction project is required to monitor the construction site and BMPs before, during, and after rain events or weekly, whichever is more frequent. The project is required to maintain inspection logs on site, documenting the monitoring program. Stanford storm water staff visits the sites at least once per month to ensure compliance with BMPs and monitoring. In addition, Stanford is required to send an Annual Compliance Status Report to the State Water

	GUP Condition	Stanford Compliance
		Resources Control Board, certifying compliance with the provisions of the General Permit for Discharges of Storm Water Runoff Associated with Construction Activity, including BMPs and monitoring.
N.8.	Surveys to determine presence and location of wells prior to issuance of any building permit or grading permit.	Stanford performed surveys to identify existing wells on building sites with ASA applications as required. Stanford reviews these historic wells surveys with every building project and confirms in the applications that no historic wells not properly closed are at the project location.
N.9.	Permit from Valley Water for any proposed construction, demolition, grading, landscaping within 50-feet of the top of the bank.	In 2007, Valley Water adopted an approach to defer to local permitting agencies for work conducted in creeks, and no longer require Valley Water permits.
N.10	No new land use or practices within the unconfined zone that could pose a threat to the groundwater quality or supply.	In 2009, Stanford mailed an informative pamphlet to all residential leaseholders whose property is located within the unconfined zone. This pamphlet contains valuable information regarding the sensitive nature of these properties with respect to the potential for downward migration of contaminants to groundwater. The pamphlet also provides "Best Management Practices" regarding proper application of landscape chemicals, notifying Stanford of abandoned wells and fuel tanks, and safe management of household chemicals and hazardous waste. Stanford also mailed this pamphlet to all other residential leaseholders that are not located within the unconfined zone as a part of continuing outreach.

	GUP Condition	Stanford Compliance	
0.	Cultural Resources		
0.1.	Assessment of structure with potential historic significance for building projects that involve the demolition of a structure 50 years or older.	The Lou Henry Hoover (LHH) building (part of the George P. Shultz project) was evaluated prior to demolition and found to be ineligible for listing on the California Register of Historic Resources. The Bonair Siding Corporation Yard District approved for demolition as part of the LBRE Replacement Facilities project was also evaluated and found to be ineligible for listing on the California Register of Historic Resources The Center for Advanced Study in the Behavioral Sciences (CASBS) Complex was found eligible as a potential historic district under Criterion 3 of the California Register for its architectural qualities. Two existing sheds and a shower facility were determined ineligible and non-contributing in the CASBS District evaluation, and were approved for demolition.	
0.2.	Requirements for remodeling, alteration, or physical effect on structures that are 50 years old or more.	The new George P. Shultz building, which is to be constructed immediately adjacent to the Hoover Tower (Historic Resource), and Encina Hall (Historic Resource), along Jane Stanford Way, was reviewed and found to be consistent with the Secretary of Interior Standards for compatibility with nearby historic resources - Hoover Tower, Encina Hall, and Art Gallery. The project was recommended for approval by the County Historic Heritage Commission (HHC) at the May 2021 public meeting, and received an ASA and Grading Approval by the Zoning Adminstraion in June 2021.	
		The new Collaboration Building in the CASBS Complex was reviewed and found to be in compliance with the Secretary of Interior Standards for compatibility with the contributing resources of the CASBS District. The project was recommended for approval by the HHC at the June 2021 public meeting, and received an ASA by the Zoning Adminstraion in July 2021.	
O.3.	Archaeological resources map, site-specific analysis, and construction monitoring	The Stanford archaeologist provided draft maps to the County Planning Office in March 2001 and a revision in 2014. These maps show the locations of all known prehistoric and historic archaeological resources in the unincorporated Santa Clara County portion of Stanford land. County and Stanford staffs will continue to work on revision and updates to these maps so they can be utilized by County staff to identify all known cultural resource site boundaries on Stanford land within the County's jurisdiction. All maps and updates will be maintained as confidential records.	

GUP Condition		Stanford Compliance	
		Construction monitoring was implemented at the Centre for Academic Medicine (CAM) site and a small quantity of historic artifacts were discovered. A monitoring report has been submitted to the County (December 2020) in accordance to the CAM conditions of approval.	
O.4. Required actions if fossilized shell or bone is uncovered during earth-disturbing activities.		All projects adjacent to known prehistoric and historic archaeological resources were monitored during construction. No fossilized shell or bone was uncovered during 2000 GUP construction activities.	
P.	Public Services and Utilities		
P.1.	Law Enforcement Agreement.	"Memorandum of Understanding Regarding Police Services Between Santa Clara County and Stanford University" was signed February 6, 2001, and signed again in May and June of 2007.	
		Per the GUP Condition, Stanford is providing funding for the Stanford Police Department to maintain 32 full-time sworn police officers (one officer per 1,000 daytime population). There was no decrease in the level of police services during the reporting period.	
P.2.	Funding of Fire Protection Services.	The City of Palo Alto assesses the city's fire protection needs on an annual basis and adopts a yearly budget for fire protection services. As part of this process, the City identifies Stanford's share of this budget, and Stanford pays its annual allotment. Stanford and the Palo Alto Fire Department have executed an agreement for continued service.	
P.3.	Fire protection response times.	The Palo Alto Fire Department has not expressed any concerns regarding lengthened response times in FY 21. Stanford and the Palo Alto Fire Department have executed an agreement for continued service, which contains provisions to address response times if issues arise.	
P.4.	Water conservation and recycling master plan.	Stanford has completed the plan and it was approved in 2008. The University has undertaken numerous water conservation projects, including installation of water misers, toilet retrofits, low flow jet spray nozzles, and Maxicom controls. Stanford has performed effective conservation outreach and education, as evidenced by County staffdiscussions with campus facility managers. The County continues to monitor Stanford implementation of the approved master plan as a measure of compliance with this condition and consults with the Valley Water to determine compliance. The Valley Water assessment is that Stanford appears to be implementing aggressive water conservation measures.	

	GUP Condition Stanford Compliance			
P.5.	Annual daily average water use.	The allowed domestic average daily water allocation from the San Francisco Water Department is 3.033 million gallons per day (mgd). Stanford's average campus domestic water use for the 2020-2021 year was 1.35 mgd.		
P.6.	Information on wastewater capacity and generation.	Stanford submitted project-specific wastewater capacity information as necessary with ASA application materials.		
P.7.	Palo Alto Unified School District school impact fees.	Stanford paid school impact fees for all applicable building permits.		
P.8.	Community Services Study.	No study was required during this reporting year.		
Q.	Air Quality			
Q.1.	Compliance with Bay Area Air Quality Management District (BAAQMD) measures for construction activities.	Grading activities associated with 2000 GUP projects that commenced during the reporting period complied with the BAAQMD control measures incorporated into the ASA conditions of approval.		
Q.2.	Maintenance of equipment for construction activities.	Stanford requires all construction contractors to properly maintain equipment.		
Q.3.	Conduct a risk screening analysis and obtain BAAQMD permit for building projects containing more than 25,000 square feet of laboratory space and 50 fume hoods. ¹	All approved projects were required to comply with BAAQMD's permitting, control measures, and recommendations, as appropriate.		
R.	Noise			
R.1.a-e	Compliance with County Noise Ordinance during construction activities of each building project.	Construction activities associated with 2000 GUP projects complied with the County Noise Ordinance and incorporated noise reduction measures as required by ASA conditions of approval.		
R.2.	Limits on construction hours.	Construction activities associated with 2000 GUP projects were limited to the provisions as specified in the Santa Clara County Noise Ordinance. For construction sites within 150 feet of the City of Palo Alto, construction was limited to the hours of 8:00 a.m. to 7:00 p.m. Monday through Friday, 9:00 a.m. to 7:00 p.m., Saturday, and prohibited on Sundays and holidays, as specified in GUP Condition R.2.		
R.3.	Operational noise reduction measures.	ASA-approved building projects incorporated all county-specified noise reduction measures (listed in Section D of the MMRP) and complied with the County Noise Ordinance.		
R.4.	Fireworks displays to be limited to no more than two events per calendar year.	Two fireworks displays at events per calendar year are permitted under the GUP. All fireworks displays require an entertainment event license from the County's Planning Division. From September 1, 2019		

-

¹ Note: Q.3 has been confirmed to match BAAQMD regulations, which requires both triggers in order to do risk screening.

	GUP Condition	Stanford Compliance	
		through August 31, 2020, there were no fireworks events. From September 1, 2020 through August 31, 2021, there were also no fireworks events.	
R.5.	Maintenance of hotline for noise complaints.	Stanford continues to meet the GUP condition by operating the noise hotline at (650) 724-4900, which was established to log complaints related to outdoor special events and high impact events on campus. Stanford continues to use this hotline to record concerns about noise disruptions and complaints on campus. In FY 17, a change was made in the hotline structure in order to provide callers the option to connect to Stanford Public Safety dispatch at (650) 329-2413 for timely action regarding the complaint, or the caller can log a noise complaint with the operator mail box. The University reports that one noise complaint was received during FY 21. A loud noise was reported in the East Campus area. This noise was unlikely to have been due to construction as there were no ongoing construction activities at the time in the vicinity. No follow-up noise complaints were received regarding this matter. Stanford continues to work with different types of residential communities to maintain acceptable levels of noise and strengthen communications between campus community members.	
S.	Additional Conditions		
S.1.	Acceptance of Conditions of Approval.	See Annual Report 1.	

Completed building projects under the GUP cap, housing projects, parking, non-GUP building projects and grading projects are tracked in Appendix C. A map and table are provided for each category to illustrate the project, its location, its square footage/housing units/parking spaces counted toward the GUP cap, and in which annual report period the project was completed. Each table provides a cumulative total of square footage, housing, or parking to-date. A table also provides a cumulative total of non-GUP building projects. Additional backup data is kept on file by Stanford and the County.

Section II of this annual report provides brief descriptions of each project on which there was activity during the current reporting year. Projects listed in Appendix C that were completed in prior years are not reported in the body of the Annual Report. Detailed information on these projects may be found in previous Annual Reports.

KEY TO MAP C-1 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE BUILDING PROJECTS THAT AFFECT GUP BUILDING AREA CAP

Fiscal Year	Map No.*	Project	Built Area (sq. ft.)	Net Addition to GUP Building Cap
Annual Report 1 (2000-01)	N/A	None	N/A	0
	1	Student Services	20,000	
A 1D (2		Demo Bridge Building	(-2,752)	
Annual Report 2		Band Trailer	4,320	22,790
(2001-02)		Demo existing Band Trailer	(-2,160)	
		Rugby Pavilion	3,382	
	2	Carnegie Global Ecology Center	18,164	
		Demolish Carnegie Greenhouses	(-6,161)	
A	3	Lucas Center Expansion	20,600	
Annual Report 3 (2002-03)		Electronics Communications Hub-West	1,500	32,023
(2002-03)		Demolition of Ortho Modular	(-2,080)	
		SoM Trailer Replacement	0	
		Galvez Modular Re-Permit	0	
A mmu o 1 D 4	4	Maples Pavilion Addition	18,298	
Annual Report 4 (2003-2004)		Demolish Maples Ticket Booth	(-179)	92,915
(2003-2004)	5	Arrillaga Family Recreation Center	74,796	
1 D 15	6	Varian 2	63,869	
Annual Report 5		Building 500	3,254	39,763
(2004-2005)		Wilbur Modular Ext.	(-27,360)	
	7	Environment and Energy Building	164,087	
		GP-B Modular Demolition	(-8,640)	
		Varian 2 (sq.ft. adjustment from AR 5)	8,305	
	8	HEPL Demolition	(-71,425)	
		Engineering Shed	(-929)	
		Galvez Too	(-4,320)	
	9	Football Stadium Renovations	33,050	
Annual Report 6		Munger House Relocations	906	116 227
(2005-2006)		Avery Aquatic	1,445	116,237
		Band Trailer	(-4,320)	
		Guard Shelter	42	
		579 Alvarado (Humanities Annex)	(-3,258)	
		Barnum Family Center	2,337	
		Brick Barn	4,690	
		Knoll Trailer A	(-2,912)	
		Knoll Trailer B	(-2,821)	
Annual Report 7 (2006-2007)		None	N/A	0
	10	Lorry I. Lokey Stem Cell Research Building (SIM 1)	198,734	
Annual Report 8	11	Li Ka Shing Center for Learning and Knowledge (LKSC)	104,000	
(2007-2008)		Demolish Fairchild Auditorium	(-14,600)	323,264
		Demolish Welch Road Modulars	(-4,030)	

KEY TO MAP C-1 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE BUILDING PROJECTS THAT AFFECT GUP BUILDING AREA CAP

Einal Vaan	Map	Duniant	Built Area	Net Addition to GUP Building
Fiscal Year	No.*	Project Center for Nanoscale Science and	(sq. ft.)	Сар
Annual Report 8 (2007-2008) continued	12	Technology	99,297	
		Demolish Ginzton	(-69,714)	
	13	Jen-Hsun Huang School of	125,639	
		Engineering Center	(140 010)	
		Demolish Terman Engineering Lorry I. Lokey (Stanford Daily)	(-148,818)	
		Building	4,783	
		Demolish Storke Building	(-9,040)	
		Li Ka Shing Center for Learning and Knowledge - Connective Elements	5,890	
		Peterson Building Renovation	(-661)	
	14	John A. and Cynthia Fry Gunn SIEPR Building	31,784	
Annual Report 9 (2008-2009)	15	Knight Management Center	331,093	72,776
		Demolish GSB South	(-167,371)	
		Demolish Serra Complex	(-84,000)	
		Demolish Kresge Auditorium	(-13,042)	
		Cobb Track Bleacher addition	3,950	
		Arrillaga Gymnasium and Weight Room	19,951	
		Site 515 Demolition	(-1,540)	
		Volkswagen Automotive Innovation Lab	8,000	
		Oak Road Restrooms	499	
		Golf Practice Storage Trailer	432	
		Cubberley Seismic Project	(-3,654)	
		Press Building Demolition	(-14,303)	
		Recalculation of sq.ft. with Annual Reports 1 through 8	(-7,239)	
Annual Report 10 (2009-2010)	16	Neukom Building	61,014	126,676
	17	Bing Concert Hall	78,350	
		DAPER Corps Yard Demolition	(-12,688)	
Annual Report 11 (2010-2011)		Braun Music Center	167	174,723
		Bing Concert Hall adjustment	7,185	
	18	Retention of GSB South	167,371	
Annual Report 12 (2011-2012)	19	Arrillaga Outdoor Education and Recreation Center	75,000	223,725
	20	Bioengineering and Chemical Engineering	196,172	
	21	Satellite Research Animal Facility	20,507	
		Anatomy demolition	(-66,579)	
		Cagan Soccer locker rooms	3,345	
		Cypress Annex demolition	(960)	
		Quonset Hut demolition	(-3,760)	

KEY TO MAP C-1 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE BUILDING PROJECTS THAT AFFECT GUP BUILDING AREA CAP

ID* 1 X7	Map	Port 4	Built Area	Net Addition to GUP Building		
Fiscal Year	No.*	Project	(sq. ft.)	Cap		
	22	Ford Center Addition (from AR 8) Arrillaga Family Sports Center Addition	8,710 27,709			
	23	Anderson Collection at Stanford	30,279			
	24	Replacement Central Energy				
Annual Report 13	∠ 4	Facility	14,715	165,000		
(2012-2013)		Grounds trailer demolition	(-722)	165,092		
	25	McMurtry Art - Art History	84,239			
		New Field Hockey Bleachers	2,397			
		Windhover Contemplative Center	3,928			
		Encina Modular Demolition	(-8,400)			
		520/524 Renovation	2,237			
		Northwest Data Center and				
		Communications Hub	3,130			
Annual Report 14	26	408 Panama Mall	56,790			
(2013-2014)		Educational Farm	864	52,735		
(2013 2011)		Roble Gym Renovation	544			
		Field Conservation Facility	2,842			
	27	Demolition of Godzilla Trailer	(-11,435)			
	28	Science Teaching & Learning Center – Old Chem	68,151			
		Sunken Diamond New Entry/Locker Room Expansion	3,410			
		Cagan Soccer Field Bleacher Lockers	2,658			
		Maples Pavilion Addition	1,135			
		Softball Field House	2,618			
Annual Report 15		Football Stadium New Locker Room	8,966	(45.150)		
(2014-2015)		Siebel Varsity Golf Training Complex	3,431	(-45,179)		
		Demolish golf storage trailer	(-432)			
		Demolition of old Field Conservation Facility	(-2,821)			
		Meyer Library Demolition	(-124,710)			
		Lasuen Restrooms	1,023			
		Demolition of Central Energy Facility	(-8,715)			
		Hogan Lab Renovation Project	107			
	29	David and Joan Traitel Building, Hoover Institution	50,340			
Annual Report 16		Demolition of Cummings Art Building	(-51,024)	5,092		
(2015-2016)		Demolition of HEPL Powerhouse	(-3,684)	2,072		
		Regional Loading Dock Expansion (loading dock and café) 3	2,366			


KEY TO MAP C-1 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE BUILDING PROJECTS THAT AFFECT GUP BUILDING AREA CAP

F: 1V	Map	D	Built Area	Net Addition to GUP Building
Fiscal Year	No.*	Project Demolition of Stauffer III	(sq. ft.)	Сар
			(-19,611)	
		Demolition of Gazebo II	(-1,017)	
-	30	Earth Sciences Courtyard Infill Kingscote Gardens Renovation	2,586 20,298	
•	31	Bass Biology Building	120,337	
•	31	Demolition of Herrin Hall	(-35,944)	
		Demolition of Herrin Labs	(-78,047)	
ŀ		Demolition of Campus Gas Station	(-1,508)	
		Golf Learning Center	295	
ŀ	32	ChEM-H & SNI	210,940	
ŀ	32	Home of Champions	2,440	
ŀ		Educational Farm Huffington Barn	1,263	
Annual Report 17		Organic Chem demolition	(-14,270)	215,061
(2016-2017)	33	Denning House	16,471	213,001
	34	Frost Amphitheater renovations	9,707	
		Bonair Huts for East Campus Utilities	(-11,785)	
		Golf 10 th Tee restroom	142	
		Demolition of storage shed	(-199)	
		CCSC Child Care Center ³	13,847	
		Demolition of BKLK	(-4,846)	
		Demolition of existing CCSC	(-6,099)	
		Demolition of Rainbow	(-4,775)	
A		Demolition of Pepper Tree	(-1,024)	
Annual Report 18 (2017-2018)	35	Academic Advising and Rowing Center ⁴	22,622	206,221
	36	Environmental Health and Safety Expansion	14,087	
		Encina Commons (net demolition)	(-4,121)	
ľ	37	Center for Academic Medicine ⁴	152,120	
ļ	38	Public Safety Building	27,196	
		Demolition of Public Safety Annex	(-2,729)	
		District Work Center: Panama site	3,926	
ļ		District Work Center: Roth site	3,926	
ļ		District Work Center: Memorial site	3,926	
Annual Report 19		Softball Stadium Improvements	120	12 410
(2018-2019)		Stock Farm Greenhouses (construction)	8,352	12,418
		Demolition of Stock Farm Greenhouses	(-7,832)	
Annual Report 20	39	Stock Farm Childcare Facility	10.560	14.640
(2019-2020)		Chemistry Admin Modular	4,082	14,642

KEY TO MAP C-1 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE BUILDING PROJECTS THAT AFFECT GUP BUILDING AREA CAP

Fiscal Year	Map No.*	Project	Built Area (sq. ft.)	Net Addition to GUP Building Cap
	40	Demolition of Mudd Chemistry	(-76,657)	
Annual Report 21 (2020-2021)	41	Demolition of 1215 Welch Modulars	(-14,340)	(-90,221)
		Gates Building Renovation	776	
Cumulative Net C	1,760,753			

- 1. Projects included at the time of building permit issuance.
- 2. Cumulative total includes the adjusted results from the recalculations for buildings and demolitions from previous annual reports under the 2000 GUP. Specific adjustments are not reflected in this table at this time.
- 3. The CCSC Child Care Center also took childcare square footage, please see the Key to Map C-5 for more information.
- 4. AR20 includes a couple corrections to the square footage for two projects. The Center for Academic Medicine was revised to remove 1,701 sf due to minor changes in design. The Academic Advising and Rowing Center was revised to remove 433 sf due to minor changes in design. These revisions are also noted in Table 5 of the Body.
- *Map C-1 illustrates the locations of building projects 10,000 sq. ft. or greater. Projects smaller than 10,000 sq. ft. are not shown on Map C-1.



MAP C-1
CUMULATIVE BUILDING PROJECTS THAT AFFECT BUILDING AREA CAP
(GREATER THAN 10,000GSF)

KEY TO MAP C-2 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE HOUSING PROJECTS

		CUMULATIVE HO			T	T
Fiscal Year	Map No.*	Project	Housing Units	Square Footage	Annual Units	RHNA** Units
Annual Report 1 (2000-01)	1	Mirrielees – Phase I	102	0	102	
Annual	2	Escondido Village Studios 5 & 6	281	139,258		281
Report 2	3	Mirrielees – Phase II	50	0	331	
(2001-02)		Branner Student Housing Kitchen	0	1,596		
Annual Report 3 (2002-03)	N/A	None	N/A	N/A	0	
Annual Report 4 (2003-04)	N/A	None	N/A	N/A	0	
Annual Report 5 (2004-05)	N/A	None	N/A	N/A	0	
Annual		Drell House (conversion to academic)	(-1)	(-906)		(-1)
Report 6		579 Alvarado	1	3,258	(-8)	1
(2005-2006)	4	Casa Zapata RF Unit Replacement	(-8)	(-691)		1
Annual Report 7 (2006-2007)		None	N/A	N/A	0	
Annual Report 8 (2007-2008)	5	Munger Graduate Housing	349	267,6831	349	209
Δ	5	Munger Graduate Housing	251	192,517 ¹		147
Annual Report 9		Schwab Dining Storage	N/A	464	514	
(2008-2009)	6	Blackwelder/Quillen Dorms	130	N/A		
(7	Crothers Renovation	133	N/A		1
	8	717 Dolores	4	0	_	
Annual	9	Crothers Olmsted Terrace Faculty Housing	39	103,127	1	39
Report 10 (2009-2010)	11	Olmsted Staff Rental Housing	25	53,831	70	25
		Arrillaga Family Dining Commons	N/A	28,260		
Annual Report 11 (2010-2011)	6	Quillen Dorm Phase 2	90	N/A	90	
Annual	12	Hammarskjold renovation	7	1,730		
Report 12		Haus Mitt renovation	1	210	9	
(2011-2012)		Phi Sigma renovation	1	420		
		Grove House Renovation	N/A	500	427	<u></u>

KEY TO MAP C-2 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE HOUSING PROJECTS

	COMULATIVE HOUSING PROJECTS								
Fiscal Year	Map No.*	Project	Housing Units	Square Footage	Annual Units	RHNA** Units			
1 iscui 1 cui	110.	Columbae Renovation	N/A	950	CIIICS	CHICS			
		Slavianskii Dom Renovation	N/A	961	1				
		Siavianskii Boiii Renovation	11/11	701	1				
		Muwekma-Tah-Ruk Renovation	N/A	450					
Annual	13	Ujamaa	2	N/A	1				
Report 13	14	McFarland	63	N/A	1				
(2012-2013)	2012-2013)	EV summer renovation	(-2)	N/A	1				
	15	Toyonito Demolition	N/A	(-13,298)	1				
	16	Comstock graduate housing demolition	(-74)	(-30,547)		(-40)			
	16	Comstock Graduate Housing	438	256,258	1	274			
		Mars Renovation	1	273					
Annual		Sigma Nu Renovation	N/A	628	1 ,				
Report 14		Roth Renovation	1	508	2				
(2013-2014)		Durand Renovation	N/A	675	1				
Annual	17	Manzanita Park Residence Hall	129	41,805		4			
Report 15	18	Phi Kappa Psi	2	2 505 133					
(2014-2015)	19	Kairos	2	979	1				
	20	717 Dolores	2	928					
	21	La Maison Française	(-2)	871					
Annual	22	GSB Residences	200	124,670	205	101			
Report 16 (2015-2016)	23	New Residences at Lagunita Court	218	74,300	385	2			
	24	Kingscote Gardens Renovation	(-33)	(-20,298)		(-33)			
Annual Report 17 (2016-2017)		Lagunita-Eucalipto	1	0	1				
Annual Report 18 (2017-2018)		Muwekma student bedroom conversion	(-2)	0	(-2)				
Annual Report 19 (2018-2019)		None	0	0	0				
Annual Report 20	25	Escondido Village Demolitions	(-414)	(-168,920)	2,020	(-188)			
(2019-2020)	25	Escondido Village Graduate Residences	2,434	1,699,001		1,499			
Annual Report 21 (2020-2021)		None	N/A	N/A	0				
Cumulative		ntribution toward 2000 GUP using Units	4,423	2,761,956	4,423	2,322			


KEY TO MAP C-2 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE HOUSING PROJECTS

	Map		Housing	Square	Annual	RHNA**
Fiscal Year	No.*	Project	Units	Footage	Units	Units

^{*}Map C-2 illustrates the locations of housing projects that add or remove more than one unit, and have been framed. Individual housing projects are not shown on Map C-2.

^{**}Housing units developed by Stanford are not required to be deed restricted affordable housing units.

^{1.} Based on an average of 767 square feet per unit constructed for the Munger Graduate Student Housing project.



MAP C-2 CUMULATIVE HOUSING PROJECTS

	ANNU	KEY TO MAP C-3 IAL REPORT 1 THROUGH ANNUAL REPORT CUMULATIVE PARKING PROJECTS	Γ 21	
Fiscal Year	Map No.*	Project	Parking Spaces	Spaces Subtotal
	1	Removal of Arguello Lot	(-55)	
Annual Report	2	Oak Road Angle Parking	52	7 (20)
(2000-01)		Oak Road Parallel Parking	12	(-29)
(2000-01)		Student Services Building	(-38)	
		Band Modular Project	23	
Annual Report	3	Parking Structure V	97	
2	4	Oak Road (Angle to Parallel)	(-66)	31
(2001-02)		Closure of Anatomy Lot	(-28)	
		Maples Lot	5	
		PS-1 Restriping/ADA	(-29)	
		Maples Lot	21	7
	5	Escondido Village Expansion	212	7
1.0	6	Serra Street Reconstruction	50	
Annual Report 3		Arguello Lot	37	394
(2002-03)		Mirrielees Lot Reconfiguration	(-23)	
	7	Cowell Lot Expansion	154	
		Carnegie Global Center Parking	17	
		Misc. reconstruction/restripe/ADA	(-45)	
		Anatomy Lot Reopening	26	
		Encina Gym/ Arrillaga Rec Center Construction	(-17)	
Annual Report		Ventura Lot Closing-CSLI/EPGY Annex Construction	(-21)	(-91)
4 (2003-2004)		Housing Maintenance Yard Project	(-25)	
		Graduate Comm. Center Parking Lot	(-35)	7
		Misc. reconstruction/restripe/ADA	(-19)	+
			(-47)	
4 1D 45		Stock Farm Bus Reconfiguration	<u> </u>	\dashv
Annual Report 5		Dudley & Angell Recount	(-20)	(-159)
(2004-2005)		Mayfield 3 Recount	(-23)	4
		Misc. reconstruction/restripe/ADA	(-69)	
	8	Ginzton Lot Closure (for Environment & Energy construction)	(-211)	
		Humanities Lot (for Old Union Surge Trailers)	(-20)	
		Law School Lot/ House Relocation/ Prep for Munger construction	(-26)	
	9	Mariposa Lot/ Munger Law School/ House Relocation/ Columbae Renovation	(-115)	
Annual Report 6	10	Stock Farm Bus Reconfiguration	(-64)	(-659)
(2005-2006)	11	Tresidder Lot (for House Relocation)	(-138)	1
		Dudley & Angell/ Olmsted Road	24	7
	12	Eating Clubs Lot (for Old Union Surge)	(-87)	7
	13	Stern Lot	(-64)	7
	14	Wilbur-Stern Temporary Lot	108	7
	15	Wilbur Modulars Removal	131	7
	16	Wilbur South Lot (for PS 6)	(-128)	7

	ANNU	KEY TO MAP C-3 IAL REPORT 1 THROUGH ANNUAL REPOR CUMULATIVE PARKING PROJECTS	T 21		
Fiscal Year	Map No.*			Spaces Subtotal	
		Misc. reconstruction/restripe/ADA	(-69)		
Annual Report 7 (2006-2007)	17	Li Ka Shing Center for Learning and Knowledge displacement	(-505)	(-798)	
(2000-2007)		Tresidder – Post House Relocation project	34		
	18	Munger Displacement	(-369)		
		Misc. Reconstruction/restripe/ADA	42	1	
		Dean's Lawn reconfiguration	(-27)		
Annual Report 8	19	Beckman/MSOB Closure for Li Ka Shing Center for Learning and Knowledge construction	(-206)		
(2007-2008)	20	Memorial Lot closure for John A. and Cynthia Fry Gunn SIEPR Building	(81)	93	
	21	Serra closure for Knight Management Center	(-712)	_	
	22	Maples closure for Athletics Practice Gym	(-75)	4	
	23	Parking Structure 6	1,185	4	
		Misc. Reconstruction/restripe/ADA	9		
	24	Oak Road Parking Lot	197		
	25	Arguello and 651 Serra Closure	(-267)	_	
		Track House	(-46)		
Annual Report 9 (2008-2009)	26	Barnes & Abrams For Olmsted Road Staff Rental Housing	(-96)	(-313)	
		Dudley & Angell for Stanford Terrace Faculty Homes	(-42)		
		Miscellaneous reconstruction/restripe/ADA	(-59)		
	27	Beckman Lot reopening	66		
Annual Report 10 (2009-2010)	28	Toyon lot closure for Arrillaga Family Dining Commons	(-163)	(-56)	
		Miscellaneous reconstruction/restripe/ADA	41		
		Cypress lot closure for BioE/ChemE	(-44)		
		Stock Farm West reconfiguration for bus parking	(-20)		
Annual Report		Roth Way reconfiguration for bus loading	(-36)	810	
11 (2010-2011)	29	Parking Structure 7	858	010	
		Dudley & Angell	49	4	
		Miscellaneous reconstruction/restripe/ADA	3		
		Lasuen@Arboretum – Bing and Galvez	39	4	
	30	Anatomy-McMurty Art - Anderson	(-95)	4	
Annual Report	31	L-17 (Stockfarm South) – Temp Child Care	(-75)	4	
12 (2011-2012)		L-25 (Panama) – West Campus Rec Center	(-23)	(-236)	
12 (2011 2012)		Lasuen – Bing Concert Hall	(-26)	1	
		L-73 (Stern Annex) – East Campus Rec	(-37)	1	
		Miscellaneous reconstruction/restripe/ADA	(-19)		
	32	L-20 (Stock Farm West) - SESI Project laydown	(-202)	_	
Annual Report		L-25 (Panama) - West Campus Recreation Center	28	_	
13 (2012-2013)	33	L-96 (Galvez) - Galvez Event Lot completion	423	(-68)	
15 (2012-2013)	34	Comstock - Comstock Graduate Housing Project	(-84)	_	
		L-65 (Cowell @ Bowdoin) - Contractor laydown	(-49)		


KEY TO MAP C-3 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 **CUMULATIVE PARKING PROJECTS** Parking Map Spaces Fiscal Year No.* **Project** Subtotal **Spaces** L-31 (Roble) - Windhover Project (-69)35 L-01 (Rectangle) - Parking Structure 9 construc. 36 (-86)Miscellaneous reconstruction/restripe/ADA (-29)37 Dean's Lawn for SHC Steam Plant (-106)Cypress lot reopening 40 Panama Lot for Roble Garage (-27)Annual Report 38 Lomita at Rodin (-72)526 14 (2013-2014) Rectangle parking Lot reopening 36 75 39 Searsville Lot net loss on Searsville Road 592 Miscellaneous reconstruction/restripe/ADA 24 Lasuen @ Arboretum reconfiguration and partial 40 (-168)closure Gates Lot closure for Bio Quad construction (-32)L-20 (Stock Farm West) – removal of laydown, 41 117 restoration of parking Roth Way – Tour bus reconfiguration 32 Annual Report (-695)15 (2014-2015) 42 L-79, L-81 (GSB Highland Hall project) (-108)L-29, L-31, Santa Teresa @ Lagunita and Santa 43 Teresa @ Sterling (New Residences at Lagunita (-395)Court and Roble Field projects) 44 L-22 (Searsville lot) - Construction laydown (-126)Miscellaneous reconstruction/restripe/ADA (-15)70 45 L-09 (Deans Lawn and Evening Shift) L-25 (Panama) – Via Ortega South roadway (-43)construction Galvez Roundabout and West Burnham Parking lot (-23)reconfigurations L-79 (GSB Residences) – parking reconfiguration 21 L-29 and L-31 (at Lagunita Court) -43** 117 reconfiguration L-22 (Searsville lot) – construction laydown Annual Report 44** 126 11 16 converted back to permit parking (2015-2016) Miscellaneous reconstruction/restripe/recount/ADA (-60)Correction – removing Marguerite, tour bus, charter bus, and authorized oversize vehicle parking and (-108)staging spaces from L-20, Oak Road, and Arboretum Correction - removing spaces at L-1A and Hoover (-61)Pavilion Garage (in Palo Alto) Correction - removing Faculty/staff-only parking (-28)spaces from residential zoned areas Parking Structure 10 1160 46 47 L-21 (Jordan Quad) ChEM-H & SNI project (-157)Annual Report L-25 (Panama) 35 177 (2016-2017)23 Kingscote 48 L-35 (Boat House) Denning House project (-60)

KEY TO MAP C-3 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 **CUMULATIVE PARKING PROJECTS Parking** Spaces Map Fiscal Year No.* Project **Spaces** Subtotal L-31 (Roble Lot) (-22)Parking removed due to Escondido Village Total 49 Graduate Residences project (-787)Blackwelder (-186)Hoskins (-144)Jenkins (-106)McFarland (-185)Quillen (-95)Thoburn (-71)Miscellaneous reconstruction/restripe/recount/ADA (-15)EH&S Facility Expansion – Partial lot closure 50 (-49)during construction 51 Serra Mall closure (Serra at Schwab) (-52)L-65 (Cowell Bowdoin) – Removal of construction 25 trailers Annual Report L-2 (Quarry Psychiatry) – Partial closure due to 18 (-667)52 (-52)(2017-2018)Center for Academic Medicine construction L-3 (Quarry South) – Closure due to Center for 53 (-464)Academic Medicine construction Miscellaneous reconstruction/restripe/recount/ADA (-75)across campus Comstock Circle parking changes and East Campus 54 54 Childcare Center project completion EH&S Facility Expansion – Reopening of L-19 23 after project completion Annual Report Projects at Bonair Siding displacing parking (-23)(-29)(2018-2019) Parking removed due to Escondido Village 55 (-61)Graduate Residences Project - Quillen Miscellaneous reconstruction/restripe/recount 1 (-22)ADA across campus 56 L-25 (Panama) Parking Lot Chiller Project (-92)Escondido Road Reconfiguration (-41)Parking added due to Escondido Village Graduate Total 57 Residences project 755 Annual Report 159 Blackwelder Lot 622 (2019-2020)EVGR North Lot 75 Quillen Lot 153 Thoburn Court 57 Thoburn Garage 311 L-21 (Jordan Quad) Parking Lot - Post ChEM-H and 58 59 Neuroscience Project 59 Manzanita Field Garage 844 Annual Report 60 Center for Academic Medicine (CAM) Garage 818 1,716 21 L-3 (Quarry South) - CAM Building Project (2020-2021)61 131 Electioneer - Partial closure due to LBRE 62 (-61)Replacement Building Project

KEY TO MAP C-3 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE PARKING PROJECTS Map **Parking Spaces** Fiscal Year Subtotal No.* Project Spaces L-22 (Searsville Lot) - Partial closure due to LBRE 63 (-107)Replacement Building Project Miscellaneous reconstruction/restripe/recount/ADA 32 across campus Cumulative Net Contribution toward 2000 GUP Parking Cap: **580**

^{*} Map C-3 illustrates the locations of parking projects that change the parking inventory by more than 50 spaces.

^{**} Location 43 and 44 in AR 15 are listed again in AR 16 due to significant changes in those parking lots.




MAP C-3
CUMULATIVE PROJECTS THAT AFFECT PARKING INVENTORY (+/-50 SPACES OR MORE)

KEY TO MAP C-4 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE GRADING PERMIT PROJECTS

Fiscal Year	Map No.	Project
Annual Report 1 (2000-01)	1	Sandstone Sculpture
Annual Report 2 (2001-02)	2	Lomita Mall
	3	Serra/ECR Detention Basin
	4	Serra Street Reconfiguration
	5	Encina Tennis Courts
Annual Report 3 (2002-03)		None
Annual Report 4 (2003-04)	6	West Campus Storm Detention
	7	CTS Breeding Ponds
	8	Hole #3 Golf Cart Bridge Replacement
Annual Report 5 (2004-2005)	9	Hole #4 Golf Cart Bridge Replacement
	10	Temporary Art in Foothills
	11	Taube Tennis Practice Bleachers
Annual Report 6 (2005-2006)	12	Equestrian Center
	13	Carnegie Grading Permit
Annual Report 7 (2006-2007)		None
Annual Report 8 (2007-2008)		None
Annual Report 9 (2008-2009)	14	Dinkelspiel Stage
Annual Report 10 (2009-2010)		None
Annual Report 11 (2010-2011)		None
Annual Report 12 (2011-2012)	15	Arguello Recreation Field
	16	LPCH Contractor Parking Lot
	17	Page Mill Road Construction Laydown
Annual Report 13(2012-2013)	18	Galvez Parking Lot
	19	Lasuen Street Parking Lot
	20	Acorn Parking Lot
Annual Report 14 (2013-2014)	21	Searsville Parking Lot
Annual Report 15 (2014-2015)	22	Stanford Perimeter Trail
	23	Regional Storm Water Treatment Facility
	24	West Campus Detention Basin
	25	Lomita/Roth Parking Lot & Lomita Road
Annual Report 16 (2015-2016)	26	Galvez and Serra St Parking Lot
	27	Palo Lot (laydown)
	28	Galvez Roundabout
	29	Via Ortega South
Annual Report 17 (2016-2017)	30	Stanford Golf Course Renovation (delayed to AR19)
Annual Report 18 (2017-2018)	31	Schwab Drop-off
Annual Report 19 (2018-2019)	32	Golf Course Grading Abatement
	33	Lagunita Diversion Dam Removal and Creek Restoration

KEY TO MAP C-4 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE GRADING PERMIT PROJECTS						
	34	Golf – 10 th Tee Improvements				
	35	Arboretum Lasuen Grading Abatement				
	36	Serra Mall at Encina				
	37	Galvez Arboretum Roundabout				
Annual Report 20 (2019-2020)	38	Stanford University Upper Quarry Restoration (Frog Ponds)				
Annual Report 21 (2020-2021)		<u>None</u>				

Note: These are reported at the time of completion. These are grading projects that were not associated with construction of academic or housing square footage.



MAP C-4
CUMULATIVE COMPLETED GRADING PROJECTS

KEY TO MAP C-5 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE BUILDING PROJECTS THAT DO NOT AFFECT BUILDING AREA CAP*


			Applicable Category			
Applicable GUP C	Conditio	n:		A.2.a	A.2.b	A.3
Fiscal year	Map No.	Project	Size (sq. ft.)	1989 GUP (sq. ft.)	Temporary Surge Space (sq. ft.)	Community Childcare Center (sq. ft.)
Annual Report 1 (2000-01)		None				
	1	Lokey Lab	85,063	85,063		
		Demolish Chem Storage	(-2,441)	(-2,441)		
Annual Report 2 (2001-02)		Demolish Shocktube Lab for ME	(-929)	(-929)		
		CCSC Modular Replacement	768			768
Annual Report 3 (2002-03)		None				
		Maples Surge Trailers	2,688		2,688	
Annual Report 4 (2003-2004)	2	Graduate Community Center	12,000			12,000
		CSLI/EPGY	8,270	8,270		
	3	Wilbur Modular Ext.	27,360		27,360	
Annual Report 5 (2004-2005)		Building 500	2,266	2,266		
(2001 2003)		Maples Surge	(-2,688)		(-2,688)	
		Varian Surge	3,050		3,050	
	3	Wilbur Modular Removal	(-27,360)		(-27,360)	
Annual Report 6 (2005-2006)	4	Old Union – Serra	21,495		21,495	
		Old Union – Lomita	7,680		7,680	
		Old Union – Lomita Removed	(-7,680)		(-7,680)	
Annual Report 7 (2006 – 2007)		Durand Surge (formally Varian Surge)	3,050			
		Tower House Rehabilitation	3,241			3,241

KEY TO MAP C-5 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE BUILDING PROJECTS THAT DO NOT AFFECT BUILDING AREA CAP*

			Applicable Category			
Applicable GUP C	onditio	n:		A.2.a	A.2.b	A.3
Fiscal year	Map No.	Project	Size (sq. ft.)	1989 GUP (sq. ft.)	Temporary Surge Space (sq. ft.)	Community Childcare Center (sq. ft.)
		Black Community Service Center Addition	2,500			2,500
		GSB Modulars	3,840		3,840	
Annual Report 8 (2007 – 2008)		SCRA Sports Complex	3,701			3,701
(2007 – 2008)		Demolish old SCRA complex	(-2,617)			(-2,617)
		Madera Grove Childcare Center (Acorn Building)	8,354			8,354
Annual Report 9 (2008-2009)		Recalculation of AR 1 - 8	197			197
Annual Report 10 (2009-2010)		None				
		Welch Road modulars	4,030		4,030	
Annual Report 11 (2010-2011)		GSB Modular demolition	(-3,840)		(-3,840)	
(2010-2011)		Madera Gove Childcare Center (Mulberry Building)	8,218			8,218
Annual Report 12 (2011-2012)	5	Temporary Child Care Facility	10,560		10,560	
Annual Report 13 (2012-2013)	4	Encina Modulars Trailer demolition (Old Union – Serra)	(-21,495)		(-21,495)	
(2012-2013)		Cowell Lot Construction Trailers	2,584		2,584	
Annual Report 14 (2013-2014)		None				
		Varian Surge (double- counted in AR7)	(-3,050)			
Annual Report 15 (2014-2015)	5	Extension of Temporary Child Care Facility	0 (already counted in AR 12)		0 (already counted in AR 12)	
Annual Report 16 (2015-2016)		Demolition of 315 Campus Dr Modulars (also known as Varian Surge or Durand Surge)	(-3,050)		(3,050)	
Annual Report 17 (2016-2017)		1215 Welch Rd Modulars (C, D, E) demolition	(-4,030)		(-4,030)	
Annual Report 18		West Campus Surge Trailers	560		560	

KEY TO MAP C-5 ANNUAL REPORT 1 THROUGH ANNUAL REPORT 21 CUMULATIVE BUILDING PROJECTS THAT DO NOT AFFECT BUILDING AREA CAP*

				Applicable Category		
Applicable GUP Condition:			A.2.a	A.2.b	A.3	
Fiscal year	Map No.	Project	Size (sq. ft.)	1989 GUP (sq. ft.)	Temporary Surge Space (sq. ft.)	Community Childcare Center (sq. ft.)
(2017-2018)		Removal of Cowell Lot Construction Trailers	(-2,584)		(-2,584)	
		Demolition of Big Kids Little Kids childcare sf portion	(-768)			(-768)
		CCSC Childcare Project - Use of childcare sf	4,406			4,406
Annual Report 19 (2018-2019)		West Campus Surge Trailers	(-560)		(560)	
Annual Report 20 (2019-2020)	5	Temporary Childcare Facility (later renamed Stock Farm Childcare Facility)	(-10,560)		(-10,560)	
Annual Report 21 (2020-2021)		None				
Cumulative Net So	quare F	eet:	132,222	92,229	0	40,000



CUMULATIVE BUILDING PROJECTS THAT DO NOT AFFECT BUILDING AREA CAP (GREATER THAN 10,000GSF)

Appendix D Summary Report of Traffic Monitoring, 2001-2021

The following tables summarize Stanford Traffic Monitoring to date. The requirements for establishment of the traffic baseline and performing annual comparisons to the baseline are contained within the December 2000 Stanford Community Plan/General Use Permit (GUP)/Environmental Impact Report (EIR) and within the 2000 Stanford General Use Permit.

Methodology for Evaluating Traffic Impacts

The GUP *Condition of Approval G.7* outlined the methodology for gathering baseline counts and monitoring. The process can be summarized as follows:

- Peak hour traffic is counted at least three times per year for a two-week period each time. The three counts shall be averaged to determine the annual traffic level.
- All counts are recorded at the sixteen campus entry and exit points, which form a "cordon" around the campus.
- During the count, license plate numbers are recorded for each entering and exiting vehicle to determine the amount of cut-through (and therefore non-campus) traffic.
- Cordon volumes are adjusted for parking lots within the cordon used by the hospital (these volumes are subtracted from the cordon line counts) and parking lots outside the cordon used by the university (these volumes are added to the cordon line counts).
- A peak hour is then established for the campus based on the counts, adjusted for cut-through and parking lot location.

Condition of Approval G.4 defines the "no net new commute trips" standard as no increase in automobile trips during peak commute times in the peak commute direction, as counted at a defined cordon location around the central campus.

Condition of Approval G.6 defines the peak commute directions as entering the campus in the morning peak commute period and leaving the campus in the evening commute period. The peak commute period is defined as the one-hour period of time between 7 AM and 9 AM and again between 4 PM and 6 PM with the highest volume of traffic, as defined by the counts. Therefore, the two peak hours are considered to be independent events.

Condition of Approval G.9 states that the Planning Office shall monitor the cordon count volumes using the procedures described above. If the cordon counts, as modified by trip reduction credits, exceed the baseline volumes as calculated by the procedures outlined above by 1 percent or more for any two out of three consecutive years, mitigation of impacts to intersections identified in the December 2000 Stanford Community Plan/GUP EIR will be required. Since an increase in traffic during the AM peak hour is independent from an increase in traffic during the PM peak hour, an increase in traffic for two out of three years in one peak hour would trigger the additional elements of the monitoring program without a change, or even with a decrease in the other peak hour. Also a significant increase during one year in the AM and a sufficient increase in the PM for the following year would not trigger additional mitigation.

The 90% Confidence Interval means that average traffic during the 8 weeks (40 weekdays), when the traffic data is collected (for purposes of establishing the baseline), will be within the established average traffic counts 90% of the time. This means traffic data collected will be within the Baseline of 3,319 and Upper Range of 3,319 plus 120 trips for the AM counts and Baseline of 3,446 and Upper Range of 3,446 plus 109 trips for the PM counts 90% of the time if there is no statistically significant change in the average traffic. In other words, when the traffic study is conducted under relatively similar traffic conditions, nine times out of ten, the final number will be within the established 90% confidence interval range.

The Table below displays these numbers as formally adopted in 2001 for the 2000 GUP thresholds.

2001 Traffic Baseline and Thresholds

Data Points	Method of Calculation	AM Peak Hour	PM Peak Hour
Baseline (A)	Counted	3,319	3,446
Standard Deviation based on 90% Confidence Interval (B)	Calculated based on daily fluctuations	120	109
Upper Range of Baseline (C)	Number (calculated) C= A + B	3,439	3,555
1 % Trigger - number of trips allowed before penalty (D)	Number (calculated) (D = 1% x C)	35	36
Upper Limit before exceedance taking into account 90% confidence interval with 1% trigger	Calculated (C+D)	3,474	3,591

The 1% trigger was determined through negotiations between the County and Stanford in 2000 during the establishment of the GUP traffic standards. 1% trigger is tied to GUP condition G.9 which states that exceeding this trigger for two out of three years would require intersection improvements, as identified in the mitigation measures.

Monitoring Results

Annual Report 1 - Year 2001 - Baseline

The Stanford Traffic Monitoring began in Spring 2001. Monitoring counts are done each calendar year. The 2001 counts serve as the Baseline to which future years are compared.

Annual Report 2 - Year 2002

Two adjustments were made to the 2002 counts that are summarized in this report. On the basis of results of the 2002 counts, following the adjustments, it was concluded that the counts were below the threshold that would indicate an increase in traffic volumes. Stanford thus was found to be in compliance with the "no net new commute trips" GUP requirement for 2002.

An update to the original 2002 Monitoring Report was issued on October 15, 2003. Following the publication of the July 2003 report, Stanford and the County separately analyzed traffic data for the Stanford Homecoming week. Based on consultation with Stanford and independent analysis of County consultant traffic data, the County determined that data collected for the week of Homecoming should not be included in the comparison data set. The rationale for this decision was that Homecoming had been ongoing for years, was not included in the Baseline counts, and would continue to be an annual event. The County communicated to Stanford that other future "large events" would not be excluded from future counts. The revised analysis substituted the week of October 28, 2002, for the previously counted week of October 14, 2002. The results of this change are noted in the table below as the first revision.

Subsequent to the first adjustment to the 2002 Monitoring Report discussed above, Stanford informed the County that additional Marguerite Shuttle runs had been introduced to campus since the completion of the Baseline counts, and thus counted in the Year 1 (2002) comparison counts. This resulted in an increase of 12 vehicles in each peak hour. County staff determined that these new bus lines should be subtracted from the comparison count. The resultant counts are noted in the table below as the second revision.

Annual Report 3- Year 2003

The results of the 2003 counts were also below the threshold that would indicate an increase in traffic volumes. Stanford thus was also found to be in compliance with the "no net new commute trips" requirement for 2003.

Annual Report 4- Year 2004

The results of the 2004 counts were below the threshold that would indicate an increase in traffic volumes for the inbound AM peak hour traffic. However, the 2004 count for the outbound PM peak hour traffic exceeded the threshold by 51 vehicles. On March 2, 2005 Stanford submitted a 2004 Trip Credit Report that was reviewed by Korve Engineering. This report documented a credit of 66 for the increase in the number of bus trips across the cordon points and the number of transit passengers served outside the cordon area in the PM peak hour between the 2001 baseline and 2004. Most of the trip credits claimed are for passengers (primarily Stanford Hospital employees) getting on the shuttle outside the cordon area and traveling to the Palo Alto Caltrain station. Factoring in the trip credit of 66 trips Stanford did not exceed the no net new commute trip standard based on the 2004 Monitoring Program.

Annual Report 5 - Year 2005

The results of the 2005 Monitoring Report concluded that the adjusted AM inbound count totaled 3,383 vehicles. This represented an increase of 64 vehicles, which fell within the 90% confidence interval and did not represent a significant AM inbound traffic increase. The PM outbound count totaled 3,735 vehicles which was an increase of 289 vehicles from the baseline, which is above the 90% confidence interval by 180 vehicles and above the 1% increase trigger by 144 vehicles. Stanford applied for 182 trip credits for the 2005 monitoring period, consistent with the Cordon Count Credit Guidelines.

Annual Report 6 - Year 2006

The 2006 Monitoring Report concluded that the adjusted AM inbound count totaled 3,048 vehicles. This represented a decrease of 271 vehicles from the baseline and does not represent a significant AM inbound traffic increase. The PM outbound count totaled 3,427 vehicles, which was a decrease of 19 vehicles from the baseline, which is 128 vehicles below the 90 percent confidence interval and 164 vehicles below the 1 percent established trigger. Stanford submitted a 2006 Trip Credit Report showing 223.36 trip credits – this report has been received and confirmed by the County's traffic consultant.

Annual Report 7 - Year 2007

The 2007 Monitoring Report concluded that the adjusted AM inbound count totaled 3,058 vehicles, which was a decrease of 261 vehicles from the baseline, this decrease falls below the 90 percent confidence interval by 141 vehicles and did not represent a significant AM inbound traffic increase. The PM outbound count totaled 3,494 vehicles, which was an increase of 48 vehicles from the baseline counts. This increase falls below the 90 percent confidence interval by 61 vehicles and 97 vehicles below the 1 percent established trigger. Stanford submitted a 2007 Trip Credit Report showing 201 trip credits – this report has been received and confirmed by the County's traffic consultant.

Annual Report 8 - Year 2008

The 2008 Monitoring Report concluded that the adjusted AM inbound count totaled 3,020 vehicles, which was a decrease of 299 vehicles from the baseline and did not represent a significant AM inbound traffic increase. The PM outbound count totaled 3,460 vehicles, which was an increase of 14 vehicles above the baseline count and did not represent a significant PM outbound traffic increase. Stanford submitted a 2008 Trip Credit Report showing 240 trip credits – this report has been received and confirmed by the County's traffic consultant.

Annual Report 9 - Year 2009

The 2009 Monitoring Report concluded that the adjusted AM inbound count totaled 2,840 vehicles, which was a decrease of 479 vehicles from the baseline and did not represent a significant AM inbound traffic increase. The PM outbound count totaled 3,227 vehicles, which was a decrease of 219 vehicles below the baseline count and did not represent a significant PM outbound traffic increase.

Annual Report 10 - Year 2010

The 2010 Monitoring Report concluded that the adjusted AM inbound count totaled 2,921 vehicles, which was a decrease of 553 vehicles from the baseline and did not represent a significant AM inbound traffic increase. The PM outbound count totaled 3,459 vehicles, which was a decrease of 132 vehicles below the baseline count and did not represent a significant PM outbound traffic increase.

Annual Report 11 - Year 2011

The 2011 Monitoring Report concluded that the adjusted AM inbound count totaled 3,081 vehicles, which was a decrease of 393 vehicles from the baseline and did not represent a significant AM inbound traffic increase. The PM outbound count totaled 3,743 vehicles, which was a decrease of 51 vehicles below the baseline count, after the trip credit was applied, and did not represent a significant PM outbound traffic increase.

Annual Report 12 - Year 2012

The 2012 Monitoring Report concluded that the adjusted AM inbound count totaled 3,287 vehicles, which was a decrease of 187 vehicles from the baseline and did not represent a significant AM inbound traffic increase. The PM outbound count totaled 3,590 vehicles, which was a decrease of 302 vehicles below the baseline count, after the trip credit was applied, and did not represent a significant PM outbound traffic increase.

Annual Report 13 - Year 2013

The 2013 Monitoring Report concluded that the adjusted morning (AM) inbound count totaled 3,332 vehicles which was an increase of 13 vehicles from the baseline, which falls within the 90% confidence interval, and does not represent a significant AM inbound traffic increase. The afternoon (PM) outbound count totaled 3,744 vehicles, which is an increase of 298 vehicles from the baseline. However, after applying 339 trip credits submitted by Stanford and verified by the County, the PM peak hour outbound traffic is 186 trips below the 1% established trigger.

Annual Report 14 - Year 2014

The 2014 Monitoring Report concluded that the adjusted morning (AM) inbound count totaled 3,336 vehicles which was an increase of 17 vehicles from the baseline, which falls within the 90% confidence interval, and does not represent a significant AM inbound traffic increase. The afternoon (PM) outbound count totaled 3,696 vehicles, which is an increase of 250 vehicles from the baseline. However, after applying 402 trip credits submitted by Stanford and verified by the County, the PM peak hour outbound traffic is 297 trips below the 1% established trigger.

Annual Report 15 - Year 2015

The 2015 Monitoring Report concluded that the adjusted morning (AM) inbound count totaled 3,142 vehicles which was a decrease of 297 vehicles from the baseline, which falls below the 90% confidence interval, and does not represent a significant AM inbound traffic increase. The afternoon (PM) outbound count totaled 3,257 vehicles, which is a decrease of 298 vehicles from the baseline, and also falls below the 90% confidence interval and does not represent a significant PM outbound traffic increase. After applying 844 trip credits submitted by Stanford and verified by the County, the PM peak hour outbound traffic is 1,178 trips below the 1% established trigger.

Annual Report 16 - Year 2016

The 2016 Monitoring Report concluded that the adjusted morning (AM) inbound count totaled 3,170 vehicles which was a decrease of 149 vehicles from the baseline, which falls below the 90% confidence interval, and does not represent a significant AM inbound traffic increase. The afternoon (PM) outbound count totaled 3,316 vehicles, which is a decrease of 130 vehicles from the baseline, and also falls below the 90% confidence interval and does not represent a significant PM outbound traffic increase. After applying 543 trip credits submitted by Stanford and verified by the County, the PM peak hour outbound traffic is 818 trips below the 1% established trigger.

Annual Report 17 - Year 2017

The 2017 Monitoring Report concluded that the adjusted morning (AM) inbound count totaled 3,202 vehicles which was a decrease of 117 vehicles from the baseline, which falls below the 90% confidence interval, and does not represent a significant AM inbound traffic increase. The afternoon (PM) outbound count totaled 3,324 vehicles, which is a decrease of 122 vehicles from the baseline, and also falls below the 90% confidence interval and does not represent a significant PM outbound traffic increase. Therefore, Stanford met the No Net New Commute Trips standard. Stanford choose not to submit trip credits to the County this year as it was not required to meet the standard.

Annual Report 18 - Year 2018

The 2018 Monitoring Report concluded that the adjusted morning (AM) inbound count totaled 3,575 vehicles which is 256 vehicles higher than the baseline 2001 AM count; 136 vehicles above than the upper boundary of the 90% confidence interval, and 101 vehicles above the established 1 percent trigger. Because the AM peak hour traffic is above the trigger, Stanford Trip Credits are applied to the total to bring the number into compliance with the metric. The 2018 Trip Credits total is 595 Trip Credits. The afternoon (PM) outbound count totaled 3,509 vehicles, which is 63 vehicles higher than the 2001 baseline; 46 vehicles lower than the upper boundary of the 90% confidence interval and does not represent a significant PM outbound traffic increase. With Stanford's approved trip credits, Stanford met the No Net New Commute Trips standard.

Annual Report 19 - Year 2019

The 2019 Monitoring Report concluded that the adjusted morning (AM) inbound count totaled 3,193 vehicles which is 126 vehicles lower than the baseline 2001 AM count; 246 vehicles lower than the upper boundary of the 90% confidence interval, and does not represent a significant AM inbound traffic increase. The afternoon (PM) outbound count totaled 3,292 vehicles, which is 154 vehicles below than the 2001 baseline; 263 vehicles lower than the upper boundary of the 90% confidence interval and does not represent a significant PM outbound traffic increase. Therefore, Stanford met the No Net New Commute Trips standard. Stanford choose not to submit trip credits to the County this year as it was not required to meet the standard.

Annual Report 20 - Year 2020

Year 20 was a highly unusual year because of the COVID-19 pandemic. A COVID-19 shelter-inplace order was issued in March of 2020 and continued through the year. This resulted in the Stanford campus shutting down to limit the spread of the virus. The Spring 2020 Stanford traffic monitoring was cancelled because the campus was closed due to the County's shelter-in-place requirements. In Fall 2020, the County approved the use of a reduced traffic monitoring program for a period of 2 weeks to count raw traffic volumes only and confirm assumptions and observations in significant reduction in traffic volumes.

The 2000 GUP Condition G.7.a. requires traffic counts for a minimum of three times per year for an interval of 2 weeks each time. Since 2003, the established methodology for traffic monitoring program is 6 weeks in the spring and two weeks in the fall for a total of 8 weeks of count data. However, given the pandemic, the County determined that 2 weeks of raw traffic counts would be sufficient to demonstrate that the traffic volumes, due to the pandemic, campus closures and statewide shelter-in-place orders, were well below the historic traffic volumes from 2001.

The baseline used to determine compliance with the no-net-new trips included the adjustments; the adjusted traffic volumes were always calculated as part of the monitoring program for that year. In FY 20, the adjustment data was also not collected because of the COVID-19 pandemic.

County hired traffic consultant, AECOM, compared the raw, unadjusted data with the newly compiled historic raw, unadjusted data from the previous 19 years. Two weeks of data in the fall of 2020 found an average AM peak-hour traffic volume of 1,747. This is compared with the AM peak-hour average of 4,091 from the previous 19 years of data. Two weeks of data in the fall of 2020 found an average PM peak-hour traffic volume of 2,045. This is compared with the PM peak-hour average of 4,355 from the previous 19 years of data. Thus, 2020 raw traffic counts during the pandemic showed traffic at less than half of normal levels. Results determined that raw traffic counts for 2020 do not exceed the historic raw averages for the AM and PM peak hour traffic.

Annual Report 21 - Year 2021

Due to the COVID-19 pandemic and the resulting shelter-in-place order, traffic data that was collected for two weeks in spring of 2021 included raw cordon counts only, with no parking or cut-through adjustments. In fall of 2021, the Stanford University campus was re-opened with safety restrictions in place. This allowed for collection of traffic data for 6 weeks with adjustment of raw traffic counts for both the parking permit and cut-through traffic.

Two weeks of data in the spring of 2021 found an average (unadjusted) AM peak-hour traffic volume of 2,280. This is compared with the AM (unadjusted) peak-hour average of 4,091 from the 19 years of data when there was not a public health crisis. Two weeks of data in the spring of 2021 found an average (unadjusted) PM peak-hour traffic volume of 2,584. This is compared with the PM (unadjusted) peak-hour average of 4,355 from the 19 years of data collected under normal conditions. Thus, spring 2021 (unadjusted) traffic counts during pandemic conditions showed traffic at slightly more than half of normal levels.

In the fall, the monitoring program collected all the data required to compare traffic levels to the baseline. The 2021 Monitoring Report concludes that the adjusted AM inbound fall count totaled 2,719 vehicles. This represents a decrease of 600 vehicles from baseline; it is 720 vehicles below the 90 percent confidence interval and 755 vehicles below the 1 percent established trigger. The PM outbound fall count totaled 2,892 vehicles, which is a decrease of 554 vehicles from the baseline; it is below the 90-percent confidence interval by 663 vehicles and below the one-percent increase trigger by 699 vehicles. Stanford University is in compliance with the 2000 GUP no-net-new-trips requirement in 2021, and trip credits were not needed.

December 2002

2001 Baseline

Original Publication Date:

Updated Publication Date:

Updated Publication Date:

October 15, 2003

Changes between the July 2002 and October 2003 reports were minor editorial corrections.

Original Publication Date:

Inbound AM:	
Adjusted Average 2002 Count	3,319
90% Confidence Interval (2001)	+/- 120
Significant Traffic Increase (2001)	3,439
1% Increase Trigger (2001)	3,474
Outbound PM:	
Adjusted Average 2002 Count	3,446
90% Confidence Interval (2001)	+/- 109
Significant Traffic Increase (2001)	3,555
1% Increase Trigger (2001)	3,591

October 15, 2003			
Original Data	First Revision Data	Second Revision Data	
3,390	3,287	3,275	
+/-120	+/-120	+/-120	
3,439	3,439	3,439	
3,474	3,474	3,474	
-84	-187	-199	
	First	Second	
Original	Revision	Revision	
Data	Data	Data	
3,678	3,598	3,586	
+/-109	+/-109	+/-109	
3,555	3,555	3,555	
3,591	3,591	3,591	
+87	+7	-5	
	Data 3,390 +/-120 3,439 3,474 -84 Original Data 3,678 +/-109 3,555 3,591	Original Data First Revision Data 3,390 3,287 +/-120 +/-120 3,439 3,439 3,474 3,474 -84 -187 First Revision Data 3,678 3,598 +/-109 4/-109 3,555 3,591 3,591 3,591	

2003 Monitoring Report

Original Publication Date:	January 29, 2004
The following table summarizes the results of traffic monitoring for 2003.	
nbound AM:	
Adjusted Average 2003 Count	3,413
Baseline-established 90% Confidence Interval (2001)	+/- 120
Baseline-established Significant Traffic Increase (2001)	3,439
Baseline-established 1% Increase Trigger (2001)	3,474
Result (falls below the 90% Confidence Interval by 26 vehicles)	-26
Result (falls below the 1% Trigger by 61 vehicles)	-61
Outbound PM:	
Adjusted Average 2003 Count	3,476
Baseline-established 90% Confidence Interval (2001)	+/- 109
Baseline-established Significant Traffic Increase (2001)	3,555
Baseline-established 1% Increase Trigger (2001)	3,591
Result (falls below the 90% Confidence Interval by 79 vehicles)	-79
Result (falls below the 1% Trigger by 115 vehicles)	-115

Original Publication Date:	January 18, 2005
The following table summarizes the results of traffic monitoring for 2004.	
nbound AM:	
Adjusted Average 2004 Count	3,176
Baseline-established 90% Confidence Interval (2001)	+/- 120
Baseline-established Significant Traffic Increase (2001)	3,439
Baseline-established 1% Increase Trigger (2001)	3,474
Result (falls below the 90% Confidence Interval by 263 vehicles)	-263
Result (falls below the 1% Trigger by 298 vehicles)	-298
Outbound PM:	
Adjusted Average 2004 Count	3,642
Baseline-established 90% Confidence Interval (2001)	+/- 109
Baseline-established Significant Traffic Increase (2001)	3,555
Baseline-established 1% Increase Trigger (2001)	3,591
Result (exceeds the 90% Confidence Interval by 87 vehicles)	+87
Result (exceeds the 1% Trigger by 51 vehicles)	+51
2004 Trip Credit	-66
Result with Trip Credit (falls below the 1% Trigger by 15 vehicles)	-15

	B. 6		=	D	4
2005	IVIO	nito	rına	Repor	T
					_

2005 Monitoring Report	
Original Publication Date:	December 21, 2005
The following table summarizes the results of traffic monitoring for 2005.	
Inbound AM:	
Adjusted Average 2005 Count	3,383
Baseline-established 90% Confidence Interval (2001)	+/- 120
Baseline-established Significant Traffic Increase (2001)	3,439
Baseline-established 1% Increase Trigger (2001)	3,474
Result (Falls below the 90% Confidence Interval by 56 vehicles)	-56
Result (Falls below the 1% Trigger by 91 vehicles)	-91
Outbound PM:	
Adjusted Average 2005 Count	3,735
Baseline-established 90% Confidence Interval (2001)	+/- 109
Baseline-established Significant Traffic Increase (2001)	3,555
Baseline-established 1% Increase Trigger (2001)	3,591
Result (exceeds the 90% Confidence Interval by 180 vehicles)	+180
Result (exceeds the 1% Trigger by 144 vehicles)	+144
2005 Trip Credit	-174
Result with Trip Credit (falls below the 1% trigger by 30 vehicles)	-30
2006 Monitoring Report	
Original Publication Date:	November 20, 2006
The following table summarizes the results of traffic monitoring for 2006.	
Inbound AM:	
Adjusted Average 2006 Count	3,048
Baseline-established 90% Confidence Interval (2001)	+/- 120
Baseline-established Significant Traffic Increase (2001)	3,439
Baseline-established 1% Increase Trigger (2001)	3,474
Result (falls below the 90% confidence interval by 391 vehicles)	-391
Result (falls below the 1% increase trigger by 426 vehicles)	-426
Outbound PM:	
Adjusted Average 2006 Count	3,427
Baseline-established 90% Confidence Interval (2001)	+/- 109
Baseline-established Significant Traffic Increase (2001)	3,555
Baseline-established 1% Increase Trigger (2001)	3,591
Result (falls below the 90% confidence interval by 128 vehicles)	3,591 -128
	3,591

2007 Monitoring Report		
Original Publication Date:	November 2007	
The following table summarizes the results of traffic monitoring for 2007.		
Inbound AM:		
Adjusted Average 2007 Count	3,058	
Baseline-established 90% Confidence Interval (2001)	+/- 120	
Baseline-established Significant Traffic Increase (2001)	3,439	
Baseline-established 1% Increase Trigger (2001)	3,474	
Result (falls below the 90% confidence interval by 381 vehicles)	-381	
Result (falls below the 1% increase trigger by 416 vehicles)	-416	
Outbound PM:		
Adjusted Average 2007 Count	3,494	
Baseline-established 90% Confidence Interval (2001)	+/- 109	
Baseline-established Significant Traffic Increase (2001)	3,555	
Baseline-established 1% Increase Trigger (2001)	3,591	
Result (falls below the 90% confidence interval by 61 vehicles)	-61	
• /		
Result (falls below the 1% trigger by 97 vehicles) 2008 Monitoring Report	-97	
2008 Monitoring Report	-97 November 2008	
2008 Monitoring Report Original Publication Date:		
2008 Monitoring Report Original Publication Date:		
2008 Monitoring Report Original Publication Date: The following table summarizes the results of traffic monitoring for 2008.		
2008 Monitoring Report Original Publication Date: The following table summarizes the results of traffic monitoring for 2008. Inbound AM: Adjusted Average 2008 Count	November 2008 3,020	
2008 Monitoring Report Original Publication Date: The following table summarizes the results of traffic monitoring for 2008. Inbound AM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001)	3,020 +/- 120	
2008 Monitoring Report Original Publication Date: The following table summarizes the results of traffic monitoring for 2008. Inbound AM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001)	3,020 +/- 120 3,439	
2008 Monitoring Report Original Publication Date: The following table summarizes the results of traffic monitoring for 2008. Inbound AM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001) Baseline-established 1% Increase Trigger (2001)	3,020 +/- 120 3,439 3,474	
2008 Monitoring Report Original Publication Date: The following table summarizes the results of traffic monitoring for 2008. Inbound AM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001) Baseline-established 1% Increase Trigger (2001) Result (falls below the 90% confidence interval by 419 vehicles)	3,020 +/- 120 3,439 3,474 -419	
2008 Monitoring Report Original Publication Date: The following table summarizes the results of traffic monitoring for 2008. Inbound AM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001) Baseline-established 1% Increase Trigger (2001)	3,020 +/- 120 3,439 3,474	
2008 Monitoring Report Original Publication Date: The following table summarizes the results of traffic monitoring for 2008. Inbound AM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001) Baseline-established 1% Increase Trigger (2001) Result (falls below the 90% confidence interval by 419 vehicles) Result (falls below the 1% increase trigger by 454 vehicles) Outbound PM:	3,020 +/- 120 3,439 3,474 -419	
2008 Monitoring Report Original Publication Date: The following table summarizes the results of traffic monitoring for 2008. Inbound AM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001) Baseline-established 1% Increase Trigger (2001) Result (falls below the 90% confidence interval by 419 vehicles) Result (falls below the 1% increase trigger by 454 vehicles) Outbound PM: Adjusted Average 2008 Count	3,020 +/- 120 3,439 3,474 -419	
2008 Monitoring Report Original Publication Date: The following table summarizes the results of traffic monitoring for 2008. Inbound AM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001) Baseline-established 1% Increase Trigger (2001) Result (falls below the 90% confidence interval by 419 vehicles) Result (falls below the 1% increase trigger by 454 vehicles) Outbound PM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001)	3,020 +/- 120 3,439 3,474 -419 -454 3,460 +/- 109	
2008 Monitoring Report Original Publication Date: The following table summarizes the results of traffic monitoring for 2008. Inbound AM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001) Baseline-established 1% Increase Trigger (2001) Result (falls below the 90% confidence interval by 419 vehicles) Result (falls below the 1% increase trigger by 454 vehicles) Outbound PM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001)	3,020 +/- 120 3,439 3,474 -419 -454 3,460 +/- 109 3,555	
2008 Monitoring Report Original Publication Date: The following table summarizes the results of traffic monitoring for 2008. Inbound AM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001) Baseline-established 1% Increase Trigger (2001) Result (falls below the 90% confidence interval by 419 vehicles) Result (falls below the 1% increase trigger by 454 vehicles) Outbound PM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001) Baseline-established 1% Increase Trigger (2001)	3,020 +/- 120 3,439 3,474 -419 -454 3,460 +/- 109 3,555 3,591	
Original Publication Date: The following table summarizes the results of traffic monitoring for 2008. Inbound AM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001) Baseline-established 1% Increase Trigger (2001) Result (falls below the 90% confidence interval by 419 vehicles) Result (falls below the 1% increase trigger by 454 vehicles) Outbound PM: Adjusted Average 2008 Count Baseline-established 90% Confidence Interval (2001) Baseline-established Significant Traffic Increase (2001)	3,020 +/- 120 3,439 3,474 -419 -454 3,460 +/- 109 3,555	

Original Publication Date:	November 2009
The following table summarizes the results of traffic monitoring for 2009.	
Inbound AM:	
Adjusted Average 2009 Count	2,840
Baseline-established 90% Confidence Interval (2001)	+/- 120
Baseline-established Significant Traffic Increase (2001)	3,439
Baseline-established 1% Increase Trigger (2001)	3,474
Result (falls below the 90% confidence interval by 599 vehicles)	-599
Result (falls below the 1% increase trigger by 634 vehicles)	-634
Outbound PM:	
Adjusted Average 2009 Count	3,227
Baseline-established 90% Confidence Interval (2001)	+/- 109
Baseline-established Significant Traffic Increase (2001)	3,555
Baseline-established 1% Increase Trigger (2001)	3,591
Result (falls below the 90% confidence interval by 328 vehicles)	-328
Result (falls below the 1% trigger by 364 vehicles)	-364
2010 Monitoring Report	
Original Publication Date:	December 2010
The following table summarizes the results of traffic monitoring for 2010	
Inbound AM:	
Adjusted average 2010 count	2,921
Baseline-established 90% confidence interval (2001)	+/- 120
Baseline-established significant traffic increase (2001)	3,439
Baseline-established 1% increase trigger (2001)	3,474
Result (falls below the 90% confidence interval by 518 vehicles)	-518
Result (falls below the 1% increase trigger by 553 vehicles)	-553
Outbound PM:	
Adjusted average 2010 count	3,459
Baseline-established 90% confidence interval (2001)	+/- 109
Baseline-established significant traffic increase (2001)	3,555
Baseline-established 1% increase trigger (2001)	3,591
Result (falls below the 90% confidence interval by 96 vehicles)	-96
Result (falls below the 1% increase trigger by 132 vehicles)	-132

Original Publication Date:	December 2011
The following table summarizes the results of traffic monitoring for 2011	
Inbound AM:	
Adjusted average 2011 count	3,081
Baseline-established 90% confidence interval (2001)	+/- 120
Baseline-established significant traffic increase (2001)	3,439
Baseline-established 1% increase trigger (2001)	3,474
Result (falls below the 90% confidence interval by 358 vehicles)	-358
Result (falls below the 1% increase trigger by 393 vehicles)	-393
Outbound PM:	
Adjusted average 2011 count	3,743
Baseline-established 90% confidence interval (2001)	+/- 109
Baseline-established significant traffic increase (2001)	3,555
Baseline-established 1% increase trigger (2001)	3,591
Result (exceeds the 90% confidence interval by 188 vehicles)	+188
Result (exceeds the 1% increase trigger by 152 vehicles)	+152
2011 Trip Credit	-203
Result with Trip Credit (falls below the 1% trigger by 51 vehicles)	-51
2012 Monitoring Report	
	D
Original Publication Date:	December 2012
The following table summarizes the results of traffic monitoring for 2012	
Inbound AM:	
Adjusted average 2012 count	3,287
Baseline-established 90% confidence interval (2001)	+/- 120
Baseline-established significant traffic increase (2001)	3,439
Baseline-established 1% increase trigger (2001)	2 474
Dasenne-established 170 merease trigger (2001)	3,474
Result (falls below the 90% confidence interval by 152 vehicles)	-152
Result (falls below the 90% confidence interval by 152 vehicles) Result (falls below the 1% increase trigger by 187 vehicles) Outbound PM:	-152 -187
Result (falls below the 90% confidence interval by 152 vehicles) Result (falls below the 1% increase trigger by 187 vehicles) Outbound PM: Adjusted average 2012 count	-152 -187 3,590
Result (falls below the 90% confidence interval by 152 vehicles) Result (falls below the 1% increase trigger by 187 vehicles) Outbound PM: Adjusted average 2012 count Baseline-established 90% confidence interval (2001)	-152 -187 3,590 +/- 109
Result (falls below the 90% confidence interval by 152 vehicles) Result (falls below the 1% increase trigger by 187 vehicles) Outbound PM: Adjusted average 2012 count Baseline-established 90% confidence interval (2001) Baseline-established significant traffic increase (2001)	-152 -187 3,590 +/- 109 3,555
Result (falls below the 90% confidence interval by 152 vehicles) Result (falls below the 1% increase trigger by 187 vehicles) Outbound PM: Adjusted average 2012 count Baseline-established 90% confidence interval (2001) Baseline-established significant traffic increase (2001) Baseline-established 1% increase trigger (2001)	-152 -187 3,590 +/- 109 3,555 3,591
Result (falls below the 90% confidence interval by 152 vehicles) Result (falls below the 1% increase trigger by 187 vehicles) Outbound PM: Adjusted average 2012 count Baseline-established 90% confidence interval (2001) Baseline-established significant traffic increase (2001) Baseline-established 1% increase trigger (2001) Result (exceeds the 90% confidence interval by 35 vehicles)	-152 -187 3,590 +/- 109 3,555 3,591 +35
Result (falls below the 90% confidence interval by 152 vehicles) Result (falls below the 1% increase trigger by 187 vehicles) Outbound PM: Adjusted average 2012 count Baseline-established 90% confidence interval (2001) Baseline-established significant traffic increase (2001) Baseline-established 1% increase trigger (2001) Result (exceeds the 90% confidence interval by 35 vehicles) Result (falls below the 1% increase trigger by 1 vehicle)	-152 -187 3,590 +/- 109 3,555 3,591 +35 -1
Result (falls below the 90% confidence interval by 152 vehicles) Result (falls below the 1% increase trigger by 187 vehicles) Outbound PM: Adjusted average 2012 count Baseline-established 90% confidence interval (2001) Baseline-established significant traffic increase (2001) Baseline-established 1% increase trigger (2001) Result (exceeds the 90% confidence interval by 35 vehicles)	-152 -187 3,590 +/- 109 3,555 3,591 +35

2013 Monitoring Report	
Original Publication Date:	March 2014
The following table summarizes the results of traffic monitoring for 2013	
Inbound AM: Adjusted average 2013 count Baseline-established 90% confidence interval (2001) Baseline-established significant traffic increase (2001) Baseline-established 1% increase trigger (2001) Result (falls below the 90% confidence interval by 107 vehicles) Result (falls below the 1% increase trigger by 142 vehicles) Outbound PM: Adjusted average 2013 count Baseline-established 90% confidence interval (2001) Baseline-established significant traffic increase (2001) Baseline-established 1% increase trigger (2001) Result (falls above the 90% confidence interval by 189 vehicles) Result (falls above the 1% increase trigger by 152 vehicles) 2013 Trip Credit	3,332 +/- 120 3,439 3,474 -107 -142 3,744 +/- 109 3,555 3,591 +189 +153 -339
Result with Trip Credit (falls below the 1% trigger by 51 vehicles)	-186
2014 Monitoring Report Original Publication Date:	April 2015
The following table summarizes the results of traffic monitoring for 2014	·
Inbound AM: Adjusted average 2014 count Baseline-established 90% confidence interval (2001) Baseline-established significant traffic increase (2001) Baseline-established 1% increase trigger (2001) Result (falls below the 90% confidence interval by 103 vehicles) Result (falls below the 1% increase trigger by 138 vehicles)	3,336 +/- 120 3,439 3,474 -103 -138
Outbound PM: Adjusted average 2014 count Baseline-established 90% confidence interval (2001) Baseline-established significant traffic increase (2001) Baseline-established 1% increase trigger (2001) Result (exceeds the 90% confidence interval by 141 vehicles) Result (exceeds the 1% increase trigger by 105 vehicles) 2014 Trip Credit Result with Trip Credit (falls below the 1% trigger by 297 vehicles)	3,696 +/- 109 3,555 3,591 +141 +105 -402 -297

2015	Monitoring	Report
------	-------------------	--------

Original Publication Date:	February 2016	
The following table summarizes the results of traffic monitoring for 2015		
Inbound AM:		
Adjusted average 2015 count	3,142	
Baseline-established 90% confidence interval (2001)	+/- 120	
Baseline-established significant traffic increase (2001)	3,439	
Baseline-established 1% increase trigger (2001)	3,474	
Result (falls below the 90% confidence interval by 297 vehicles)	-297	
Result (falls below the 1% increase trigger by 332 vehicles)	-332	
Outbound PM:		
Adjusted average 2015 count	3,257	
Baseline-established 90% confidence interval (2001)	+/- 109	
Baseline-established significant traffic increase (2001)	3,555	
Baseline-established 1% increase trigger (2001)	3,591	
Result (falls below the 90% confidence interval by 298 vehicles)	-298	
Result (falls below the 1% increase trigger by 334 vehicles)	-334	
2015 Trip Credit	-844	
Result with Trip Credit (falls below the 1% trigger by 1,178 vehicles)	-1,178	
2016 Monitoring Report		
Original Publication Date:	March 2017	
The following table summarizes the results of traffic monitoring for 2016		
Inbound AM:		
Adjusted average 2016 count	3,170	
Baseline-established 90% confidence interval (2001)	+/- 120	
Baseline-established significant traffic increase (2001)	3,439	
Baseline-established 1% increase trigger (2001)	3,474	
Result (falls below the 90% confidence interval by 269 vehicles)	-269	
Result (falls below the 1% increase trigger by 304 vehicles)	-304	
2016 Trip Credit	-461	
Result with Trip Credit (falls below the 1% trigger by 765 vehicles)	-765	
Outbound PM:		
Adjusted average 2016 count	3,316	
Baseline-established 90% confidence interval (2001)	+/- 109	
Baseline-established significant traffic increase (2001)	3,555	
Baseline-established 1% increase trigger (2001)	3,591	
Result (falls below the 90% confidence interval by 239 vehicles)	-239 275	
Result (falls below the 1% increase trigger by 275 vehicles)	-275 542	
2016 Trip Credit Popult with Trip Credit (falls below the 1% trigger by \$18 yehioles)	-543 010	
Result with Trip Credit (falls below the 1% trigger by 818 vehicles)	-818	

2017 Monitoring Report		
Original Publication Date:	January 2018	
The following table summarizes the results of traffic monitoring for 2017		
Inbound AM:		
Adjusted average 2017 count	3,202	
Baseline-established 90% confidence interval (2001)	+/- 120	
Baseline-established significant traffic increase (2001)	3,439	
Baseline-established 1% increase trigger (2001)	3,474	
Result (falls below the 90% confidence interval by 237 vehicles)	-237	
Result (falls below the 1% increase trigger by 272 vehicles)	-272	
2017 Trip Credit	-0	
Result with Trip Credit	-0	
Outbound PM:		
Adjusted average 2016 count	3,324	
Baseline-established 90% confidence interval (2001)	+/- 109	
Baseline-established significant traffic increase (2001)	3,555	
Baseline-established 1% increase trigger (2001)	3,591	
Result (falls below the 90% confidence interval by 231 vehicles)	-231	
Result (falls below the 1% increase trigger by 267 vehicles)	-267	
2017 Trip Credit	-0	
Result with Trip Credit	-0	
2018 Monitoring Report		
Original Publication Date:	May 2018	
	•	
The following table summarizes the results of traffic monitoring for 2018		
Inbound AM:		
Adjusted average 2018 count	3,575	
Baseline-established 90% confidence interval (2001)	+/- 120	
Baseline-established significant traffic increase (2001)	3,439	
Baseline-established 1% increase trigger (2001)	3,474	
Result (exceeds the 90% confidence interval by 136 vehicles)	136	
Result (exceeds the 1% increase trigger by 101 vehicles)	101	
2018 Trip Credit	-595	
Result with Trip Credit	-494	
Outbound PM:		
Adjusted average 2018 count	3,509	
Baseline-established 90% confidence interval (2001)	+/- 109	
Baseline-established significant traffic increase (2001)	3,555	
Baseline-established 1% increase trigger (2001)	3,591	
Result (falls below the 90% confidence interval by 46 vehicles)	-46	
Degult (falls below the 10% increase trigger by 92 vehicles)	92	

Result (falls below the 1% increase trigger by 82 vehicles)

2018 Trip Credit

Result with Trip Credit

-82

0

2019 Monitoring Report

Original Publication Date:	March 2020
The following table summarizes the results of traffic monitoring for 2019	
Inbound AM:	
Adjusted average 2019 count	3,193
Baseline-established 90% confidence interval (2001)	+/- 120
Baseline-established significant traffic increase (2001)	3,439
Baseline-established 1% increase trigger (2001)	3,474
Result (falls below the 90% confidence interval by 246 vehicles)	-246
Result (falls below the 1% increase trigger by 281 vehicles)	-281
2019 Trip Credit	-0
Result with Trip Credit	0
Outbound PM:	
Adjusted average 2019 count	3,292
Baseline-established 90% confidence interval (2001)	+/- 109
Baseline-established significant traffic increase (2001)	3,555
Baseline-established 1% increase trigger (2001)	3,591
Result (falls below the 90% confidence interval by 263 vehicles)	-263
Result (falls below the 1% increase trigger by 229 vehicles)	-299
2019 Trip Credit	-0
Result with Trip Credit	0

2020 Monitoring Report

Original Publication Date:

March 2021

Year 20 was a highly unusual year because of the COVID-19 pandemic. The Spring 2020 Stanford traffic monitoring was cancelled because the campus was closed due to the County's shelter-in-place requirements. In Fall 2020, reduced traffic monitoring was conducted for a period of 2 weeks.

For year 2020, only raw, unadjusted data was obtained. In typical years, parking and license plate data is collected to adjust traffic volumes to capture just university traffic through the cordon (i.e., removing hospital affiliated parking inside the cordon, adding in university affiliated parking outside the cordon, and removing cut-through traffic from the cordon). However, these tasks could not be performed in 2020 due to COVID-19 related restrictions. Hence, the raw, unadjusted data was compared with the newly compiled historic raw, unadjusted data from the previous 19 years. The raw unadjusted average counts do not represent an adopted traffic baseline. Count dates for the 2020 Monitoring Report were week of September 28, 2020 and week of October 5, 2020. The following table summarizes the results of traffic monitoring program for 2020.

Inbound AM:

Average historic raw (unadjusted) peak traffic count (2001-2019)	4,091
Average raw (unadjusted) peak traffic count (2020)	1,747
Result (falls below the average historic (unadjusted) neak raw traffic count by 2.34	44 vehicles)-2 344

Outbound PM:

Average historic raw (unadjusted) peak traffic count (2001-2019)	4,355
Average raw (unadjusted) peak traffic count (2020)	2,045
Result (falls below the average historic (unadjusted) peak raw traffic count by 2,310 vehicle	es)-2,310

2021 Monitoring Report

Original Publication Date:	March 2022
The following table summarizes the results of traffic monitoring for 2021*	
Inbound AM:	
Adjusted average 2021 count	2,719
Baseline-established 90% confidence interval (2001)	+/- 120
Baseline-established significant traffic increase (2001)	3,439
Baseline-established 1% increase trigger (2001)	3,474
Result (falls below the 90% confidence interval by 720 vehicles)	-720
Result (falls below the 1% increase trigger by 755 vehicles)	-755
2021 Trip Credit	-0
Result with Trip Credit	0
Outbound PM:	
Adjusted average 2021 count	2,892
Baseline-established 90% confidence interval (2001)	+/- 109
Baseline-established significant traffic increase (2001)	3,555
Baseline-established 1% increase trigger (2001)	3,591
Result (falls below the 90% confidence interval by 663 vehicles)	-663
Result (falls below the 1% increase trigger by 699 vehicles)	-699
2021 Trip Credit	-0
Result with Trip Credit	0

^{*} This is a summary of traffic data collected in Fall 2021. Spring 2021 traffic data was not used as it included raw cordon counts only, with no parking or cut-through adjustments.

Definitions

The following definitions are provided to assist in understanding for procedures of the Stanford Traffic Monitoring.

Adjusted Traffic – The raw traffic counts defined below are adjusted to add in University traffic that does not cross the cordon, and to subtract hospital traffic that does cross the cordon, and cutthrough traffic through the campus that is not university related. The adjusted traffic volumes are used to compare the Baseline traffic volumes to subsequent year volumes to assess potential changes in commute traffic volumes.

AM Peak Hour – The 60-minute time period with the highest volume of traffic within the 2-hour AM Peak Period. During the AM Peak Period, traffic counts are aggregated by 15-minute increments. The AM Peak Hour is the highest four consecutive 15-minute intervals during the Peak Period for all 16 entrance/exit points combined.

AM Peak Period – The 2-hour period beginning at 7:00 AM and ending at 9:00 AM. The AM Peak Hour is calculated for traffic volumes collected during the AM Peak Period.

Average Count – Traffic data are collected for 16 entry and exit points. The entering data are averaged for the AM peak, and the existing data are averaged for the PM peak. The average counts are used to compare one year to a subsequent year to determine if a change in traffic volumes has occurred.

Baseline – The Baseline traffic data are the counts from calendar year 2001, the first year of monitoring after approval of the Stanford GUP in 2000. Subsequent year's counts are compared to the Baseline to determine if the GUP condition requiring no net new commute trips is being satisfied.

Cordon Line – A cordon line is an imaginary line that completely encircles an area and crosses all roads leading into and out of the area. By counting traffic volumes on the cordon by direction, the amount of traffic entering the area and exiting the area can be determined. For Stanford traffic monitoring, the cordon line surrounds the campus and crosses all entry and exit roads, such that all vehicles entering and exiting the campus can be counted.

License Plate Recognition – In 2018, Stanford University moved to a virtual permit platform that uses license plate recognition technology. This change has altered the way some of the data are collected for the monitoring report. Tube counters in the road continue to count the raw number of trips through the cordon. Parking lot data, now conducted through license plate recognition technology, calculates the absolute percentage of vehicles that are affiliated with the hospitals versus the absolute percentage of vehicles that are affiliated with the university during the morning and afternoon peak interval. While Stanford has expressed a preference for this data to be applied as a relative percentage rather than an absolute proportion, the County has determined that this adjustment should continue to be applied as an absolute proportion because this is the established methodology and because it is the more conservative treatment of the data. The parking-permit license-plate scanning is one of two adjustments to the cordon counts. This adjustment modifies the data to account for campus-affiliated vehicles parked outside the cordon (an increase to the raw total) and hospital-affiliated vehicles parked inside the cordon (a decrease for the raw total).

License Plate Survey – The last four digits of the license plates of each vehicle entering and exiting the campus is recorded by the County's traffic consultant, AECOM Engineering, for one day during each week of traffic counts. The time period during which each identified vehicles enters and exits the campus cordon is also recorded. If an entering vehicle's license plate matches an existing vehicle's license plate with a 20-minute interval, that vehicle is assumed to represent a cut-through trip (i.e, not campus-related) and is subtracted from the total traffic count for Stanford since it does not represent traffic related to Stanford. In order for a vehicle trip to be identified as "cut-through", it must be identified by license plate match as having entered via one roadway and exited via another. If a car is identified by license plate match as using the same entering and exiting roadway, the trip purpose is assumed to be to drop-off a passenger within the campus, and the trip is assumed to be Stanford related and is not subtracted from the trip count total.

PM Peak Hour – The 60-minute time period during which the highest volume of traffic is counted, within the 2-hour PM Peak Period. During the Peak Period, traffic counts are aggregated by 15-minute increments. The PM Peak Hour is the highest four consecutive 15-minute interval during the Peak Period for all 16 entrance/exit points combined.

PM Peak Period – The 2-hour period beginning at 4:00 PM and ending at 6:00 PM. The PM Peak Hour is calculated for traffic volumes collected during the PM Peak Period.

Raw Data – The total traffic volumes counted at the cordon line before adjustments are made known as unadjusted volumes. Adjustments are made to the raw data to subtract hospital parking within the cordon, and cut-through traffic from the total count, and to add university parking

outside the cordon to the total count, in order to accurately account for traffic attributable to Stanford University.

Significant Traffic Increase – In comparing the change in traffic volumes between the Baseline and subsequent years, only statistically significant changes are considered. The following parameters define how a significant traffic increase is calculated:

- Ninety Percent Confidence Interval A confidence interval is calculated to determine if a subsequent set of data is statistically different from the Baseline data. The County selected a 90-percent confidence interval as the significance threshold. Based on the daily variation in the Baseline counts, the 90-percent confidence interval for the AM peak hour is +/- 120 vehicles. The 90-percent confidence interval for the PM peak hour is +/- 109 vehicles. Therefore, if a subsequent year count exceeds the Baseline count by more than 120 vehicles, there is a 90 percent likelihood that the increase in traffic volumes has increased significantly.
- One Percent Increase Trigger The one percent trigger is a second criterion for identifying significant increases in traffic volume. Condition of Approval G.9 stipulates that if traffic volumes increase above the Baseline volumes by one percent or more in two out of three consecutive years, this will "trigger" a requirement for additional mitigation.

Trip Credits – *Condition of Approval G.8* specifies that the County will recognize and "credit" Stanford off-campus trip reduction efforts after the approval data of the GUP (December 12, 2000), but not before, within a specified area surrounding the campus. These credits can be used to offset a significant increase in peak hour traffic into and out of the campus. Specific guidelines have been established that define how credits can be applied. An example of a credit would be Stanford providing bus service to someone traveling from the Caltrain Station to the hospital. By reducing overall travel in the area around the campus, Stanford can receive a credit against increases in travel onto the campus.

Appendix E Sustainability at Stanford Annual Report





As the Stanford community begins to re-engage physically, we are weaving the lessons and experiences of the global pandemic into new ways of thinking and living, with sustainability as a central motif. More people than ever are recognizing and responding to the realities of how our institutional systems and behaviors intertwine with the environmental, social, and economic health of our society and the planet. While fewer people may have been on campus over the past year, Stanford's community has been persistent in pioneering sustainability research, programs, and infrastructure improvements.

Stanford's Long-Range Vision commitment to create a school focused on climate and sustainability has continued to take shape. As part of the school's purpose is to help the university function as a living lab, it was announced this year that the school will include a <u>Sustainability Accelerator</u> focusing on external engagements that translate policy and technology solutions into new applications. The school will also provide grants to students to do research on key initiatives, such as environmental justice and the circular economy.

Among other sustainability initiatives at Stanford, the new school is also one of the factors leading to Stanford's newfound position as the <u>first U.S. higher education institution to issue a bond based on environmental stewardship and social responsibility standards</u>. This bond initiative demonstrates Stanford's commitment to enacting sustainability on campus in a measurable way over the long term. Stanford's <u>IDEAL initiative</u> was also noted as an element of social responsibility under the bond. In 2021, the IDEAL initiative also took the unprecedented step of launching a <u>university-wide diversity, equity, and inclusion survey</u>. The outcomes of this survey will aid the university in understanding and identifying gaps related to social and racial justice, which will foster further program development.

Despite the challenges of the pandemic, the Stanford community has ensured the university continues to make headway toward its goals to reduce campus greenhouse gas emissions by 80% and divert 90% of its waste from the landfill. In June 2020, the Board of Trustees passed a resolution calling for the university to eliminate its Scope 1, 2, and 3 greenhouse gas emissions by 2050. While the university has laid out a path to reducing Scope 1 and 2 emissions, Scope 3 emissions mitigation strategies are less clear. As a result, the university launched a new Scope 3 Emissions Program, sponsored by the Vice President of Business Affairs. The first of its kind within higher education, this new program aims to reduce, mitigate, or offset Stanford's Scope 3 emissions and establish a path that other institutions can follow.

As the campus will be returning to in-person courses this fall, the university is now preparing for the "new normal" with sustainability and public health principles in mind. Staff are implementing changes related to dining, waste, energy, water, cleaning, and indoor air quality. New ways of teaching and working are also being piloted on and off campus. For example, a <u>flexible work pilot</u> has been conducted at Stanford's Redwood City campus this summer, and <u>resources are being shared</u> to help instill sustainability best practices for those returning to campus.

Every member of the Stanford community plays a role in shaping the sustainable future of the university. Academic research, student behavior, and operational changes enacted on campus directly support the ability of the campus and broader community to thrive. The report below provides a glimpse of this year's endeavors.

Aurora Winslade

Aurora Winslade
Director, Office of Sustainability
Department of Sustainability and Energy Management (SEM)

2020-21 Year in Review

Platinum Research Institution

Stanford is a Platinum rated institution through the <u>Sustainability Tracking</u>, <u>Assessment</u>, <u>& Rating System (STARS)</u> administered by the national Association for the Advancement of Sustainability in Higher Education. With a weighted rating of 88% across criteria for academia, administration, operations, and coordination, Stanford is **one of only nine U.S. institutions to earn this highest place among research institutions, among 1,000+ institutions reporting.**

View more awards Stanford has earned this year



2020-21 Year in Review

Thinking globally, acting locally: UN Sustainable Development Goals

In 2015, the United Nations adopted a plan to help create a prosperous future for the planet and guide the UN's work through 2030. The agenda establishes 17 Sustainable Development Goals (SDGs) toward which countries are working. The SDGs cover a broad range of topics and help countries and industries consider the impacts of their operations in a uniform manner. Throughout this report, you will see icons where Stanford's work to innovate solutions maps and aligns with the SDGs.




Bridging Disciplines in Research and Academia

The realities of the pandemic have ignited even more enthusiasm among Stanford's faculty and students for conducting meaningful sustainability research. Scholars at the Woods Institute have investigated the key <u>interlinks between healthcare</u>, <u>deforestation</u>, <u>wildfires</u>, <u>and climate change</u>. Stanford researchers collaborating in the Stanford Existential Risks Initiative</u> have focused on

evaluating global risks, such as climate change, and are applying that research in innovative tools made available to the public, such as <u>A Guide to Engineering</u> <u>Buildings for the Next Pandemic</u>.

Stanford has also engaged in meaningful discussions on resolving these issues.

One such conversation focused on how to avoid a climate disaster and included Bill Gates, co-chair of the Bill & Melinda Gates Foundation and founder of Breakthrough Energy, Marc Tessier-Lavigne, Stanford's President, and Arun Majumdar, the Precourt Institute's Provostial Chair Professor.



In 2020-21—despite pandemic restrictions—30 community-engaged learning courses connected Stanford students with local organizations to develop innovative sustainability solutions. Across disciplines, Stanford regularly partners with local and regional communities on research and other projects that have broad implications beyond the Stanford campus. For example, a new initiative launched in 2020-21, Partnerships for Climate Justice in the Bay Area (PCJ in the Bay), expands opportunities for students to collaborate with partner organizations to advance climate justice in our region through community-engaged courses, internships, volunteer opportunities, and more.

Another important contribution to Stanford sustainability this academic year was the formation of multiple interdisciplinary working groups comprising faculty, staff, and students designed to oversee progress in new priority areas. For instance, the Scope 3 Emissions Working Group was launched to oversee the new Scope 3 Emissions Program. This working group will advise on emissions quantification methods, mitigation strategies, and internal and external partnerships, including living laboratory opportunities with the new sustainability school.

Additionally, the <u>Environmental Justice Working Group</u> (EJWG), an intergenerational collective of faculty, staff, and students, has been working to embed environmental justice (EJ) into research, teaching, and community engagement

Bridging Disciplines in Research and Academia

at Stanford. This initiative is critical to ensuring that Stanford's sustainability efforts can succeed by attending to problems of structural inequity and systemic racism. During 2020-21, the EJWG has continued to build a cross-campus EJ hub to support synergies across multiple learning communities. It has also worked to create a template for integrating EJ into the foundation of the new school of sustainability.

The EJWG has also led the development of EJ curriculum, including a gateway Introduction to Environmental Justice course and an Environmental Justice minor that will launch in fall 2021 through the Earth Systems Program. In addition, the group has supported faculty-led community-engaged research, research grants to graduate students, and a workshop series highlighting best practices in authentic EJ research. Finally, the EJWG has developed critical infrastructure for EJ research, outreach, and academic and community collaboration, including the EJ and Human Rights Lab, an email listsery with 600+ participants, a guarterly newsletter, and an EJ Blog. Together with the Haas Center for Public Service, the group has built regional connections with other Bay Area universities and colleges, especially cross-institutional partners in the Northern California Environmental Justice Network of Community-Academic Partnerships.




Bridging Disciplines in Research and Academia

In 2021, efforts made by Stanford's Environmental Justice Working Group furthered the development of environmental justice curriculum, including the creation of an Environmental Justice minor that will launch in fall 2021 through the Earth Systems Program.



Sustainability-Related Activity



- * Internships counted here include sustainability-related internships undertaken by students through the <u>Cardinal Quarter</u> Program and as part of the <u>Earth Systems</u> <u>Internship Program</u>.
- ** Includes only those capstones offered through the School of Earth, Energy & Environmental Sciences.

Academic Partners

Stanford Woods Institute for the Environment

Precourt Institute for Energy

Haas Center for Public Service

Hasso Plattner Institute of Design

Freeman Spogli Institute for International Studies

Graduate School of Business

Graduate School of Education

School of Earth, Energy, & Environmental Sciences

School of Engineering

School of Humanities and Sciences

School of Law

School of Medicine

Expansive Evaluation, Conservation, and Engagement Programs

Creating programs to provide resources to and instill sustainability behaviors in the campus community has been a long-standing, core goal at Stanford. In addition to this goal, supporting resilient infrastructure and cultivating a spirit of resiliency in individuals are critical to the mission of the Office of Sustainability and Business Services (the Office). Tracking by the Office has made it abundantly clear that the Covid-19 pandemic has had profound effects on Stanford's energy and water use, as well as its waste and emissions generation. Partnerships between sustainability, facilities, and operational groups allowed for a coordinated effort to turn off heating and cooling in buildings unoccupied because of shelter-in-place regulations, which lowered campus electricity use. While resource consumption decreased across the board during the pandemic, decreases in some categories, such as waste, tracked more proportionally with occupancy decreases than other categories. Close evaluation of resource use trends has helped reveal opportunities to maintain some of these reductions in the future.

Already planned sustainability initiatives, such as a second solar generating station will contribute to further decreases in greenhouse gases over the long-term. The new 63-MW solar generating station, coming online in summer 2022, will include a 50-MW battery energy storage system with 200 MWh of power storage capacity. Other sustainability initiatives that accelerated as a result of the pandemic, such as remote work and virtual events, create opportunities to improve campus sustainability going forward.

In 2020-21, the Office has focused on efforts to virtualize its content to make it accessible to campus community members wherever they live, work, and play. These efforts not only have enabled the community to remain connected to the sustainability initiatives at the university but will help ensure resiliency in the programs in the long term. Just one example is the transition of the semi-annual lab share event to a virtual, ongoing program that enables lab staff to exchange lab equipment, resulting in <u>waste and resource savings</u>. In addition, the Office is developing resources, such as online trainings, for the campus community to encourage sustainable behaviors as the campus transitions to wider reopening.

The Office also continues to steward progress toward the three sustainability targets laid out in the Long-Range Vision: <u>reducing Scope 1 and 2 emissions to 80% below peak by 2025</u>, <u>achieving net zero emissions by 2050</u>, and <u>reaching zero waste</u> (defined as 90%







Expansive Evaluation, Conservation, and Engagement Programs

diversion or higher) by 2030. Through a comprehensive vulnerability assessment to address risks, Stanford is also preparing to both adapt (respond to impacts of climate change) and be resilient (prepare for and recover from adverse impacts) in the coming decades to sync with the realities of the changing climate.


The My Cardinal Green program, which incentivizes the campus community to incorporate sustainable behaviors into daily life, has also continued to thrive and broaden to include more actions that support sustainability for those working or studying at home. The Office ran a new Cardinal Green Anywhere Campaign this year, bringing 170 new members of the campus community into the program. Of the nearly 5,300 My Cardinal Green actions completed in 2020, nearly 40% were based on the 32 actions that are designed to be done at home. This helps demonstrate that wherever campus community members may be, they are eager to adopt sustainable practices and are active in doing so. For students, the three actions most often completed were related to composting food waste and packaging, focusing on sustainability in their curriculum or field of study, and learning about home municipal waste systems.



Expansive Evaluation, Conservation, and Engagement Programs

Savings from the Office's comprehensive conservation programs in 2020-21 total nearly \$440,000, equal to the annual savings from some building retrofit projects.





individuals trained in sustainability

2020-21 Highlights

2021 Idle Loads Study

Stanford Encourages Everyone to 'Live Cardinal Green, Anywhere'





In June 2020, the Board of Trustees passed a resolution calling for the university to eliminate its Scope 1, 2, and 3 greenhouse gas emissions by 2050.

Scope 1 and 2 emissions include those from the university's direct energy, fuel, and refrigerant use, as well as those from some minor sources. Over the past decade, Stanford has reduced these emissions by 80%, and it is on track to eliminate 100% of them. Since energy use is the primary driver of Scope 1 and 2 emissions, the university's 12% decrease in Scope 1 and 2 emissions during the Covid-19 pandemic reflects the decrease in overall energy use.

In contrast, Scope 3 emissions represent indirect emissions from activities influenced but not directly controlled by university operations, including business travel, student travel, employee commuting, and events. Emissions from these Scope 3 categories decreased by 87% during the pandemic. Shifting practices around remote work, travel, and virtual events will likely help sustain some of these reductions. The new Scope 3 Emissions Program in Business Affairs will steer emissions reductions in these categories and others in years to come. The program will focus on evaluation, communications, campus engagement, regional community engagement, and collaboration with other institutions.

On the energy supply side, Stanford's Energy Operations Department made great strides to help the campus operate more resiliently in 2020. For instance, the threat of energy reductions or outages was reduced by expanded temporary chiller equipment, which is now being used until a permanent chiller expansion is completed by fall 2022. Having reliable and efficient energy to power the research being done on campus helps to eliminate disruption to teaching and research during heat waves. This year, the temporary chiller equipment expansion helped ensure there were zero days when there was a need to curtail

campus heating or cooling.



This added cooling capacity is a key component of the <u>Stanford Energy System</u> Innovations (SESI) program, which was launched in 2015. SESI enables the transition of the campus energy supply from a fossil fuel system to an electrically powered heating and cooling system. This will allow the university to reach its target of reducing Scope 1 and 2 emissions by 80% in 2025 from a 2011 baseline, three years ahead of the university's stated goal. At that point, Stanford will rely on 100% renewable electricity to power the campus. Through SESI, the campus has been able to model environmentally and economically sustainable heating and cooling systems at a district level.

Stanford's energy transformation puts it at the forefront of universities on the path to carbon neutrality. After conducting <u>deep analysis</u> to understand and strategize solutions for eliminating these remaining emissions sources, the university will undertake specific programs in the years ahead to decarbonize. One such program will assist departments with replacing natural gas equipment with more sustainable electric alternatives in buildings.










In 2020, Stanford powered the campus with 69% renewable electricity, and it will utilize 100% renewable electricity by the end of 2022.






2020-21 Highlights

Reducing Campus Emissions Focus of New Stanford
Program

Thermal Load Shift Commitment at Stanford Redwood City Campus' Central Energy Hub

<u>Stanford Receives Platinum Ranking for Greenhouse</u> <u>Gas Emissions Reporting</u>

Publicly Reported Historical GHG Emissions



This chart depicts Stanford's publicly reported and third-party verified Scope 1 and 2 emissions over time, which capture emissions associated with Stanford's building energy consumption, fleet fuel usage, and process and fugitive emissions. It does not include indirect Scope 3 emissions, which are currently under evaluation by the university's Scope 3 Emissions Program.

Pioneering Energy Management Solutions

Stanford has long been a leader in developing solutions to deliver maximum efficiency in buildings. To model sustainability while supporting the complex needs of its wideranging research initiatives, Stanford implements comprehensive, innovative energy management solutions that increasingly incorporate digital technologies to automate efficiency. It is this type of holistic approach to energy management that helped earn Stanford a Best Practice Award for Energy Efficiency and Sustainability (specifically, for Smart Direct Digital Controls Upgrades) at the California Higher Education Sustainability Conference in 2020.

The <u>Facilities Energy Management (FEM)</u> team utilizes multiple dynamic operating systems and efficiency programs to optimize energy consumption in existing buildings and incorporates best practices into all new buildings. More than 40 buildings on the main campus now rely on a new building automation system equipped with advanced fault detection and diagnostic tools. These tools enable smart analytics on multiple fronts, including building commissioning, new-construction post-occupancy studies, chilled and hot water return temperature management, chilled water resilience planning, and tracking of ventilation modes for air handlers.

Complementing the progress enabled by SESI, demand-side management programs like the Whole Building Energy Retrofit Program and the Energy Retrofit Program have accounted for energy savings equal to nearly 16% of total energy used in 2000 and cumulatively estimated at \$15.7 million, based on current utility rates, since their inception.

In 2020, facilities teams moved quickly to respond to the shelter-in-place restrictions and were able to shut off heating and cooling in 135 unoccupied buildings for several weeks—and in some cases several months. This allowed for significant reductions in energy consumption, as well as the launch of the COOLER program, through which researchers have begun chilled water load experiments in partnership with FEM in unoccupied spaces.



Pioneering Energy Management Solutions

In 2020-21, Stanford completed more than 30 **Energy Retrofit Projects, avoiding more than** \$430,000 in energy costs. As of 2020, Stanford has reduced energy intensity on campus 36% from a 2000 baseline.

Even though some buildings were unoccupied due to shelter-in-place restrictions, overall energy use reflected only a small reduction compared to the prior year due to construction that added new building space on the campus. Increases in outside air ventilation to occupied buildings to dilute potential Covid-19 viral particles also impacted energy use. FEM worked closely with Environmental Health and Safety to develop guidelines for increasing building ventilation levels without excessively impacting energy costs and to change settings in the building automation systems to meet the guidelines. These ventilation increases utilized best practices for heating, ventilation, and air conditioning management during the pandemic. Even with the increased ventilation, the energy use intensity of campus buildings has improved over time, owing to the many initiatives pursued to improve energy efficiency.







2020-21 Highlights

New Air Handling Unit Continuous **Commissioning program**

Operating Suites "Sleep" at Night and on Weekends

High-efficiency Air Compressor at Beckman

Chemical Biology (Lorry Lokey) Building **Automation System Gets a Refresh**


Tuning Air Handlers at New Stanford **Hospital Leads to Energy and Cost Savings**

Electricity, Transformed!

Arrillaga Outdoor Education and Recreation Center Ongoing **Commissioning**

Pioneering Energy Management Solutions

Energy Demand Charts



Stewarding Vital Water Resources

Stanford has an expansive history of efficient water management practices. These are stewarded by the <u>Water Resources and Civil Infrastructure (WRCI) group</u>, which also manages water quality, water systems infrastructure, roads, bridges, and dams on university land. The group proactively works to meet the needs of both the university community and the ecological systems Stanford encompasses.

Since the university's water conservation program began in 2001, it has reduced total campus potable water use by 48%. All major campus water customers have achieved significant reductions in water consumption compared to the previous pre-drought baseline of 2013. With fewer people on campus due to the Covid-19 pandemic shelter-in-place orders, water use on campus was reduced even further. The WRCI team hosted two virtual water conservation presentations to help the Stanford community to stay vigilant in continuing conservation as a California way of life. Future water planning efforts continue through the active development of a Sustainable Water Management Plan, for which WRCI completed nearly 20 technical studies related to alternative water supplies, demand projection, and water conservation.










Stewarding Vital Water Resources

In 2020, potable water use decreased by 8% and non-potable water use stayed the same when compared to the previous year.





The individual point labels on this chart reflect non-potable and potable water consumption totals, respectively. Together, they comprise total water consumption.



2020-21 Highlights

WaterSmart

Water Quality on Campus

<u>East Campus Stormwater</u> <u>Capture</u>

Reduced Water Use on Campus



Increasing Waste Diversion

Stanford is actively progressing on its path toward <u>diverting more than 90% of waste from the landfill by 2030</u>. Managing campus resources in a way that prioritizes sustainable purchasing, reduction, and reuse, followed by recycling and composting, is critical to achieve the zero waste goal.

Even during the Covid-19 pandemic, the university achieved a diversion rate of 67%, which shows the ingrained waste reduction habits of the Stanford community. In addition, Stanford won the top award for the Per Capita category, large campus size, in the 2021 Campus Race to Zero Waste competition (formerly known as RecycleMania).

With the Office's knowledge that our campus waste characterization study showed that 26% of the waste going to landfill is recyclable and 36% is compostable, the university's Zero Waste Plan adopted a new waste system that incorporates best practices, industry standards, and efficiency standards to facilitate proper waste disposal. This new system will help the university not only reach its Zero Waste Goal, but also reduce touchpoints, keep bins more sanitary, and comply with future state regulations. Eight buildings piloted the university's new waste system, which implements eight distinct changes:

- 1. Increase centralized waste and recycling bins and eliminate deskside trash and recycling service
- 2. Replace all wheeled custodial carts with slim recycling containers to reduce touchpoints
- 3. Switch to single-stream recycling, where paper, plastics, metal, and glass are all combined
- 4. Centralize collection of flattened corrugated cardboard inside buildings
- 5. Add compost bins and service in breakrooms and kitchens
- 6. Collect paper towels from restrooms as compost (small trash bins will remain in stalls)
- 7. Custodians will now remove all recyclables, compostables, and landfill waste from buildings
- 8. Hauler will continue to service outside dumpsters and compactors



Increasing Waste Diversion

Designating responsibility for sustainable purchasing and responsible waste collection and sorting in contracts is an important part of the university's Zero Waste Plan. Therefore, a partnership between the Office and Stanford's Procurement Services Division has led to a new process to add waste reduction and sustainability language to vendor contracts.

Starting in fall 2021, a new module will be incorporated into the New Student Orientation Mandatory Sustainability Training. The Office partnered with Students for a Sustainable Stanford, the ASSU, and Residential & Dining Enterprises to develop a waste sorting training module for students who are new to the campus. The training module educates them on the hows and whys of proper waste sorting and contains a quiz to check understanding. Now all students will be educated on proper waste sorting before arriving on campus and will help the university reach the Zero Waste Goal.












Increasing Waste Diversion

In 2020, Stanford recovered over 10,000 tons of waste, including 85 tons of reusable materials, 2,000 tons of recyclables, 6,400 tons of organics, and 1,900 tons of construction and demolition material.

Historical Waste Minimization



The individual point labels on this chart reflect diverted and landfilled waste totals, respectively. Together, they comprise total waste generated

Stanford Receives 2021 Environmental Impact Achievement Award for Lab

2020-21 Highlights

Newly Created Virtual Waste Tours

Recycling in Campus Race for Zero

All About No Waste Community

67% Diversion in 2020

Waste

Zero Waste Building Pilots

Glove Recycling

Stanford Wins 1st place for Per Capita

Living and Eating Sustainably

Residential & Dining Enterprises (R&DE) is home to 15,000 residents and serves 18,000 meals per day across its more than 375 facilities for dining, catering, hospitality, and student and faculty residences. R&DE collaborates with faculty, students, and staff to foster behavior change, reduce energy and water consumption and waste production, educate students through teaching academic classes, and integrate long-term sustainability thinking into how it operates. R&DE Stanford Dining prioritizes sustainably produced, local, organic, humanely raised, and fairly traded food, as well as food from family-owned farms and sustainable fisheries. R&DE's efforts directly influence student learning and the overall campus culture, as well as the lives of Stanford's students as they move into new communities after graduation.

R&DE Stanford Dining's award-winning Sustainable Food Program—<u>One Plate, One Planet</u>—collaborates on many aspects of complex global food systems—from equitable supply chains, climate-smart dining, and regenerative agriculture, to reducing food waste and shifting diets towards plant-forward options. One Plate, One Planet represents these six pillars:

- Climate-smart dining, especially reducing food waste and advancing plant-forward diets;
- Racial equity and support for Black-owned businesses;
- Curbing deforestation through supply chain pressure;
- Thriving oceans;
- · Catalyzing a circular economy of food; and
- · Embracing systems thinking.

R&DE Stanford Dining believes that each plate it serves and each meal students eat offers the opportunity to create a better future for this planet together. R&DE Stanford Dining demonstrates that sustainable, ethical, and healthy food systems can be deployed at scale, while simultaneously inspiring the next generation to improve how Earth's precious resources are managed.

This year, R&DE also released a new sustainability concierge service. Students can text and get immediate responses on issues such as how to sort a particular item of waste, how to use a green cleaning machine, or how to operate their thermostat. R&DE's <u>Cardinal Clean</u> program expanded student access to a free, powerful, and green laundry detergent and cleaning solution to students at the Wilbur and Stern complexes. In total, more than 3,000 students have access. In addition, in support of the university's carbon-free goal, the Murray House kitchen was converted from gas to electric cooking appliances.









Living and Eating Sustainably

R&DE is a critical contributor in achieving the university's zero waste and climate goals. Across its eateries and cafes, R&DE Stanford Dining expanded its food waste reduction initiatives in 2020-21, utilizing multilevel strategies centered on source reduction, food waste monitoring, consumer education campaigns, and food recovery and donation initiatives. In 2019, Stanford Dining formed a Food Waste Reduction Task Force to develop a roadmap for accelerating solutions for reducing food waste. It released a new target in April, building on Stanford Dining's long-standing initiatives by committing to further reduce its food waste by 25% by the end of 2022. R&DE continues to partner with the Loaves and Fishes A La Carte food rescue program to donate excess food from dining halls, cafes, and concessions to local organizations. R&DE manages the food pantry program for undergraduate and graduate students and their affiliates who self-identify as food insecure, in collaboration with the Graduate Student Council, the ASSU, and the Stanford Solidarity Network. The program has distributed over 100,000 pounds of food to the Stanford community since its inception in August 2019.

This systematic analysis to identify opportunities for efficiencies is a focus across R&DE operations. This year R&DE has experimented with several new technologies, including smart thermostats and sensors that track air quality and thermal comfort, and it has even worked with students to develop their own sensors that monitor waste production and service. Additionally, a comprehensive survey was undertaken of more than 1,000 graduate students to get an in-depth look at how they manage their waste, how much they are willing to sort, and how frequently and how far they are willing to travel to dispose of it.

2020-21 Highlights

R&DE Expands Donation Program Throughout the Year

R&DE Releases New One Plate, One Planet Vision for its Sustainable Food Program


Stanford Dining Joins Drawdown Labs: First University, First Foodservice Member, Working with Bold Private Sector Leaders to Scale Climate Solutions

Stanford Dining Participates in Multi-site MCURC Study Revealing Two Untapped Solutions for **Reducing Food Waste**

By Sharing Insights on its Protein Portfolio and the MCURC Collective Impact Initiative, Stanford Dining Begins to Work with Student Rebecca Grekin and Faculty Sally Benson to Tackle Stanford's Next Frontier for Climate Action: Scope 3 Emissions

Stanford Dining is Recognized by the Foodservice Industry as a Model of Gender Equity, Especially as Relates to Sustainability and Supporting Small-Scale Producers, Marking the Beginnings of its New Purchasing Program with Black Farmers

Living and Eating Sustainably





In 2020-21, R&DE expanded its strategic partnerships, elevated its thought leadership in the campus dining sector and the broader foodservice industry, and released the vision and core pillars of its One Plate, One Planet program.



Advanced Building Design and Construction

The built environment at Stanford is critical in supporting the academic mission, providing appealing, functional spaces that enable cross-disciplinary collaboration to connect research, practice, and action around some of the world's most pressing challenges. The <u>Department of Project Management (DPM)</u> oversees major construction on campus and continually works to elevate the application of sustainable practices in building and design. Its <u>holistic method of benchmarking</u> drives improvement so that each new building coming online can perform better than the last. Lessons learned from post-occupancy studies of each new building inform the target-setting process for future buildings.

DPM completed two new buildings this year despite pandemic restrictions and extra safety precautions for construction workers. These buildings replace outdated "temporary" structures with modern facilities for medical school faculty and public safety officers.

The Center for Academic Medicine (CAM) building consolidates office and administrative space for several Stanford Medicine departments that were formerly scattered throughout the medical campus. The new center houses faculty, researchers, and administrative staff in support of the nearby Stanford-affiliated hospitals and clinics. Along Quarry Road, the CAM embraces its verdant setting at the Stanford Arboretum to foster an environment that supports physician wellness with amenities such as a gym, a cafeteria, and concierge services. The accompanying three-story underground parking structure incorporates a demand-controlled ventilation system. It utilizes sensors and smart-control logic to detect and measure vehicle exhaust and to modulate garage exhaust fan speeds to keep carbon monoxide and nitrogen dioxide concentrations at safe levels. According to engineers from the Illinois Institute of

Technology, this control approach is 84% more energy efficient than the prevalent means of garage ventilation control currently deployed in new construction nationwide and 73% more effective than "on-off" control systems installed in Stanford's older underground parking structures.







Advanced Building Design and Construction


The new Public Safety Building houses the department's programs and staff, such as the Stanford Chief of Police, deputy sheriffs, and non-sworn personnel, including community service officers, public safety officers, special events patrols, and support staff. The department was located for many years in an outdated and undersized main facility and in a variety of modular and satellite structures on the east side of campus. The 1968 Fire and Police Facility will continue to house the Stanford fire station, and the modular/ satellite structures will be removed to reclaim land for other uses. The new Public Safety Building is more energy efficient than the old structures it replaces; it complies with California's strict Energy Code and is connected to Stanford's low-carbon central chilled and hot water systems.



Operations teams collaborate with the building design team to understand energy consumption and set energy targets for all buildings, working closely together to ensure buildings perform as designed. Because of the coordinated approach to achieving sustainability targets, Stanford's building portfolio operates at a <u>LEED Gold standard</u>.

Strategies that Contribute to Efficiency in New Construction:

In 2020, the Center for Academic Medicine buildings were consolidated to optimize the building space, utilizing cutting-edge ventilation and energy efficiency systems



Expanded Sustainable Transportation Options

Stanford is committed to achieving the "No Net New Peak-Hour Commute Trips" standard, which is defined by the Stanford Community Plan as no additional trips above a measured baseline during peak commute hours in the campus commute direction. Stanford has met and plans to continue to meet this standard, as described in its General Use Permit.

<u>Stanford's Transportation Demand Management (TDM) program</u> consists of innovative approaches for getting students, faculty, and staff to campus by means other than singleoccupancy vehicles. Spearheaded by Stanford Transportation, the TDM program aims to reduce university-related traffic impacts, emissions, and parking demand while the campus continues to grow.

In 2020, many Stanford employees worked remotely on a part-time or a full-time basis due to the Covid-19 pandemic. Over this time, many Stanford Transportation programs were adjusted to reflect the shelter-in-place and stay-home orders.










Expanded Sustainable Transportation Options

In 2020, some 59% of campus commuters (employees and commuting students) utilized sustainable transportation options on a regular basis



Rate of Sustainable Transportation Commuters



2020-21 Highlights

<u>Stanford Transportation Receives Awards for Marketing and Transportation Demand</u> **Management**


Pedal Together Pilot Program Launched

Caltrain Go Pass and VTA SmartPasses Extended Due to Shelter-in-Place

2020 Year at a Glance

Expanded Sustainable Transportation Options

Reduced Environmental Impact from Transportation





View the online version of this publication at: https://sustainability-year-in-review.stanford.edu/2021/

About Us

The Sustainable Stanford Year In Review is produced by the Stanford Office of Sustainability. The Office of Sustainability makes sustainability a core value, value-add and a tangible part of the Cardinal experience. OOS connects campus departments and entities and works collaboratively with them to steer sustainability-specific initiatives and provide a business office in service of sustainability programming, with a focus across seven key areas: infrastructural planning support; assessments, evaluations, and reporting; business systems; conservation programs; communications, training, and education; collaborative governance; and organizational effectiveness.

Acknowledgements and Photo Credits

Sustainable Stanford thanks all its campus partners who contributed content for the 2020–2021 Year in Review, and for their ongoing efforts to create a more sustainable campus environment.

- Andrew Brodhead
- Dr. Jacques de Chalendar
- Linda Cicero
- Melissa Maigler
- Julie Muir
- Kaspars Sprogis
- Susan Vargas

For more information visit: sustainable.stanford.edu

If you have questions, email: becardinalgreen@stanford.edu

©Stanford University, Stanford, California 94305 | All Rights Reserved

Stanford Office of Sustainability

F.1 Annual Reporting of Select LEED Credits

SSc4.1-4, Alternative Transportation

Reference annual GUP reporting on net trips during peak commuting hours

Stanford's annual reporting on "no net new commute trips" is provided in Appendix B (Condition G.4) and in Appendix D.

Submit an updated Transportation Demand Management Program document or similar narrative that describes alternative transportation services

Stanford's annual reporting on the TDM Program is provided in Appendix B (Condition G.2).

WEc1, Water Efficient Landscaping

Report the annual percentage of surface water (non-potable) vs. groundwater (potable) water in the lakewater irrigation system.

Lakev	Lakewater Irrigation System Supply Sources				
	Non-potable (Sur other sources)	face Water and	Potable (Groundwater)		Total
Year	Quantity (acrefeet)	Percentage	Quantity (acrefeet)	Percentage	Quantity (acre-feet)
2010	809	70%	342	30%	1,151
2011	1,019	85%	182	15%	1,201
2012	1,032	82%	238	18%	1,270
2013	1,056	77%	311	23%	1,367
2014	72	6%	1,142	94%	1,214
2015	364	34%	721	66%	1,085
2016	215	24%	690	76%	905
2017	585	56%	456	44%	1,041
2018	684 total (588 surface water; 96 dewatering)	55% total (47% surface water; 8% dewatering)	554	45%	1,238
2019	896 total (518 surface water; 354 dewatering; 23 stormwater)	73% total (43% surface water; 29% dewatering;	323	27%	1,219

		2% stormwater)			
2020	824 total (746 surface water; 70 dewatering; 9 stormwater)	69% total (62% surface water; 6% dewatering; 1% stormwater)	373	31%	1,198
2021	63 total (19 surface water; 43 stormwater)	5% total (2% surface water; 4% stormwater)	1,175	95%	1,237

The increased use of groundwater in the lakewater irrigation system between 2014 - 2016, and in 2021 was due to drought. Groundwater wells were pumped to meet demand within the lakewater irrigation system and to fill storage within Felt Lake. The majority of campus lakewater irrigation demand was met by groundwater sources. The overall annual percentages do not reflect the Surface Water/Groundwater breakdown that occurred on a monthly basis (where a blend of both sources was used). However, the average groundwater percentage of the total lakewater irrigation system is 49% over the last 5 years, and 46% over the last 12 years (since 2010). "Abnormal" years were considered in the calculations for the Alternative Means approach, and Stanford demonstrated that with or without abnormal years, Stanford met the credit requirements for WEc1. Other "abnormal years" included 2006, when Felt Lake was drained, and 2007, when sediment removal at Felt Lake, and groundwater pumping was higher than normal. 2014 through 2016 are other examples of "abnormal years" with drought.

Note: The sources of water contributing to the lakewater irrigation system have been tracked through various methods in order to fit within reporting formats, including that of Bay Area Water Supply & Conservation Agency (BAWSCA) and GUP reporting. Prior to 2015, the volume entering storage was subtracted from total surface water diverted and water used from storage. In 2015, water added to storage was subtracted from the metered groundwater or surface water source to better account for the source contributing to storage. Prior to 2016, all water coming from storage was assumed to be surface water. In order to better reflect the sources of water used in the lakewater irrigation system, beginning in 2016 the source of stored water is being accounted for by tracking the volume of groundwater that enters and is used from storage. Assumptions for this new method include a starting point of zero groundwater in the non-potable irrigation system storage as of July 2013, surface water entering storage first, and groundwater used from storage first.

Alternative water supplies were introduced and tracked in 2020 and 2021:

 Beginning in 2018, captured construction dewatering was used as an alternative water supply for irrigation (non-potable source). The construction projects stopped pumping dewatering water in October 2019.

• Beginning in 2019, stormwater capture was used as an alternative water supply for irrigation (non-potable source). In FY 21, stormwater capture accounted for 4% of the source supply for the lakewater system.

EAp3, Fundamental Refrigerant Management

Report when phase-out of CFC refrigerants in the central plant is complete.

The scheduled phase-out described in EAp3 has not changed. The demolition of the central energy plant began in FY 15 and was complete by November 2015. Therefore, the prohibited CFC refrigerant has been removed.

This will also indicate when EAc4, Enhanced Refrigerant Management, may be submitted for campus-wide pre-approval.

Since the Central Energy Plant was demolished by November 2015, Stanford may now submit this credit for approval.

MRp1, Storage & Collection of Recyclables; MRc2.1-2.2, Construction Waste Management

Confirm that PSSI is still Stanford University's waste contractor, and that PSSI's waste diversion programs are ongoing.

PSSI is Stanford University's waste contractor for all construction projects on campus, and their waste diversion programs are ongoing. Stanford's construction and demolition waste diversion rate for fiscal year 2021 was 84.67%, meeting both the minimum 50% diversion rate and the 75% diversion rate to maintain two credits under MRc2 for the campus as a whole.

Reference reporting already sent to the County under the Solid Waste Management Act of CA (AB 939).

Stanford submitted the County of Santa Clara Countywide AB 939 Quarterly Summary to the Santa Clara County Integrated Waste Management Program on or before March 15, June 15, September 15, and December 15, 2021.

IDc1.3, Green Housekeeping

Confirm that Unicco is Stanford University's cleaning service provider.

UG2 is the current provider of comprehensive green janitorial services to Stanford University.

IDc1.4, Green Campus Operations Education

Provide update on any new green campus operations, education campaigns, newsletters, or other forms of green campus operations education.

The description of green campus operations provided in the Green Building Ordinance materials did not change during this year.

ISc1.6, Green Dining

Provide an update on any green dining initiatives or education.

The description of green dining initiatives and education provided in the Green Building Ordinance materials did not change during this year.

Water Reduction Credits

Report on 'water bank' balance using water calculation template.

The reporting period for this credit is July 1 to June 30, to coincide with Stanford's annual GUP water consumption reporting period for SFPUC purchases and water conservation projects.

Water Bank Balance				
Year	Projects	Change (mgd)	Cumulative Balance (mgd)	
2010	Previous Projects under GUP	0.683880	0.683880	
2011	Water conservation projects	0.012446	0.696326	
2012	Water conservation projects	0.009141	0.705467	
2013	Water conservation projects	0.017884	0.723351	
2014	Water conservation projects	0.018824	0.742175	
2015	Water conservation projects and SESI	0.422232	1.164407	
2016	Water conservation projects and new building projects	0.005922	1.1703287	
2017	Water conservation projects and new building projects	0.001648	1.1719765	
2018	Water conservation projects and new building projects	0.0007520	1.172464	
2019	Water conservation projects	0.0060580	1.178522	
2020	Water conservation projects	0.0140223	1.192544	
2021	Water conservation projects	0.0041739	1.196718	

^{*} SESI: Stanford Energy Systems Innovations

F.2 Annual Reporting of Plug-In Electric Vehicle Charging Systems


The parking baseline is the total number of parking spaces recorded within the site boundary, in Annual Report 13 (18,270 spaces), plus all projects approved from September 1, 2013 to February 14, 2014 (Acorn parking lot, 12 net new spaces; Searsville parking lot, 592 spaces), or a total of **18,874 spaces**. As of February 14, 2014, there were six parking spaces that had access to EV charging on-campus that counted towards meeting the Ordinance (see Figure F-1).

As of August 31, 2021, the total number of parking spaces on campus is 18,215, which is below the baseline number of spaces, and Stanford had 94 EV charging spaces on campus. Therefore, Stanford is in compliance with the County of Santa Clara's Ordinance for plug-in electric vehicle charging systems.

Date	Parking spaces tally	No. of spaces above baseline	No. of EV charging spaces required by PEV Ordinance	No. of EV charging spaces on campus	In compliance with PEV Ordinance
End of FY 13 (August 31, 2013)	18,270	N/A	N/A	N/A	N/A
Baseline as of February 14, 2014	18,874	0	0	6	Yes
End of FY 14 (August 31, 2014)	18,796	(78)	0	6	Yes
End of FY 15 (August 31, 2015)	18,101	(773)	0	14	Yes
End of FY 16 (August 31, 2016)	18,112	(762)	0	24	Yes
End of FY 17 (August 31, 2017)	18,289	(585)	0	78	Yes
End of FY 18 (August 31, 2018)	17,622	(1,252)	0	78	Yes
End of FY 19 (August 31, 2019)	17,593	(1,281)	0	78	Yes
End of FY 20 (August 31, 2020)	18,215	(659)	0	82	Yes
End of FY 21 (August 31, 2021)	19,927	1,053	11	94	Yes

Note: All spaces are mixed-use parking lots.

FIGURE F-1: CURRENT EV CHARGER LOCATIONS AS OF AUGUST 31, 2021



Locations	Number of ports	Charging
		type
Parking Structure 5 / Stock Farm Garage	16	Level 2
Stanford Visitor Center	4	Level 2
Tresidder Memorial Union	4	Level 2
Roble Field Garage	54	Level 2
Thoburn Garage	4	Level 2
Manzanita Field Garage	12	Level 2
Total	94	